
A SAFETY EQUIPMENT



Road Safety Equip	ment82-83
Safety Bollards	84
Safety Tape	85
Safety & Protectio	n Strips86
Convex Mirrors	87
Spill Containment	Pallet88
Spill Kits	89
Dangerous Goods	Storage90-91
Matting	92-93
Miscellaneous Safe	ety Equipment94

SECURITE

Various Heights. Reflective Orange. UV Stabilised. 900mm Model features a 7kg base with large footprint.



Model	Description
CONE450RO	450mm High Cone
CONE700RO	700mm High Cone
CONE900RO	900mm High Cone
CONE1000RO	1000mm High Cone
RETRACTABLE BAR	Extends 1.2m - 2.0m

SECURITE

Various Heights. Plain Orange. UV Stabilised. 900mm Model features a 7kg base with large


Orange Cones

footprint. RCB2 Retractable Cone Bar also available separately. Extends from 1.2 m - 2.0 m.



Model	Description
CONE450	450mm High Cone
CONE700	700mm High Cone
CONE900	900mm High Cone
RETRACTABLE BAR	Extends 1.2m - 2.0m

SECURITE



CONE700COLL

Collapsible Orange Cone

700mm Height. Wide, Stable Base.

Model	Description
CONETOOCOLI	Strong PVC Material



4 Way Connectivity Push Button Lock. Fits most styles of Safety Cones.

Model	Description
RBRW9	9m Red/White Retractable Barrier Tape
RBBY9	9m Yellow/Black Retractable Barrier Tape

SECURITE



1200mm Stem Height.
Reflective Orange.
UV Stabilised.

T Top Bollard

Model	Description
BOLLBASE6	6kg Bollard Base to suit TTop Bollard
BOLLBASE8	8kg Bollard Base to suit TTop Bollard
BOLLTOP	12mm Stem slots into either base



Expanding Port A Guard

1100mm Height.

The barrier comes with castors included. Expanding Metal Crowd Control Barrier.

Lock in Feature to allow additional Barriers to be attached.

Model	Description
EBYB3	3000(L) x 1100(H)mm



HAZLIGHT

Traffic Barricade Light

Ideal for Road Construction Sites for indicating road closures or for warning motorists of approaching hazards. Batteries not included.

Model	Description
HAZLIGHT	130mm x 100mm





Traffic Wand

RB540

SECURITE

Flashing or Constant Light Modes. LED technology. Batteries not included.

Model	Description	
RB540	Flash - Steady - Top Light Function	

TEEMSYSTEMS.



Model	Description
BATS/S	450mm Class 1 Reflective with Wooden Handle




Model	Description
FLAGDOWEL	PVC Traffic Flag Dowel



50m Roll.

Ideal for Traffic Management



١	Model	Description
M	IESH6	6kg PVC Safety Barrier Mesh
M	IESH8	8kg PVC Safety Barrier Mesh

Measurements are Length x Width x Height





Bunting Safety Flags Various Colours Available. 20 Flags per Box. 30m Length.

Model	el Description	
BUNTOR	Orange Bunting Safety Flag - 20 x 30m	
BUNTGR	Green Bunting Safety Flag - 20 x 30m	
BUNTB	Blue Bunting Safety Flag - 20 x 30m	
BUNTL	Lime Bunting Safety Flag - 20 x 30m	
BUNTY Yellow Bunting Safety Flag - 20 x 30m		
BUNTR-W Red/White Bunting Safety Flag - 20 x 30m		

SAFETY EQUIPMENT










Plastic Safety Chain

100% Recyclable Plastic.

Ideal to use as safety barrier to cordon off workplace & public areas. 40 meter rolls are avaiable on request.

Model	Description	
CPY625	6mm Yellow per 25 metre roll	
CPRW625	6mm Red/White per 25 metre roll	
CPY825	8mm Yellow per 25 metre roll	
CPRW828	8mm Red/White per 25 metre roll	



Model	Description
W145	915 Height x 110mm Pipe Diameter

SECURITE



W170

High Profile Safety Bollard

Protects machinery & equipment from damage. Can be used both indoors & outdoors to protect work areas. Base plate: 200 x 200mm.

Hole size: 35 x 22mm elongated holes.

Model	Description	
W170	1067 x 1220mm (H x L) 110mm Pipe Diameter	



Base plate: 200 x 200mm.

Hole size: 35 x 22mm elongated holes.



Low Profile Safety Bollard

Can be used both indoors & outdoors to protect work areas. Base plate: 200 x 200mm.

Hole size: 35 x 22mm elongated holes.

Model	Description	
W178	228 x 1220mm (H x L) 115mm Pipe Diameter	





RACKGC

Racking Leg Guard

Complies with AS4084-2012. Designed for corner applications.

Powder Coated High Visibility Safety Yellow.

Mounted independently to avoid impact transference.

Model	Description	Construction
RACKGC	180 x 180 x 500mm High	6mm Thick Mild Steel



RACKG

Pallet Racking Leg Guard

Pallet racking legs are often supporting many tonnes of product. Protecting these legs is of vital importance

to avoid potential disasters caused as a result of impact by forklifts or trolleys. Four Bolt Fixing for maximum security. Powder Coated High Visibility Safety Yellow.

Protects your investment and reduces the

Mounted independently of racking to avoid impact transference.

Model	Description	Installation
RACKG	150mm x 400mm High	4 x 12mm Masonry Anchors



TAPER-W



Model	Description
TAPER/W	Red/White Tape 75mm x 100m

SECURITE

TAPEB-Y

Safety Tape

20 Rolls per Box.

Black/Yellow Pattern



Model	Description
TAPEB/Y	Black/Yellow Tape 75mm x 100m





T	APEB-	-W
S	afety	Tape

Blue/White Pattern. 20 Rolls per Box.

Model	Description
TAPEB/W	Blue/White Tape 75mm x 100m





TAPER-W-D Safety Tape

Red/White/DANGER Pattern. 20 Rolls per Box.

Model	Description	
TAPER/W/D	Red/White 'DANGER' Tape 75mm x 100m	





TAPEB-Y-C **Safety Tape**

Black/Yellow/CAUTION Pattern. 20 Rolls per Box.

Model	Description
TAPEB/Y/C	Black/Yellow 'CAUTION' Tape 75mm x 100m

Measurements are Length x Width x Height





TAPER-W-DNE Safety Tape

Red/White/DO NOT ENTER Pattern. 20 Rolls per Box.

Model	Description	
TAPER/W/DNE	Red/White 'DO NOT ENTER' Tape 75mm x 100m	

AFETY

TEBMSYSTEMS




Model	Description
GLTACAR	130mm x 100mm
GLTAPASR	500mm x 140mm
GLTAPAR	1030mm x 140mm
GLTAPAR	1030mm x 140mm

SECURITE **Yellow Corner Protector** Heavy Duty Corner Protector.

Model	Description
GLTACAY	130mm x 100mm
GLTAPASY	500mm x 140mm
GLTAPAY	1030mm x 140mm

SECURITE



Anti Collision Strip - V

Convenient Self Adhesive Strips. Helps protect against low impact damage. Made from Soft Polyurethane.

Model	Shape	Size
ACSV	V-Shape	1000 x 40 x 20mm







Anti Collision Strip - L

ACSL

Convenient Self Adhesive Strips. Helps protect against low impact damage. Made from Soft Polyurethane.

Model	Shape	Size
ACSL	L-Shape	1000 x 60 x 40mm

SECURITE





Anti Collision Strip - C

Convenient Self Adhesive Strips. Helps protect against low impact damage. Made from Soft Polyurethane.

Model	Shape	Size
ACSC	C-Shape	1000 x 40 x 60mm





Helps protect against low impact damage. Made from Soft Polyurethane.

Model	Shape	Size
ACSR	Rectangular Shape	1000 x 60 x 20mm





Indoor Convex Mirror

Polycarbonate face. Fully adjustable to any angle. Suits 60mm diameter posts. Includes adjustable wall mount brackets.

Model	Description	
MR300ID	300mm Indoor Convex Mirror	
MR450ID	450mm Indoor Convex Mirror	
MR600ID	600mm Indoor Convex Mirror	
MR800ID	800mm Indoor Convex Mirror	






MR800QD

Indoor Convex Quarter Dome Mirror

An economical, lightweight alternative for general surveillance of a broad area. Polycarbonate Face.

Model	Description
MR800QD	800mm Indoor Convex Quarter Dome Mirror







Outdoor Convex Mirror

Durable weather-proof mirror. Polycarbonate face with high-visible orange visor. Suits 60mm diameter posts. Includes post mount brackets.

MR series bracket available for wall mount option.

Model	Description
MR4500D	450mm Outdoor Convex Mirror
MR6000D	600mm Outdoor Convex Mirror
MRBRACKET	Wall Mount Bracket for MR450/600





MR700HD

Indoor Convex Half Dome Mirror

An economical, lightweight alternative for general surveillance of a broad area. Polycarbonate Face.

Model	Description
MR700HD	700mm Indoor Convex Half Dome Mirror





MR700D

Indoor Convex Full Dome Mirror

Measurements are Length x Width x Height

An economical, lightweight alternative for general surveillance of a broad area. Polycarbonate Face.

Model	Description	
MR700D	700mm Indoor Convex Half Dome Mirror	





MRBRACKET

Mirror Bracket

Wall mount brackets to suit the MR range of Convex mirrors

Model	Description
MRBRACKET	Post Bracket

50

D

S

CHEMICAL

SP

KITS

Trust

RT4503 Ramp to suit RT4501/RT4502 1219 x 838 x159mm Static Load: 450kg



Spill Pallet Deck Two Drum Bunded

For overflow operation as drum filling and sub-packaging, chemical and electrolyte storage etc, prevents leakages of most chemicals including acids, alkaline and corrosive liquids.

Moulded construction adds to the strength, strong and durable, will not rust, dent, chip, or peel. Removable grids for gathering leaked liquids. Non-forklifting, no IBC containers allowed.

Complies with NSF requirements.

Model	Dimensions	Static Load	Capacity
RT4501	1245 x 635 x 140mm	1130kg	90L



RT4503 Ramp to suit RT4501/RT4502 1219 x 838 x159mn Static Load: 450kg



Spill Pallet Deck

alkaline and corrosive liquids.

dent, chip, or peel. Removable grids for gathering leaked liquids.

Complies with NSF requirements.

Model	Dimensions	Static Load	Capacity





TSSBP2

Spill Pallet Deck Two Drum Bunded - 230L

Roto-molded made from 100% virgin resin polyethylene for high strength and chemical resistance. Removable non-slip grates.

Dispensing well/overflow sump also available.

Pallet covers are also available to protect the load and sump. Complies with EPA requirements.

Model	Dimensions	Capacity
TSSBP2	1220 x 820 x 330mm	230L



TSSBP4L

Four Drum Bunded - 230L

Roto-molded from 100% virgin resin polyethylene for high strength and $\,$ chemical resistance. Removable non-slip grates.

Pallet covers are also available to protect the load and sump.

Model	Dimensions	Capacity
TSSBP4L	1280 x 1280 x 275mm	230L





TSSBB1

Spill Pallet Deck Single IBC Bunded - 1100L

The IBC bund body is made from 100% virgin resin polyethylene for high strength and chemical resistance. Removable non-slip grates

Suitable for holding 1 x 1000L IBC tank. Dispensing well/overflow sump also available.

Pallet covers are also available to protect the load and sump. Complies with EPA requirements.

Model	Dimensions	Load(UDL)	Capacity
TSSBB1	1760 x 1350 x 710mm	2000kg	1100L



Four Drum Bunded

For overflow operation as drum filling and sub-packaging, chemical and electrolyte storage etc, prevents leakages of most chemicals including acids,

Moulded construction adds to the strength, strong and durable, will not rust,

Non-forklifting, no IBC containers allowed.

Model	Dimensions	Static Load	Capacity
RT4502	1245 x 1245 x 140mm	2260kg	185L





Spill Pallet Deck

Suitable for 4 x 205l (44gal) drums. Dispensing well/overflow sump also available.

Complies with EPA requirements.

Model	Dimensions	Capacity
TSSBP4L	1280 x 1280 x 275mm	230L





Measurements are Length x Width x Height

TSSBB2

Spill Pallet Deck Dual IBC Bunded - 1140L

The IBC bund body is made from 100% virgin resin polyethylene for high strength and chemical resistance. Removable non-slip grates.

Suitable for holding 2 x 1000l IBC tank, also suitable for 8 x 250l (44gal) drums. Dispensing well/overflow sump also available.

Pallet covers are also available to protect the load and sump. Complies with EPA requirements.

Model	Dimensions	Load(UDL)	Capacity
TSSBB2	2560 x 1350 x 510mm	2500kg	1140L





TSSIS40GP

40L General Purpose Spill Kit

- 20 x General Purpose Absorbent Pad 480 x 430mm
- 1 x General Purpose Absorbent Boom 1.2m x 75mm 1 x General Purpose Absorbent Sweep 15L Bag
- 2 x Contaminated Waste Bags & Ties
- 1 x Laminated Instruction Sheet
- 1 Pair x Oil Resistant Gloves

- 1 x Labelled Zip-Top Spill Kit Bag Ausspill Quality Compliant

SPILL STATION





TSSIS120GP

120L General Purpose Spill Kit

- 100 x General Purpose Absorbent Pad 480 x 430mm 3 x General Purpose Absorbent Boom 1.2m x 75mm
- 1 x General Purpose Absorbent Sweep 50L Bag
- 5 x Contaminated Waste Bags & Ties
- 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet
- 1 Pair x Oil Resistant Gloves
- Ausspill Quality Compliant

- 1 x Lime Green Bin with Grey Lid - 140L





TEBMSYSTEMS

TSSIS240GP

240L General Purpose Spill Kit

- 200 x General Purpose Absorbent Pad 480 x 430mm
- 3 x General Purpose Absorbent Boom 1.2m x 75mm 2 x General Purpose Absorbent Boom 3m x 75mm
- 2 x General Purpose Absorbent Sweep 50L Bag
- 10 x Contaminated Waste Bags & Ties - 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet - 2 Pair x Oil Resistant Gloves
- 1 x Lime Green Bin with Grey Lid 240L Ausspill Quality Compliant





120L Oil & Fuel Spill Kit

- 100 x Oil & Fuel Absorbent Pad 480 x 430mm
- 2 x Oil & Fuel Absorbent Boom 1.2m x 75mm - 1 x Oil & Fuel Absorbent Boom – 3m x 75mm
- 1 x Oil & Fuel Absorbent Sweep 50L Bag 5 x Contaminated Waste Bags & Ties
- 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet
- 1 Pair x Oil Resistant Gloves
- 1 x Lime Green Bin with White Lid 1401 Ausspill Quality Compliant

TSSIS2400F

- 240L Oil & Fuel Spill Kit
- 150 x Oil & Fuel Absorbent Pad 480 x 430mm 3 x Oil & Fuel Absorbent Boom 1.2m x 75mm
- 3 x Oil & Fuel Absorbent Boom 3m x 75mm
- 2 x Oil & Fuel Absorbent Sweep 50L Bag 10 x Contaminated Waste Bags & Ties
- 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover - 1 x Laminated Instruction Sheet
- 2 Pair x Oil Resistant Gloves - 1 x Lime Green Bin with White Lid - 240L
- Ausspill Quality Compliant

SPILL STATION

TSSIS400F

40L Oil & Fuel Spill Kit

- 1 x Spill Kit Audit Tag

- 50 x Oil & Fuel Absorbent Pad - 480 x 430mm

- 2 x Oil & Fuel Absorbent Boom - 1.2m x 75mm - 1 x Oil & Fuel Absorbent Sweep - 15L Bag

- 2 x Contaminated Waste Bags & Ties

- 1 x Weather Resistant Zip-Top Kit Bag

- 1 x Laminated Instruction Sheet

- 1 Pair x Oil Resistant Gloves

Ausspill Quality Compliant



TSSIS40CH

40L Hazchem Spill Kit

- 50 x Hazchem Absorbent Pad 480 x 430mm
- 2 x Hazchem Absorbent Boom 1.2m x 75mm 1 x Hazchem Absorbent Sweep 14L Bag - 2 x Contaminated Waste Bags & Ties
- 1 x Laminated Instruction Sheet - 1 Pair x Nitrile Gloves
- 1 x Weather Resistant Spill Kit Bag

- 1 x Spill Kit Audit Tag

Ausspill Quality Compliant

SPILL STATION



120L Hazchem Spill Kit

- 100 x Hazchem Absorbent Pad 480 x 430mm
- 3 x Hazchem Absorbent Boom 1.2m x 75mm - 1 x Hazchem Absorbent Boom - 3m x 75mm
- 2 x Hazchem Absorbent Pillow 450 x 450mm - 2 x Hazchem Absorbent Sweep - 14L Bag
- 5 x Contaminated Waste Bags & Ties - 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet - 1 Pair x Nitrile Gloves
- 1 x Lime Green Bin with Yellow Lid 140L Ausspill Quality Compliant





240L Hazchem Spill Kit

- 300 x Hazchem Absorbent Pad - 480 x 430mm

- 3 x Hazchem Absorbent Boom - 1.2m x 75mm

- 2 x Hazchem Absorbent Boom 3m x 75mm - 2 x Hazchem Absorbent Sweep - 14L Bag
- 10 x Contaminated Waste Bags & Ties - 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet - 2 Pair x Nitrile Gloves
- 1 x Lime Green Bin with Yellow Lid 240L
- Ausspill Quality Compliant

SPILL KIT

EQUIPMEN

AFETY

www.teamsystems.net.au

TEEMSYSTEMS



FGC100

Safety Cabinet - 100L Class 3 Flammable Liquids

Two sequential self closing doors. Ventilation ports with flash arrestors on each side.

Double wall thermal barrier with 40mm spacing.

SECURITE

Safety Cabinet - 160L

Class 3 Flammable Liquids

Ventilation ports with flash arrestors

Integral spill containment sump with

drain and suspended perforated floor.

Dimensions

Two sequential self closing doors.

Double wall thermal barrier with

FGC160

on each side.

40mm spacing.

Integral spill containment sump with drain and suspended perforated floor. Complies with AS1940-2004.







Gas Bottle Cage - 4 x LPG

Stores 4 x 18kg LPG forklift cylinders horizontially. Padlockable door (lock not supplied). Complies with AS4332-2004.

Model	Dimensions	Capacity
GC04	787 x 857 x 889mm	4 x 18kg LPG Cylinders



Gas Bottle Cage Stores 18kg LPG forklift cylinders. Mid level shelf.

GC08/GC09

Com

dlockable door (lo mplies with AS43	ock not supplied). 32-2004.	
Model	Dimensions	Capacity
GC08	787 x 857 x 1651mm	8 x 18kg LPG Cylinders
GC09	787 x 762 x 1651mm	9 x 18kg LPG Cylinders

FGC160 1295 x 465 x 1100mm SECURITE

Complies with AS1940-2004.

Model

FGC250

Safety Cabinet - 250L Class 3 Flammable Liquids

Two sequential self closing doors. Ventilation ports with flash arrestors

Double wall thermal barrier with 40mm spacing.

Integral spill containment sump with drain and suspended perforated floor. Complies with AS1940-2004.



Capacity

Model	Dimensions	Capacity
FGC250	1100 x 500 x 1850mm	250L



GC17/GC18 Gas Bottle Cage

Stores 8 x high pressure gas cvlinders.

Mid level shelf Padlockable door (lock not supplied).

Complies with AS4332-2004.

	DANG	NG XXXXX	DANG	
整整	NO IGNITION WITHIN	O.RCES	NO SMOK NO IGNITION S WITHIN 3	DURCES MANAGE
0000		7.A		//

Model	Dimensions	Capacity
GC17	1524 x 857 x 1651mm	8 x LPG and 9 x G-Cylinders
GC18	1524 x 857 x 1651mm	18 x G-Cylinders





BCCLS100L

Safety Cabinet - 100L **Class 8 Corrosive Substance**

Perfect powder-coated finish. Soft-close chemical cabinet doors Fully welded liquid tight sump. Adjustable feet for uneven surfaces. Metal, 2-door, 1-shelf, 15x 2.5L bottles. Complies with AS3780-1994.

Model	Dimensions	Capacity
BCCLS100L	920 x 500 x 800mm	100 Litre



BCCLS160L Safety Cabinet - 160L

Class 8 Corrosive Substance Perfect powder-coated finish. Soft-close chemical cabinet doors. Fully welded liquid tight sump. Adjustable feet for uneven surfaces. Metal, 2-doors, 2-shelves, 6 x 20L cans. Complies with AS3780-1994.

Model	Dimensions	Capacity
BCCLS160L	1100 x 460 x 1295mm	160 Litre



Store up to 200 aerosols in a sat
compliant manner with this 200
aerosol storage cage.
Complies with AS4332.

Model	Dimensions	Capacity
TSSAS3	760 x 780 x 990mm	200 Aerosol Cans



BCCLS250L

Safety Cabinet - 250L **Class 8 Corrosive Substance**

Perfect powder-coated finish. Soft-close chemical cabinet doors. Fully welded liquid tight sump. Adjustable feet for uneven surfaces. Metal, 2-doors, 3-shelves, 9 x 25L cans. Complies with AS3780-1994.

Measurements are Length x Width x Height

Model	Dimensions	Capacity
BCCLS250L	1100 x 500 x 1825mm	250 Litre



TSSAS5

Aerosol Storage Cage Store your aerosols in a safe and compliant manner with our range of Australian made aerosol storage cages. Store up to 400 aerosols in a safe and compliant manner with this 400 can

aerosol storage cage. Complies with AS4332

Model	Dimensions	Capacity
TSSAS5	700 x 750 x 1160mm	200 Aerosol Cans

SPILL STATION





TSSAS1

Aerosol Storage Cage

Store your aerosols in a safe and compliant manner with our range of Australian made aerosol storage cages. Store up to 40 aerosols in a safe and compliant manner with this 40 can aerosol storage cage. Complies with AS4332.

Model	Dimensions	Capacity
TSSAS1	500 x 700 x 300mm	40 Aerosol Cans





Aerosol Storage Cage

Store your aerosols in a safe and compliant manner with our range of Australian made aerosol storage cages. afe and

Model	Dimensions	Capacity
TSSAS3	760 x 780 x 990mm	200 Aerosol Cans











INDUSTRIAL MAT 825 - Extreme Heavy Duty Mat

Drainage holes for water & debris. Bevelled edges for safety. Available in Nitrile red for extra oil resistance. Ideal for kitchens or workshops. Approx. 13mm thickness.

Feature	Size
L x W mm	900 x 1500mm / 900 x 3000mm / 900 x 4500mm







ENGINEERING MATS - Extreme Heavy Duty Mat

Drainage holes for water & debris, rugged Construction. Ideal in front of machinery and welding bays, kitchens or workshops. Available with or without bevelled edges for safety, approx. 20 mm thickness.

Feature	Size
L x W mm	1000 x 1500mm / 1000mm runners



ANTI-FATIGUE Roll Mat 690 - Roll Form Mat UTE Matting

Versatile and can be easily cut to suit odd area. Provides very good comfort under foot. Raised pattern underneath to provide good drainage. Ideal for bars, food preparation areas, boats, utes, vans, etc.

Feature	Size
I x W mm	900 x 1000mm / 1800 x 1000mm /
L X VV IIIIII	900mm Runner / 1800mm Runner



ENTRY MASTER - High Traffic Mat

Attractive, Hard Wearing Mat for high traffic areas, all Weather Design suitable for indoor/outdoor use, raised Rubber Border helps trap moisture & dirt. Grippers on underside, various Colours available.

Feature	Size
L x W mm	600 x 900mm / 900 x 1500mm / 1200 x 1800mm



CHAIRMAT 300

Clear vinyl mat with anchors on back, protects carpet from chairs and castors. Available without anchors for hard floors (300H).

2 Year Warranty. Available in Polycarbonate with 6 Year Warranty.

Feature	Size
L x W mm	900 x 1200mm / 1100 x 1350mm / 1200 x 1500mm / 1200 x 2400mm



DECOR PLUSH 512 - Medium Traffic Mat

Absorbs water & dirt from shoes, hides dirt & water. Attractive smooth surface, easy to clean & dries quickly. Solution dyed to prevent fading.

Feature	Size
L x W mm	600 x 900mm / 900 x 1500mm / 900mm Runner



MULTIGUARD 220

A durable rubber dirt barrier entrance mat, hundreds of vertical rubber fingers push into shoe treads to remove mud, moisture, snow, sand, dirt & leaves. Easily cleaned by hose, high pressure cleaner or simply by shaking.

Feature	Size
L x W mm	600 x 800mm / 800 x 1000mm / 900 x 1800mm



DIAMOND PLATE SPONGE 416 - INDUSTRIAL MAT

Slip resistant, hard wearing & chemical resistant. Resilient sponge base to enhance comfort. Yellow Safety Borders. Will not delaminate. Ideal for all dry areas including warehouses & workstations.


	Feature	Size
	L x W mm	600 x 900mm / 900 x 1500mm /
		900mm Runner / 1200mm Runner



COMFORT ZONE - Anti Fatigue Mat

Versatile & Economical Anti-Fatigue System. Centres & ends available for continuous runs. Suitable for light trolleys. Slip Resistant Chequer Plate Pattern Ideal for counters, workstations & production lines.

Feature	Size
L x W mm	710 x 780mm



ERGO STANCE 310 - Anti-Fatigue Mat

Ergonomically Designed Domed Surface to improve circulation & give maximum comfort to relieve the strain of constant standing. Ideal for checkouts, workstations and counters. 100% Natural Rubber. Optional Yellow Safety Edge available.

	Feature	Size
L x W mm	600 x 900mm / 900 x 1200mm /	
	L x w mm	900mm Runner / 1200mm Runner



Drop-Over Cable Protector - Single Channel

Measurements are Length x Width x Height

Moulded Polyethylene.

No Tool installation, Interlocking Modules.

Model	Description
CHANCC1	Body Size - 1010 x 135 x 20mm
CHANCCI	1 Channels Size - 40mm wide x 12mm deep



Rubber Cable Protector - Multi-Channel

No Tool Installation, Interlocking Modules.

Model	Description
CHANCC3	Body Size - 960 x 600 x 70mm
CHANCES	3 Channels Size - 65mm wide x 50mm deep
CHANCC5	Body Size - 900 x 500 x 70mm
CHANCES	5 Channels Size - 35mm wide x 25mm deep

SAFETY EQUIPMEN

MISCELLANEOUS SAFETY EQUIPMENT



RT8011

Microban® High Chair

T-Shaped safety belt allows one handed button release.

Designed with safety and cleanliness in mind for your youngest patron. Stackable for easy storage.

Found in compliance with ASTM F404 and TUV standards.

Microban® Anti-Bacteria Technologies provide full protection, resist odour & stain due to bacteria. Modern appearances plus anti-bacteria technologies allow easier cleaning than wooden.

Model Description Size

RT8011 High Chair/No Wheels 636 x 583 x 768mm







RT8013

Microban® High Chair Tray

To suit Microban® High Chair.

Designed with safety & cleanliness in mind.

Model	Description	Size
RT8013	High Chair Tray	424 x 300 x 55mm





Castor Wheel Kit

RT8015

To suit Microban® High Chair.

Model	Description	Size
RT8015	Castor Wheel Kit	N/A





LMS0L0

Solo Lift Pro

The Solo Lift Pro allows a box to be lifted and carried with only one hand!

Leaves one hand free to open doors, press elevator buttons or hold handrails. Solo Lift Pro helps prevent:

- Risk of low back strain
- Need to bend Lumbar spine
- Won't strain trying get under box for lifting
- Won't twist/overstretch while placing boxes





LMDUAL

Dual Lift

The Dual Lift adds "handles" to any box. Suitable for lifting heavy boxes up to 45kg.

There's no need to tilt your shoulders or twist your spine just to get your fingers under the box so you can lift it.

Simply attach the Dual Lift handles onto the box and lift with your legs.

