



TROLLEYS & CARTS



TeamStar Trolleys..... 12-13

Trust Utility Carts 14

Trust Special Purpose Trolleys 15-19

Jumbo Series Trolleys 20-21

Signature Series Trolleys..... 22

Teamstar Imported Trolleys..... 23-24

Stainless Steel Medical Trolleys 25-28

Hand Trucks & Stock Trolleys 29-31

Teamstar Dollies..... 32

Teamstar Skates..... 33-34

Powered Trolleys & Tables 35-36

TeamStar - The Top Choice in Trolleys

TeamStar Trolleys are a fully welded construction and the Australian design is a winner in the national market. Various accessories such as clip boards and parts boxes are also available.

Some of the many TEAMSTAR trolley features include:

- 1 Year Frame Warranty
- Durable long-lasting Powder Coated Finish
- Castor Mounting Plates for versatility
- Ability to customise on medium and large size orders
- Standard with 2 Swivel & 2 Rigid Castors



TS1A Flatbed Trolley
High Quality Heavy Duty.

Size	Handle Height	Load Capacity	Wheel Diameter
900 x 600mm	945mm	340kg	125mm




TS1AXL Extra Large Flatbed Trolley

Very mobile with 6 Heavy Duty Castors. Australian Design. Optional Accessories include Buffers & Locking Castors.

Size	Handle Height	Load Capacity	Wheel Diameter
1200 x 700mm	1050mm	520kg	160mm

Team Systems pride themselves on never compromising the quality of product, and all trolleys come with unsurpassed features.

All trolleys come standard with castor mounting plates. Castors are bolted to these castor mounting plates to allow for ease of castor replacement, or to allow for changes to castor arrangement. Available in a large range of models with ability to customise on large orders.



TS2T 2 Tub Steel Trolley
340kg Order Picking Trolley without Bracket bar suits two tubs.



TS4B 4 Tub Steel Trolley

Great for Picking Orders. Two types of crates available - sold separately: IH048 - 16L 457 x 318 x 168mm IH042 - 27L 457 x 318 x 260mm Australian Design.

Size	Handle Height	Load Capacity	Wheel Diameter
990 x 650mm	945mm	340kg	125mm



TSOFT Office File Trolley

Great for Picking Orders, Mailing & Files. Basket designed to suit Suspension Files. Fully Powder Coated to suit office environment. Easy to move with four High Quality Swivel Castors.

Size	Handle Height	Load Capacity	Wheel Diameter
650 x 380mm	930mm	220kg	100mm



TS2A 2 Tier Steel Trolley
Non-Slip Industrial Mat. Australian Design.

Size	Handle Height	Load Capacity	Wheel Diameter
900 x 600mm	945mm	340kg	125mm



TS3A 3 Tier Steel Trolley
High Quality. Australian Design.

Size	Handle Height	Load Capacity	Wheel Diameter
900 x 600mm	945mm	340kg	125mm



TS1B with Heavy Duty Clipboard/Handle version.



TS1B Stock Picking Trolley

Options: Clipboard or Utility Bin. Suits Nally Crate IH060, IH051 & IH078 (Sold Separately). Optional TSOPTH Tray Holder and IH077 Parts Tray are available.

Size	Handle Height	Load Capacity	Wheel Diameter
900 x 420mm	1035mm	220kg	100mm



TS1BD Double Tub Stock Picking Trolley

Australian Made. Suits Nally Crate IH060, IH051 & IH078 (Sold Separately).

Size	Handle Height	Load Capacity	Wheel Diameter
950 x 420mm	1000mm	220kg	125mm



TS1F Full Mesh Trolley
Includes Fold Down Gate. Australian Design.

Size	Handle Height	Load Capacity	Wheel Diameter
900 x 600mm	945mm	340kg	125mm



TS2B Half Basket Trolley
Australian Design.

Size	Handle Height	Load Capacity	Wheel Diameter
900 x 600mm	945mm	340kg	125mm



TSMY with Heavy Duty Clipboard/Handle version.



TSMY Stock Picking Trolley

Suits Nally Crate IH060, IH051 & IH078 (Sold Separately). Optional TSOPTH Tray Holder and IH077 Parts Tray are available.

Size	Handle Height	Load Capacity	Wheel Diameter
900 x 420mm	930mm	220kg	100mm




TROLLEY ACCESSORIES

Team Systems can also supply a number of useful accessories to suit all our trolleys.

TSCLIPBOARD -----
Optional Clipboard
Clamps onto all trolleys.
Powdercoated Silver
Bull Clip & Pen Rack.

TSOPTH -----
Optional Parts Tray Holder.

IH077 -----
Optional Parts Tray.



Trust

RT4041

Bitbar 2 Shelf Utility Cart

Innovative design for easily transporting any items. V-notch for secure attachment of tubular items. User-friendly handles. Sturdy structural foam construction won't rust, dent, chip or peel.



Model	Size	Load Capacity	Wheel Diameter
RT4041	1150 x 640 x 987mm	230kg	125mm

Trust

RT4043

Bitbar 3 Shelf Utility Cart

Innovative design for easily transporting any items. V-notch for secure attachment of tubular items. User-friendly handles. Sturdy structural foam construction won't rust, dent, chip or peel.



Model	Size	Load Capacity	Wheel Diameter
RT4043	1150 x 641 x 987mm	230kg	125mm

Trust

RT4061 / RT4062
U-Boat Trolley

Ideal choice for storing, counting & picking goods. Constructed of commercial powder coated steel handle. Optional extra shelf available.




Model	Size	Load Capacity	Wheel Diameter
RT4061	1634 x 454 x 1632mm	810kg	125mm
RT4062	1960 x 454 x 1632mm	810kg	125mm

Trust

RT4063 / RT4064
U-Boat Trolley Shelf

Optional shelf to suit rt4061 & rt4062 trolleys.



Model	Size	Load Capacity	Colour
RT4063	1634 x 454 x 70mm	80kg	Black
RT4064	1960 x 454 x 70mm	80kg	Black

Trust

RT4044

Bitbar 2 Shelf Utility Cart

Innovative design for easily transporting any items. V-notch for secure attachment of tubular items. User-friendly handles. Sturdy structural foam construction won't rust, dent, chip or peel.



Model	Size	Load Capacity	Wheel Diameter
RT4044	978 x 435 x 987mm	230kg	125mm

Trust

RT4045

Bitbar 2 Flat Shelf Utility Cart

Innovative design for easily transporting any items. V-notch for secure attachment of tubular items. User-friendly handles. Sturdy structural foam construction won't rust, dent, chip or peel.



Model	Size	Load Capacity	Wheel Diameter
RT4045	978 x 435 x 968mm	230kg	125mm

Trust

RT4411 / RT4413

OEASY Platform Trolley

Moulded-in structure adds strength & durability. Textured non-skid surface. Tiedown notches for securing loads. Powder coated steel handle.



Model	Size	Load Capacity	Wheel Type
RT4411	1019 x 610 x 1006mm	450kg	150mm TPR
RT4413	1324 x 610 x 1057mm	900kg	200mm TPR

Trust

RT4412

OEASY Platform Trolley

Moulded-in structure adds strength & durability. Textured non-skid surface. Tiedown notches for securing loads. Powder coated steel handle.



Model	Size	Load Capacity	Wheel Type
RT4412	1019 x 610 x 1006mm	900kg	150mm PP

Trust

RT4046

Bitbar 3 Shelf Utility Cart

Innovative design for easily transporting any items. V-notch for secure attachment of tubular items. User-friendly handles. Sturdy structural foam construction won't rust, dent, chip or peel.



Model	Size	Load Capacity	Wheel Diameter
RT4046	978 x 435 x 987mm	230kg	125mm

Trust

RT4047

Bitbar 3 Flat Shelf Utility Cart

Innovative design for easily transporting any items. V-notch for secure attachment of tubular items. User-friendly handles. Sturdy structural foam construction won't rust, dent, chip or peel.



Model	Size	Load Capacity	Wheel Diameter
RT4047	978 x 435 x 968mm	230kg	125mm

Trust

RT4414

OEASY Platform Trolley

Moulded-in structure adds strength & durability. Textured non-skid surface. Tiedown notches for securing loads. Powder coated steel handle. Pneumatic castors.



Model	Size	Load Capacity	Wheel Diameter
RT4414	1324 x 610 x 1070mm	540kg	200mm Pneumatic

Trust

RT4482

Utility Trolley

Three-position handle lets users push, pull or fold flat for use as a dolly. Efficiently transports large bulky loads, and then folds flat for easy storage. Castors are non-marking.



Model	Size	Load Capacity	Wheel Diameter
RT4482	826 x 521mm	230kg	125mm

Trust

**RT4416
OEASY
Platform Trolley**

Moulded-in Structure adds Strength & Durability.
Textured Non-Skid Surface.
Tiedown Notches for Securing Loads.
Powder Coated Steel Handle.



Model	Size	Load Capacity	Wheel Diameter
RT4416	1629 x 762 x 1057mm	900kg	200mm

Trust

**RT4421
OEASY A Frame
Panel Trolley**

Designed for transporting large, bulky panel-like items.
i.e. Doors, Wood, Wardrobes, etc.
High-Side Inclined Frame & Side Rail holds load firmly in place during transit.
Moulded-in Structure adds Strength & Durability.
Textured Non-Skid Surface.
Tiedown Notches for Securing Loads.
Powder Coated Steel Handle.



Model	Size	Load Capacity	Wheel Diameter
RT4421	984 x 610 x 1092mm	900kg	150mm

Trust

**RT4710 / RT4711
Laundry & Waste Cart**

For Waste Collection, Material Handling & Laundry Handling.
Fits through Standard Doorways and into elevators easily
Metal Frame & Industrial Strength Structural Foam Construction.



Model	Size	Load Capacity	Cubic Capacity
RT4710	1160 x 720 x 760mm	135kg	0.2m ³
RT4711	1145 x 750 x 880mm	180kg	0.3m ³

Trust

**RT5011
Cleaning Cart**

Ideal for Transporting Cleaning Tools & Collecting Trash.
Non-Marking Castors.
Tool Storage Hooks.
Complete Integrated System.
Optional RT6978 Polyliner with Side Bag to suit RT5011 also available.



Model	Description	Size
RT5011	Cleaning Trolley	1168 x 552 x 975mm

Trust

**RT4422
OEASY A Frame
Panel Trolley**

Designed for transporting large, bulky panel-like items.
i.e. Doors, Wood, Wardrobes, etc.
High-Side Inclined Frame & Side Rail holds load firmly in place during transit.
Moulded-in Structure adds Strength & Durability.
Textured Non-Skid Surface.
Tiedown Notches for Securing Loads.
Powder Coated Steel Handle.



Model	Size	Load Capacity	Wheel Diameter
RT4422	1289 x 610 x 1140mm	900kg	200mm

Trust

**RT4432
OEASY Sheet &
Panel Trolley**

Designed for transporting large, bulky panel-like items.
i.e. Doors, Wood, Wardrobes, etc.
High-Side Inclined Frame & Side Rail holds load firmly in place during transit.
Moulded-in Structure adds Strength & Durability.
Textured Non-Skid Surface.
Tiedown Notches for Securing Loads.
Powder Coated Steel Handle.



Model	Size	Load Capacity	Wheel Diameter
RT4432	1289 x 610 x 1140mm	900kg	200mm

Trust

**RT5014
Cleaning Cart
Storage Cover**

Optional Storage Cover to suit RT5011 Trolleys.
Assists with containing odours.



Model	Size	Load Capacity	Colour
RT5014	468 x 323 x 44mm	N/A	Black

Trust

**RT5015
Cleaning Cart Lockable
Top Cover**

Lockable Top Cover
Optional Lockable Top Cover to suit RT5011 Trolleys.
Ideal for safe management of Detergents & Chemicals.



Model	Size	Load Capacity	Colour
RT5015	465 x 350 x 410mm	N/A	Black

Trust

**RT4463 / RT4465
OEASY Panel
Platform Trolley**

Platform Trolley
Designed to carry Small Parcels & Objects.
Powder Coated Steel Fence around trolley to protect objects during transportation.
Powder Coated Steel Handle.
Two Directional Castors & Two Universal Castors for easy manoeuvrability.



Model	Size	Load Capacity	Wheel Diameter
RT4463	1422 x 610 x 1048mm	900kg	200mm
RT4465	1730 x 762 x 1048mm	900kg	200mm

Trust

**RT4612
Laundry & Waste Tilt Cart**

Rotomoulded, Industrial Grade Construction.
Angled Front End Design assists with emptying.
Inset Wheels prevent damage to walls etc.
Non-marking Wheels. Easy to manoeuvre.



Model	Size	Load Capacity	Colour
RT4612	1457 x 683 x 861mm	380kg	Black

Trust

**RT6971 / RT6978
Polyliner Side Bag**

Optional RT6978 Polyliner with Side Bag and Zipped bag to suit RT5011.



Model	Description	Size
RT6971	Zipped Trash Bag	438 x 267 x 775mm
RT6978	Polyliner with Side Bag	438 x 267 x 775mm

Trust

**RT5021
House Keeping Cart**

Complete integrated system.
Adjustable shelves to maximise storage options.
Built-in hook to hang various tools & bags.
User-friendly handles for comfort & grip.



Model	Size	Load Capacity	Wheel Diameter
RT5021	1524 x 559 x 1270mm	N/A	200mm

Trust



RT5022 House Keeping Cart with Doors

Complete integrated system. Adjustable shelves to maximise storage options. Built-in hook to hang various tools & bags. User-friendly handles for comfort & grip.

Model	Size	Load Capacity	Wheel Diameter
RT5022	1524 x 559 x 1270mm	N/A	200mm

Trust



RT5023 House Keeping Cart with Doors & Hood

Complete integrated system. Adjustable shelves to maximise storage options. Built-in hook to hang various tools & bags. User-friendly handles for comfort & grip.

Model	Size	Load Capacity	Wheel Diameter
RT5023	1524 x 559 x 1710mm	N/A	200mm

Trust



RT4010 / RT4020 Hi5 2 Shelf Utility Cart

Double handles. Plastic moulded shelves. Non-marking swivel castors. Aluminium uprights. Non-skid textured surface.

Model	Size	Load Capacity	Wheel Diameter
RT4010	854 x 473 x 960mm	130kg	100mm
RT4020	1032 x 508 x 960mm	135kg	100mm

Trust



RT4011 / RT4021 Hi5 3 Shelf Utility Cart

Double handles. Plastic moulded shelves. Non-marking swivel castors. Aluminium uprights. Non-skid textured surface.

Model	Size	Load Capacity	Wheel Diameter
RT4011	854 x 473 x 960mm	130kg	100mm
RT4021	1032 x 508 x 960mm	135kg	100mm

Trust



RT5031 House Keeping Cart

Complete integrated system. Adjustable shelves to maximise storage options. Built-in hook to hang various tools & bags. User-friendly handles for comfort & grip. Full size cabinet for exceptional storage space.

Model	Size	Load Capacity	Wheel Diameter
RT5031	1240 x 559 x 1230mm	N/A	200mm

Trust



RT5051 House Keeping Cart

Complete integrated system. Adjustable shelves to maximise storage options. Built-in hook to hang various tools & bags. User-friendly handles for comfort & grip.

Model	Size	Load Capacity	Wheel Diameter
RT5051	1024 x 510 x 1090mm	N/A	180mm

Trust



RT4013 Hi5 3 Shelf Utility Cart with Lockable Door & Sliding Drawer

Double handles. Plastic moulded shelves. Non-marking swivel castors. Aluminium uprights. Non-skid textured surface.

Model	Size	Load Capacity	Colour
RT4013	854 x 473 x 960mm	90kg	Black

Trust



RT4023 Hi5 3 Shelf Utility Cart with 3 Panels

Double handles. Plastic moulded shelves. Non-marking swivel castors. Aluminium uprights. Non-skid textured surface.

Model	Size	Load Capacity	Colour
RT4023	1032 x 508 x 960mm	135kg	Black

Trust



RT5041 / RT5042 X-Type Linen Cart

For the collection of all kinds of linen. Durable, lightweight & easy to control. High quality vinyl bag with side straps. Easily folds for storage.

Model	Size	Load Capacity	Colour
RT5041	705 x 635 x 876mm	170L	Brown
RT5042	940 x 660 x 1010mm	340L	Brown

Trust



RT5043 / RT5044 X-Type Linen Cart Replacement Bags

Vinyl replacement bags to suit RT5041 & RT5042

Model	Size	Load Capacity	Colour
RT5043	655 x 585 x 675mm	170L	Grey
RT5044	840 x 585 x 860mm	340L	Grey

Trust



RT4026 Hi5 4 Shelf Utility Cart

Double handles. Plastic moulded shelves. Non-marking swivel castors. Aluminium uprights. Non-skid textured surface.

Model	Size	Load Capacity	Colour
RT4026	1032 x 508 x 1295mm	135kg	Black

Trust



RT4031 / RT4032 Bitbar Mobile Work Centers

Sturdy structural foam construction won't rust, dent, chip or peel. Moulded-in storage compartments and cup holder are available for storage for small items and tools. Non-skid textured surface.

Model	Size	Capacity	Description
RT4031	1245 x 670 x 972mm	340kg	4-Drawer and Cabinet
RT4032	1245 x 670 x 972mm	340kg	2-Door Cabinet

JUMBO SERIES TROLLEYS

The highest quality imported trolleys. Non-marking PU wheels with precision bearings. 1000mm handle height to suit Australian market. Yellow protectors on all folding handles.

HL110 / HB210 / HB211
Steel Single Deck Trolley
Fixed Handles and Pedal Brake Option available.

Model	Size	Handle Height	Load Capacity	Wheel Dia.
HL110	745 x 485mm	1000mm	220kg	100mm
HB210	920 x 620mm	1000mm	370kg	125mm
HB211	920 x 620mm	1000mm Fixed Handle	370kg	125mm

HL120D / HB220D
Steel Double Deck Trolley
Double Handles.
Pedal Brake Option available.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HL120D	785 x 485mm	1000mm	220kg	100mm
HB220D	965 x 615mm	1000mm	370kg	125mm

HL130D / HB230D
Steel Triple Deck Trolley
Double Handles.
Pedal Brake Option available.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HL130D	785 x 485mm	1000mm	220kg	100mm
HB230D	965 x 615mm	1000mm	370kg	125mm

HG511
Steel Single Deck Trolley
Single Fixed Handle.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HG511	1170 x 765mm	1000mm	650kg	200mm

HL120M / HB220M
Steel Double Deck Trolley
Double Fixed Handles.
Zinc Plated Mesh Panels.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HL120M	820 x 480mm	1010mm	220kg	100mm
HB220M	985 x 610mm	1010mm	370kg	125mm

HB213 / HG313
Steel Full Mesh Trolley
Double Fixed Handles.
Zinc Plated Mesh Panels.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HB213	970 x 615mm	1005mm	370kg	125mm
HG313	1225 x 760mm	1010mm	500kg	150mm

GP210
Plastic Single Deck Trolley
Industrial Flatbed Trolley with Industrial Grade Heavy Duty Plastic Bed.
Folding Steel Handle for ease of storage & transportation.
Low Noise Castors for office environment.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
GP210	830 x 505mm	1000mm	250kg	125mm

ST16009F / ST17011F
Stainless Steel Flatbed Trolley
4 Castor Wheels.
Single Folding Handle.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
ST16009F	900 x 600mm	920mm	350kg	100mm
ST17011F	1100 x 700mm	920mm	500kg	200mm

TS26004
Double Deck Tray Trolley
Grade 304 Stainless Steel.
Reversible Stainless Steel Trays.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
TS26004	740 x 400mm	910mm	200kg	100mm

TS36004
Triple Deck Tray Trolley
Grade 304 Stainless Steel.
Reversible Stainless Steel Trays.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
TS36004	740 x 400mm	910mm	200kg	100mm

AVAILABLE OPTION
XCART CRT Crate Extra
Collapsible Basket to suit X-Cart Folding Trolley.

XCART Collapsible Trolley
Ideal for use in workplaces, schools, home & office.
Top Platform folds back to allow for larger items.
Includes one Collapsible Crate/Basket which locks into either top or bottom platform.
Features a Robust Foot Pedal Brake.

Box Height	Tray Capacity	Weight	Dimensions
260mm	25kg upper/50kg lower	8.4kg	1000 x 600 x 1070mm

CLAXMOBILE Collapsible Trolley
The Clever Folding Cart.
Can be collapsed quickly and easily at the push of a button.
2 large load platforms for folding plastic boxes or beverage containers.
Useful features include: a block brake, holding device for boxes, upward folding load platform.

Box Height	Tray Capacity	Weight	Dimensions
270mm	20kg upper/40kg lower	7kg	890 x 550 x 1030mm



HS808V

HS808U

HS808V / HS808U
Utility Bin/Waste Bin

Model	Capacity	Dimensions
HS808V	25 Litres	550 x 390 x 180mm
HS808U	23 Litres	350 x 240 x 470mm



NOTE: Picture for illustrative purposes only. Trolley not included

HS808US
Utility Bin/Cutlery Bin

Model	Capacity	Dimensions
HS808US	8 Litres	350 x 240 x 200mm



SW078
Heavy Duty
Platform Trolley

Large deck with removable handle.
Also available in double handle.
Powder coated finish.
960mm handle height.

Deck Size	Load Capacity	Castors
1372 x 685mm	560kg	125 x 35mm Blue Rubber



TSQ25B
2 Tier
Lipped Trolley

Fully imported.

Size	Handle Height	Load Capacity	Wheel Diameter
1000 x 700mm	980mm	250kg	125mm



HS922
Double Deck Tool Trolley
with Twin Drawers

Double handles.
Twin drawers with ball bearing
sliders & quick-return system.
2 Brake & 2 swivel castors.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HS922	850 x 480mm	950mm	250kg	100mm



HS931H
Triple Deck Tool Trolley
with Drawers

Single handle.
Single drawer with ball bearing
sliders & quick-return system.
2 Brake & 2 swivel castors.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HS931H	850 x 480mm	1000mm	250kg	100mm



TSS11
Small Folding
Flatbed Trolley

Quick release handle.
Folds for easy storage.
1000mm handle height to
suit Australian market.

Size	Handle Height	Load Capacity	Wheel Diameter
740 x 480mm	1000mm	150kg	100mm



TSL11
Large Folding
Flatbed Trolley

Quick release handle.
Folds for easy storage.
1000mm handle height to
suit Australian market.

Size	Handle Height	Load Capacity	Wheel Diameter
890 x 600mm	1000mm	250kg	125mm



HS931B
Triple Deck Utility
Service Cart with Tool
Board & Drawer

Single handle.
Single drawer with ball bearing
sliders & quick-return system.
Side can holder & side tray.
2 Brake & 2 swivel castors.

NOTE: Tools not included

Model	Size	Handle Height	Load Capacity	Wheel Diameter
HS931B	850 x 480mm	1000mm	250kg	100mm



GT3545 / GT3545P
Steel Trash Bag Wagon

4 Castor wheels.
Pedal option available on model.

Model	Size	Handle Height	Load Capacity	Wheel Diameter
GT3545	450 x 405mm	875mm	60kg	40mm
GT3545P	450 x 405mm	875mm	60kg	40mm



TSXL12
Pressed Metal Trolley

Huge deck area.

Size	Handle Height	Load Capacity	Wheel Diameter
1160 x 760mm	1000mm	300kg	160mm



AVAILABLE OPTION
TSUPFT-COVER
Rain Cover suit File Trolley



TSUPFT
Upright File Trolley

Chrome plated upright file
trolley with 2 fold up shelves.
Optional rain cover available.
3 Tier shelf.
Australian made.

Model	Load Capacity	Dimensions
TSUPFT	120kg	500 x 465 x 1100mm



**HTS500S / HTS600S
Single Deck 6
Wheel Trolley**

Galvanised Finish.
Rust Proof.
Ideal for use in Coolrooms &
Refrigerated Areas.
Supermarkets - Greengrocers.



Model	Deck Type	Load Capacity	Dimensions
HTS500S	Single	450kg	990 x 460 x 950mm
HTS600S	Single	450kg	1140 x 565 x 950mm



**HTS500D / HTS600D
Twin Deck 6 Wheel
Trolley**

Galvanised Finish.
Rust Proof.
Ideal for use in Coolrooms &
Refrigerated Areas.
Supermarkets - Greengrocers.



Model	Deck Type	Load Capacity	Dimensions
HTS500D	Double	225kg per Deck	990 x 460 x 950mm
HTS600D	Double	220kg per Deck	1140 x 565 x 950mm



**HTD800S2
6 Wheel Furniture
& Bulky Items Trolley**

Long Rail Handle either side
to contain long & bulky items.
Galvanised Finish.
Rust Proof.
Ideal for use in Coolrooms &
Refrigerated Areas.
Also suitable for Removalists
& Furniture Stores.



Model	Deck Type	Load Capacity	Dimensions
HTD800S2	Single	450kg	1140 x 800 x 950mm



**GT600S
Tubular Deck Trolley**

Galvanised Finish.
Suitable for Supermarket &
Warehouse use.



Model	Dimensions
GT600S	1200 x 600 x 950mm



**HBEW5
2 Tier Nesting
Platform Trolley**

Zinc Plated.
Foldable Top Shelf to allow
transportation of greater
range of products.



Bottom Deck Size	Top Deck Size	Load Capacity	Wheel Dia.
800 x 400mm	760 x 430mm	200kg	125mm



**HBEW2
2 Tier Basket Nesting
Platform Trolley**

Zinc Plated.
Foldable Top Shelf to allow
transportation of greater
range of products.



Deck Size	Basket Size	Load Capacity	Wheel Dia.
990 x 470mm	630 x 400mm	200kg	125mm

**MDSST00
Medical Trolley
with Rails**

Grade 304 stainless steel.
German ball-bearing drawer
runners.
Top and bottom rails on three
sides.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Deck Size	Castor Diameter
MDSST00	500 x 500 x 900mm	95mm

**MDSSTD00
Medical Trolley
with Rails**

Grade 304 stainless steel.
German ball-bearing
drawer runners.
Top and bottom rails on
three sides.
Ideal for use in Clinics &
Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDSSTD00	800 x 500 x 900mm	95mm

**MDSSTD01
Medical Trolley
with Rails & Drawer**

Grade 304 stainless steel.
Soft closing magnetic drawer.
German ball-bearing drawer
runners.
Top and bottom rails on three
sides.
Ideal for use in Clinics &
Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDSSTD01	800 x 500 x 900mm	95mm

**MDSSTD04
Medical Trolley
with Rails & Drawers**

Grade 304 stainless steel.
Soft closing magnetic
drawer.
German ball-bearing
drawer runners.
Top and bottom rails on
three sides.
Ideal for use in Clinics &
Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDSSTD04	800 x 500 x 900mm	95mm

**MDSSTD22
Medical Trolley
with Rails & Drawers**

Grade 304 stainless steel.
Soft closing magnetic
drawer.
German ball-bearing
drawer runners.
Top and bottom rails on
three sides.
Ideal for use in Clinics &
Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDSSTD22	800 x 500 x 900mm	95mm

**MDSSTNR50
Medical Trolley**

Grade 304 stainless steel.
German ball-bearing
drawer runners.
Ideal for use in Clinics &
Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDSSTNR50	500 x 500 x 900mm	95mm

**MDSSTNR60
Medical Trolley**
Grade 304 stainless steel.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Deck Size	Castor Diameter
MDSSTNR60	600 x 500 x 900mm	95mm

**MDSSTNR80
Medical Trolley**
Grade 304 stainless steel.
Ideal for use in Clinics &
Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDSSTNR80	800 x 500 x 900mm	95mm

**MDSST01
Medical Trolley
with Rails & 1 Drawer**
Grade 304 stainless steel.
One lockable drawer, Bottom shelf,
Double safety folds.
German ball-bearing drawer runners.
Top and bottom rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST01	125mm Deep	500 x 500 x 900mm	95mm

**MDSST01LK
Medical Trolley
with Rails & 1 Drawer**
Grade 304 stainless steel.
One lockable drawer, Bottom shelf,
Double safety folds.
German ball-bearing drawer runners.
Top and bottom rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST01LK	125mm Deep	500 x 500 x 900mm	95mm

**MDSST02
Medical Trolley
with Rails & 2 Drawers**
Grade 304 stainless steel.
German ball-bearing drawer runners.
Top and bottom rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST02	125mm Deep	500 x 500 x 900mm	95mm

**MDSST02LK
Medical Trolley
with Rails & 3 Drawers**
Grade 304 stainless steel.
Top lockable drawer, Bottom shelf,
Double safety folds.
German ball-bearing drawer runners.
Top and bottom rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST02LK	125mm Deep	500 x 500 x 900mm	95mm

**MDSST03
Medical Trolley
with Rails & 3 Drawers**
Grade 304 stainless steel. German
ball-bearing drawer runners.
Top and bottom rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST03	125mm Deep	500 x 500 x 900mm	95mm

**MDSST04
Medical Trolley
with Rails & 4 Drawers**
Grade 304 stainless steel.
German ball-bearing drawer runners.
Top rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST04	125mm Deep	500 x 500 x 900mm	95mm

**MDSST03LK
Medical Trolley
with Rails & 3 Drawers**
Grade 304 stainless steel.
Top lockable drawer, Bottom shelf,
Double safety folds.
German ball-bearing drawer runners.
Top and bottom rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST03LK	125mm Deep	500 x 500 x 900mm	95mm

**MDSST04LK
Medical Trolley
with Rails & 4 Drawers**
Grade 304 stainless steel.
Top lockable drawer.
German ball-bearing drawer runners.
Top rails on three sides.
Soft closing magnetic drawer.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Drawer	Deck Size	Castor Diameter
MDSST04LK	125mm Deep	500 x 500 x 900mm	95mm

**MDSLTL
Single Linen Skip**
Grade 304 stainless steel.
Outstanding finish.
Smooth welding stainless steel
throughout.
Foot operated acrylic lid and lockable
castors for safety.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Deck Size	Castor Diameter
MDSLTL	400 x 560 x 850mm	80mm

**MDSLTL
Single Linen Skip
with Foot Operated Lid**
Grade 304 stainless steel.
Outstanding finish.
Smooth welding stainless steel
throughout.
Foot operated acrylic lid and lockable
castors for safety.
Ideal for use in Clinics & Hospitals
Medical Areas.



Model	Deck Size	Castor Diameter
MDSLTL	400 x 560 x 850mm	80mm

MDDLTL
Double Linen Skip

Grade 304 stainless steel.
Outstanding finish.
Smooth welding stainless steel throughout.
Ideal for use in Clinics & Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDDLTL	400 x 560 x 850mm	80mm

MDDLTL
Double Linen Skip with Foot Operated Lid

Grade 304 stainless steel.
Outstanding finish.
Smooth welding stainless steel throughout.
Foot operated acrylic lid and lockable castors for safety.
Ideal for use in Clinics & Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDDLTL	400 x 560 x 850mm	80mm

MDDTLT
Triple Linen Skip

Grade 304 stainless steel.
Outstanding finish.
Smooth welding stainless steel throughout.
Ideal for use in Clinics & Hospitals Medical Areas.



Model	Deck Size	Castor Diameter
MDDTLT	400 x 560 x 850mm	80mm

MDMIT
Mayo Medical Instrument Table with 3 Leg

Grade 304 stainless steel.
Height-adjustable telescopic.
65mm lockable castors.
Ideal for use in Clinics & Hospitals Medical Areas.



Model	Tray Size	Height	Castor Diameter
MDMIT	600 x 400 x 20mm	850 - 1400mm	65mm



SYHTC101 / SYHTC102
Convertible Hand Trolley

250mm Pneumatic Tyres.
Load Capacity: 250kg - Platform Mode; 200kg - Handtruck Mode.
Dual Purpose Handtruck easily converts from an upright Handtruck to a flatbed platform trolley in seconds.



Model	Platform Size	Overall Size	Wheel Diameter
SYHTC101	305 x 900mm	520 x 1190 x 1030mm	250mm
SYHTC102	305 x 1300mm	520 x 1450 x 1150mm	250mm



CAT300
Convert-A Hand Trolley

Unique 2 in 1 trolley.
Capacity: 300kg (flatbed)-150kg(hand Truck).



Hand Truck Size	Flat Deck Size	Load Capacity	Wheel Dia.
420 x 650mm	420 x 1200mm	300kg/150kg	250mm/125mm



TSHT12
General Duty Trolley

1.6mm Tubular Frame.
4mm Base Plate.
Solid Axles.
High Quality Rubber Wheels.



Toe Plate	Handle Height	Load Capacity	Wheel Dia.
355 x 230mm	1230mm	180kg	250mm



TSHTMP
Multi Purpose Trolley

Puncture Proof Wheels.
Suits 200 Litre (44 Gallon) Drums.




Toe Plate	Handle Height	Load Capacity	Wheel Diameter
455 x 195mm	1235mm	200kg	250mm



AVAILABLE OPTION
11-1003-B SAFETY STRAP
Suits TeamStar Appliance Trolleys.

TSHT4A / TSHT5A
Appliance Trolley

Puncture Proof Wheels.
1 Year Frame Warranty.



Model	Toe Plate	Handle Height	Load Capacity	Wheel Diameter
TSHT4A	455 x 185mm	1235mm	220kg	150mm
TSHT5A	455 x 185mm	1540mm	220kg	150mm



TSHTPH P Handle Trolley
P Handle Model Trolley
Also Available



TSHT3A
All Purpose Trolley

1.6mm Tubular Frame.
4mm Base Plate.
Solid Axles.



Toe Plate	Handle Height	Load Capacity	Wheel Dia.
430 x 250mm	1255mm	200kg	250mm



Lean Back Design Allows Stacked Trolley To Stand Upright On Its Own.



TSHTSB
Carton Trolley

Puncture Proof Wheels.
Easy Lean Back Design.
Great for heavy cartons stacked to the top.



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
510 x 250mm	1330mm	200kg	250mm



AVAILABLE OPTION
11-1003-B SAFETY STRAP
Suits TeamStar Appliance Trolleys.

TSHT4P / TSHT5P
Appliance Trolley

Puncture Proof Wheels.
1 Year Frame Warranty.



Model	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT4P	455 x 185mm	1235mm	200kg	250mm
TSHT5P	455 x 185mm	1540mm	200kg	250mm

EASITILT

TP450 TOE-TO-TOE

Optional Extra. 450 x 450mm.
Extends the base of your trolley to give you a larger surface area carry plate.
Suit to SF300, DL1600C and TH300 Handtrucks.



SF300

BOX 'N' BAG Industrial Trolley

Powder coated structural steel.
1290 x 370mm frame size with multi grip Loop Handle.
The load support system provides full height, flat surface RHS frame for secure support of double box stacks.
Suitable for heavy loads of boxed & bagged products.

Load Capacity	Base Plate	Wheel Diameter	Weight
300kg	430 x 240 x 9mm	260mm	22kg

EASITILT

TP450 TOE-TO-TOE

Optional Extra. 450 x 450mm.
Extends the base of your trolley to give you a larger surface area carry plate.
Suit to SF300, DL1600C and TH300 Handtrucks.



TH300

ALL ROUNDER Industrial Trolley

Powder coated structural steel.
Ergonomic hand grips.
1400 x 370mm frame size.
Suitable as a multi purpose Trolley.
Excellent for heavy drums, barrels, tubs, gas cylinders, garden ornaments, car & truck parts, paint cans, appliances & large boxed goods.

Load Capacity	Base Plate	Wheel Diameter	Weight
300kg	430 x 240 x 9mm	260mm	20kg

EASITILT

TP450 TOE-TO-TOE

Optional Extra. 450 x 450mm.
Extends the base of your trolley to give you a larger surface area carry plate.
Suit to SF300, DL1600C and TH300 Handtrucks.



DL1600C

SUPER MOVER Industrial Trolley

Powder coated structural steel.
Two hand grip levels, 1560 x 430mm frame size.
Flat load support system ratchet strap can be fitted.
Tall & strong trolley suitable for safely moving big fridges, freezers, ATM machines, game machines, stacks of tyres, large hot water cylinders, heavy gas cylinders & furniture.

Load Capacity	Base Plate	Wheel Diameter	Weight
300kg	430 x 240 x 9mm	320mm	28kg

RUXXAC

RUXXAC / RUXXACXL Business Folding Trolley

Aluminium Construction.
Made in Europe.



Model	Folded Height	Width	Platform (W x L)	Load Capacity
RUXXAC	685mm	490mm	490 x 250mm	125kg
RUXXACXL	735mm	490mm	490 x 410mm	125kg

TEAMSTAR TROLLEYS

SW078BG Heavy Duty Platform Trolley

Large deck with removable vertical supports.
Powder coated finish.
960mm handle height.



Deck Size	Load Capacity	Castors
1372 x 685mm	560kg	125 x 35mm Blue Rubber

TEAMSTAR TROLLEYS

TPR500 Sheet Panel Cart

Suitable to carry timber, plaster, doors etc.



Deck Size	Load Capacity	Castors
1200 x 580 x 1180mm	500kg	150mm

TEAMSTAR TROLLEYS

TSCST CHAIR 'STACKER' Trolley

Solid Steel Construction.
Ergonomic & Stable.
Safe Handling of Stacker Chairs.
Fits most Chair Types.
Australian Made.



Model	Load Capacity	Dimensions
TSCST	100kg	330 x 450mm (1st Level)

TEAMSTAR TROLLEYS

4ZJ28 Heavy Duty Panel Cart

Sturdy solid base.
Removable vertical supports.



Deck Size	Load Capacity	Castors
915 x 750mm	1800kg	125 x 50mm Polyurethane

TEAMSTAR TROLLEYS

TSD44 Drum Dolly

To suit 205 Litre/44 Gallon Drum.
200kg Capacity.
614mm Diameter.
Smooth Rolling and Strong, Durable Construction.
80mm Diameter Heavy Duty Castors.



Model	Castors	Load Capacity	Dimensions
TSD44	80mm	205L	614mm Diameter



SUITS IH323
Bread Crate



TSPD323 Plastic Dolly
Australian Made.
Standard colour Blue.
Food Grade Plastic.
Other colours available POA.

Model	Wheels	Load Capacity	Dimensions
RM80DY	100mm	140kg	620 x 710mm



SUITS IH066
Fish Crate



RM74DY Plastic Dolly
Australian Made.
Standard colour Blue.
Food Grade Plastic.
Other colours available POA.

Model	Wheels	Load Capacity	Dimensions
RM74DY	100mm	140kg	710 x 450mm



TSRT-DOLLIE Dolly to Suit TSRT Tub
TSRT - Rotomoulded Tub
TSRT-DOLLIE - Dolly
Suitable for Laundry, Stock Handling & Waste.



Capacity	Internal Dimensions
400 Litres	1130 x 600 x 600mm



TSSLB Spring Loaded Base
Reduce injury by fitting the spring loaded base (25, 50 or 100kg).
Fully Automatic Spring Scissor Mechanism. No power required.
Automatically maintains the top load at ideal lifting height.
Optional Extra - Corflute Top or Solid Plastic Top - 1095 x 600mm.



NOTE: Pictured with optional Corflute Top

Model	Dimensions - Diameter x Height
TSSLB	700 x 400mm



YELLOW
WHITE
BLUE

SUITS IH060, IH051, IH078 & IH315/310
Stack & Nest Tubs



TS10PD Plastic Dolly
Food Grade Plastic.
Temperature Rating to - 20°C to 60°C.
Standard colours are Yellow, Red, Blue & White.
Suits Crate IH060, IH051 & IH078 (Sold Separately).

Model	Wheels	Load Capacity	Dimensions
TS10PD	100mm	150kg	620 x 400mm



TS10CD Crate Dolly
4 x 100mm Castors.
Suits Crate IH060, IH051 & IH078 (Sold Separately).



Model	Load Capacity	Dimensions - Length x Width
TS10CD	80kg	600 x 360mm



TSRT350 Rotomoulded Tub
Food Grade.



Model	Load Capacity	Dimensions
TSRT350	350 Litres	758 x 1253 x 660mm



ABD150 Corner Movers
Pressed Steel Construction.
Low Level Corner Skates to assist with moving awkward rectangular loads.
Ball Bearing Castors.



Capacity	Load Wheels	Wheel Size	Overall Size	Weight
150kg	3	50 x 20mm	366 x 204 x 85mm	8kg per set 4



PNEUMATIC, SOLID WHEELS & PUNCTURE PROOF AVAILABLE

TSPTS / TSPTP / TSPTPP Piano Trolley


Ideal for moving furniture.
Optional Pneumatic or Solid Wheel Available.



Model	Wheels	Load Capacity	Size - Length x Width
TSPTS	200mm Solid	400kg	860 x 500mm
TSPTP	250mm	450kg	860 x 500mm
TSPTPP	250mm Puncture Proof	400kg	860 x 500mm




TSFD Furniture Dolly
Ideal for moving furniture.
4 x 100mm Castors.



Model	Load Capacity	Dimensions - Length x Width
TSFD	300kg	550 x 800mm



FW06 6 Tonne Skate
Stable, Rugged & Low Level Construction.



Capacity	Load Wheels	Wheel Size	Skate Size	Weight
6 T	6	75mm	395 x 330 x 101mm	13.8kg



FY02 2 Tonne Skate
Maintenance Free.
Fitted with a rubber surface to help protect & stabilise items from moving.



Capacity	Load Wheels	Wheel Size	Skate Size	Weight
2 T	2	75mm	270 x 120 x 110	8.4kg



SFW03
3 Tonne Skate with Handle
 Incorporates a 1 metre Drawbar & Platform that swivels on a thrust bearing.

Capacity	Load Wheels	Wheel Size	Skate Size	Weight
3 T	4	75mm	250 x 40 x 950mm	14kg



FY12
12 Tonne Skate
 Ideal for moving heavy machinery.

Capacity	Load Wheels	Wheel Size	Skate Size	Weight
12 T	8	115 x 60mm	400 x 345 x 145mm	30kg



CTAHD Steer Handle
 Handle for CTA Skates Series CTA4 and CTA6.




CTA4
4 Tonne Skates
 CTAHD - Optional Handle Also Available.

Capacity	Load Wheels	Wheel Size	Skate Size	Weight
4 Tonne	4	75mm	300 x 222 x 110mm	16kg



CTAHD Steer Handle
 Handle for CTA Skates Series CTA4 and CTA6.



CTA6
6 Tonne Skates
 CTAHD - Optional Handle Also Available.

Capacity	Load Wheels	Wheel Size	Skate Size	Weight
6 Tonne	6	75mm	400 x 222 x 110mm	23kg



CTAHD
Handle For CTA Skates Series
 Suit to CTA4 and CTA6



Load Wheels	Wheel Size	Skate Size
Suit CTA4 / CTA6	75mm	4 x 25 x 95mm

TE10
Electric Tow Tractor
 Allows easy pulling operations in low duty applications on short distances. Ideal for pulling supermarket trolleys, baggage carts or trailers. Compact Design with a robust Drive Axle.



Model	Tiller Heights (Min/Max)	Travel Speed	Tow Capacity	Weight
TE10	750mm/1258mm	4.2km/h	1000kg	62kg



HG103
Power Cart
 Single Handle. Large Deck Size.

Features	Specifications
Capacity	500kg
Dimensions	1455 x 630 x 1080mm
Deck Size	1280 x 630mm
Motor	400W
Battery	2 x 12V/33Ah
Speed	3-7km/h
Weight	98kg



HG103B
Power Cart
 Single Handle. Large Deck Size.

Features	Specifications
Capacity	500kg
Dimensions	1455 x 630 x 1080mm
Deck Size	1280 x 630mm
Motor	400W
Battery	2 x 12V/33Ah
Speed	3-7km/h
Weight	98kg



HG105
Power Cart with Cage
 Single Handle. Large Deck Size.

Features	Specifications
Capacity	500kg
Dimensions	1455 x 630 x 1080mm
Deck Size	1280 x 630mm
Motor	400W
Battery	2 x 12V/33Ah
Speed	3-7km/h
Weight	113kg



HG109
Power Cart with Electric Lift & Drive

Features	Specifications
Capacity	400kg
Dimensions	1240 x 600 x 1100mm
Table Height Range (Min - Max)	430 - 900mm
Deck Size	1000 x 600mm
Motor (Lifting & Driving)	400W
Battery	2 x 12V/33Ah
Weight	180kg



HG116
Power Cart with Electric Lift & Drive

Features	Specifications
Capacity	400kg
Dimensions	1340 x 600 x 1100mm
Table Height Range (Min - Max)	430 - 1600mm
Deck Size	1100 x 600mm
Motor (Lifting/Driving)	800W/400W
Battery	2 x 12V/33Ah
Weight	234kg



HG116B
Power Cart with Electric Lift & Drive


Features	Specifications
Capacity	400kg
Dimensions	1340 x 600 x 1100mm
Table Height Range (Min - Max)	430 - 1600mm
Deck Size	1100 x 600mm
Motor (Lifting/Driving)	800W/400W
Battery	2 x 12V/33Ah
Weight	234kg

CUSTOM TROLLEYS DESIGN & MANUFACTURE

CELEBRATING **28** YEARS
IN AUSTRALIA

Team Systems Can Custom Design And Manufacture Trolleys To Suit Your Personalised Requirements.

At Team Systems, we pride ourselves on our ability to Listen, Design, Engineer and Manufacture solutions for your Material Handling applications. As we have been producing trolleys and Material Handling equipment for over twenty five years, we are dedicated to providing the Australian market with high quality and reliable products. With our wide selection of trolleys, ladders, castors, plastics and other equipment, we allow our customers to operate at the highest level in the manufacturing, storage and distribution of their materials.



- HOSPITALITY SERVICE TROLLEYS
- LAUNDRY & NURSERY TROLLEYS
- SPECIALISED STOCK PICKERS TROLLEYS
- MEDICAL, EDUCATIONAL AND OFFICE TROLLEYS
- CATERING AND FOOD SERVICE TROLLEYS
- OTHER PERSONALISED CUSTOM TROLLEYS