

LADDER & ACCESS EQUIPMENT



Team Step	114
Monstar Step.....	115
Monstar Ladders	116-120
Platform Ladders	121-124
Double Sided Ladders	125
Extension Ladders	126
Order Picking Ladders.....	127
Warehouse & Mobile Platforms	128
Mezzanine Access & Lifts	129
Work Platforms.....	130-132

TEAMSTEP



Visit teamstep.com.au for the latest information & details on all our **TEAM STEP** products

STEP UP®

"Strongest & Safest Unit in the Market"

- > 260kg capacity with strong LLDPE build
- > 370 x 370mm non-slip deck with wear protection
- > Lightweight 5.0kg with rubber feet for grip
- > Compact, four-way access for versatile use
- Schools • Office • Warehouse • Retail



Safety Step Stool

SKU	Colour	Deck Size	Height	Capacity	Weight
TSSU-YEL	Yellow	370 x 370mm	370mm	260kg	5.0kg
TSSU-ORA	Orange				

Spare Parts For TSSU Safety Step Stool

SKU	Size
TSREFURBS	4 x feet, 4 x Platform tapes, 4 x Step tapes
TSSUF	4 x Replacement feet

TEAMSTEP

MOBILE TEAMSTEP®

"Always a Step Above"

- > Fully mobile with spring-loaded castors that retract during use
- > Anti-slip surface with durable non-slip tape for added safety
- > Lightweight, one-piece rotomoulded plastic construction
- > Stackable design with no rust or sharp edges
- Schools • Office • Warehouse • Retail



Safety Step Stool

SKU	Colour	Deck Size	Height	Capacity	Weight
TSTS-YEL	Yellow	Dia. 315mm	395mm	180kg	4.2kg
TSTS-BLU	Blue				

Spare Parts For TSTS Safety Step Stool

SKU	Including
SP-TSTS-C	4 x Spring castors
SP-TSTS-SK	1 x Rubber skirt

TEAMSTEP

JUMBO TEAMSTEP®

"Best of Both Worlds"

- > Combines the mobility of TEAMSTEP® with the larger deck of STEP-UP®
- > Fully mobile with spring-loaded castors that retract when in use
- > Anti-slip surface with durable non-slip tape for added safety
- > Lightweight, stackable one-piece construction for easy handling and storage
- Office • Warehouse • Shop • School • Ideal for Tradespeople

Safety Step Stool

SKU	Colour	Deck Size	Height	Capacity	Weight
TSJUMBO	Yellow	375mm	355mm	180kg	4.2kg

Spare Parts For TSTS Safety Step Stool

SKU	Including
SP-TSTS-C	4 x Spring castors
SP-TSJUMBO-SK	1 x Rubber skirt



MONSTAR STEP

www.monstarladders.com.au

Outperforms other similar safety steps in longevity and strength.

The Monstar Step is the only plastic safety step that has superior design features over existing injection moulded safety steps available in Australia.

The Monstar Step is a quality, cost effective solution designed for intermittent use. Designed to be durable, safe and robust.

Monstar Step has a larger, safer area of non slip tape including an indentation on the lower step so the tape will not wear away - ensuring longevity of non slip surface.

The Monstar Steps come with the following features, benefits and specifications.

- › 370mm x 370mm large non-slip platform
- › Supports up to 260kg with durable polypropylene frame
- › Four-way access and rubber feet for stability
- › Lightweight 3.5kg design for easy handling and transport
- › Ideal for warehouses, workshops, and general-purpose use
- › Fully fitted with non-slip tape for added safety
- › Resistant to rust, dents, and corrosion for long-lasting use
- › Stackable design for efficient storage organisation

- 260kg Rated Capacity
- Large Deck 370 x 370mm
- Lightweight with 3.5kg



Built-in Rubber Feet



Four Way Non-Slip Access



Fully Fitted With Non-Slip Tape

MONSTAR STEP

SKU	Colour	Deck Size	Height	Capacity	Weight
MONSTEP	Yellow	370 x 370mm	375mm	260kg	3.5kg
MONSTEP-ORA	Orange				

Spare Parts For MONSTAR STEP Stool

SKU	Including	SKU	Including
SP-MONSTEP-REFURB	4 x feet, 4 x Platform tapes, 4 x Step tapes	SP-MONSTEP-FEET	4 x Replacement feet

LITTLE MONSTAR


www.monstarladders.com.au

Compact step ladder designed for safe, easy, and efficient use across various applications.

A range of Compact Step Ladders designed and manufactured to meet the highest demanding applications in Australia. These ladders are built with industry rated material for moderate to high level use.

- › Safety bracket with recess for storing tools & bucket hooks
- › Lightweight, manoeuvrable and easy to use
- › Rear roller castors for ease of movement
- › Heavy duty tread for added safety on all steps
- › Light, strong, aluminium construction

- 150kg Heavy-duty
- Aluminium Frame
- Lightweight Design



150kg Compact Step Ladder

SKU	Type	Footprint	Top Step Height	Safety Bracket Height	Folded Dimensions	Weight
MONLM2	2 Step	620 x 530mm	480mm	480mm	900 x 550 x 150mm	6kg
MONLM3	3 Step	900 x 550mm	680mm	480mm	1200 x 580 x 150mm	8kg
MONLM4	4 Step	1180 x 550mm	910mm	760mm	1500 x 580 x 150mm	9kg

MONSTAR PRO

All-New Upgraded Premium Model

NEW

Premium foldable platform ladder built for strength, safety, and efficiency.

The MONSTAR PRO aluminum platform ladders are built for a variety of environments, combining industrial-grade aluminum construction with a spacious platform and foldable design. Ideal for worksites, warehouses, and commercial use where safety and convenience are essential.

- › Welded aluminium frame with reinforced steps for durability
- › Large 490 x 430mm platform for superior balance and comfort
- › Compact foldable design for easy transport and storage
- › Anti-slip rubber feet and high handrails for safer operation
- › Meets AS 1892.1:2018 Australian safety standards
- › Optional safety gate and wheel kit available

- 150kg Heavy-duty
- Aluminium Frame
- Lightweight Design



Welded Steps



Soft Handle



Stronger Constructure



Large Platform



Safety Gate



Wheel Kit



150kg MONSTAR PRO Aluminium Platform Ladders

SKU	Type	Platform Size W x D	Platform Height	Bottom Width	Fold Thickness	Weight
MONPLAT3	3 Step	430 x 490mm	870mm	621mm	239mm	10.1kg
MONPLAT4	4 Step	430 x 490mm	1160mm	661mm	239mm	11.3kg
MONPLAT5	5 Step	430 x 490mm	1450mm	700mm	239mm	12.5kg
MONPLAT6	6 Step	430 x 490mm	1740mm	738mm	239mm	14kg
MONPLAT7	7 Step	430 x 490mm	2030mm	778mm	239mm	15.3kg

Optional Accessories For MONSTAR LADDER Platform Ladders

SKU	Item Name	SKU	Item Name
PLATGATE	Safety gate to suit MONPLAT platform ladders	PLATWHEELS	Spring wheel kit to suit MONPLAT platform ladders

MONSTAR LADDER

www.monstarladders.com.au

Strong, Lightweight Platform Ladder designed for Heavy Duty Industrial use.

- 150kg Heavy-duty
- Aluminium Frame
- Lightweight Design

A range of Platform Ladders designed and manufactured to meet the highest demanding applications in Australia. These ladders are built with industry rated material for moderate to high level use.

- › Fully-welded construction with spring loaded castors
- › Standard checkerplate 700mm x 400mm work platform
- › Wide base with anti-slip rubber feet
- › Optional handrails and safety gate available




Monstar Gate



Handrail



Stronger Construction



Large Platform



Safety Bar



Feet and Wheels



150kg MONSTAR LADDER Platform Ladders

SKU	Type	Footprint	Platform Height	Total Height	Dimensions	Weight
MONSTAR2	2 Step	1040 x 720mm	570mm	1440mm	1450 x 720 x 200mm	9kg
MONSTAR3	3 Step	1230 x 720mm	850mm	1720mm	1720 x 720 x 200mm	11kg
MONSTAR4	4 Step	1420 x 720mm	1130mm	2000mm	2000 x 720 x 200mm	13kg
MONSTAR5	5 Step	1610 x 720mm	1410mm	2280mm	2260 x 720 x 200mm	15kg
MONSTAR6	6 Step	1810 x 720mm	1690mm	2560mm	2530 x 720 x 200mm	17kg

Optional Accessories For MONSTAR LADDER Platform Ladders

SKU	Item Name	SKU	Item Name
MONSTARGATE	Monstar gate for the Monstar platform ladders	MONSTARHR	Monstar handrail for Monstar platform ladder

Spare Parts For MONSTAR LADDER Platform Ladders

SKU	Including	SKU	Including
SP-MONSTAR-C	1 x Monstar platform ladder replacement wheel	SP-MONSTAR-FEET	1 x Monstar platform ladder replacement feet

MONSTAR LADDER

www.monstarladders.com.au


Designed for easy, efficient use in warehousing and workplace environments.

Monstar Order Picking Ladders provide safe and secure access to all your elevated stock. All Monstar Order Picking Ladders feature a huge 585mm x 730mm work platform, retractable safety castors and a 150kg Rated Capacity, reinforced with a strong welded construction.

The Monstar Order Picker is guaranteed to make stock picking safer and more efficient for your business.

- › Spring-loaded castors for mobility and stability
- › Safety gate provides security at elevated heights
- › Ideal for commercial sites and warehouse use
- › Lightweight, fully welded aluminium frame with ribbed tread
- › Strong, durable, and easy to manoeuvre

- 150kg Heavy-duty
- Aluminium Frame
- Lightweight Design




Anti-slip Platform



Safety Gate



Feet and Castors



150kg Order Picker Ladder

SKU	Type	A	B	Footprint C x E	D	F	G	H	I
MONOP2	2 Step	620mm	1466mm	675 x 1025mm	659mm	565mm	585mm	730mm	17mm
MONOP3	3 Step	927mm	1742mm	715 x 1167mm	695mm	840mm	585mm	730mm	37mm
MONOP4	4 Step	1222mm	2017mm	758 x 1305mm	735mm	1115mm	585mm	730mm	60mm
MONOP5	5 Step	1524mm	2290mm	800 x 1460mm	775mm	1390mm	585mm	730mm	87mm
MONOP6	6 Step	1812mm	2570mm	844 x 1595mm	815mm	1665mm	585mm	730mm	112mm

MONSTAR PRO

All-New Upgraded Premium Model

NEW

Heavy-duty rolling order picker ladders designed for efficient access in busy workplaces.

The MONSTAR PRO aluminum order picker ladder offers a secure solution for elevated tasks, combining a spacious anti-slip platform, lightweight aluminum frame, and retractable wheels for mobility. Perfect for warehouses, retail, and industrial use, ensures both safety and efficiency in most settings.

- › 700mm x 600mm anti-slip platform with toe guard for secure footing
- › Lightweight aluminium frame for strength and easy manoeuvrability
- › Retractable 125mm TPR wheels for smooth movement and stability
- › Barn gate and handrails for enhanced safety while working at heights
- › Compliant with AS/NZS 1892.1:2018 Australian safety standards

- 200kg Heavy-duty
- Aluminium Frame
- Lightweight Design




Welded Steps



Safety Handrail



High Ladder Support



Large Platform



Barn Safety Gate



Retractable Wheels



200kg MONSTAR PRO Aluminium Rolling Order Picker Ladders

SKU	Type	Platform Size W x D	Platform Height	Ladder Depth	Bottom Width	Stabiliser	Weight
MONPR03	3 Step	600 x 700mm	720mm	1315mm	797mm	NA	25.5kg
MONPR04	4 Step	600 x 700mm	960mm	1321mm	821mm	NA	35.8kg
MONPR05	5 Step	600 x 700mm	1200mm	1489mm	862mm	NA	39.2kg
MONPR06	6 Step	600 x 700mm	1440mm	1655mm	905mm	NA	42.8kg
MONPR07	7 Step	600 x 700mm	1680mm	1826mm	947mm	NA	47.8kg
MONPR08	8 Step	600 x 700mm	1920mm	1993mm	989mm	NA	51.3kg
MONPR09	9 Step	600 x 700mm	2160mm	2157mm	1032mm	NA	55.5kg
MONPR010	10 Step	600 x 700mm	2400mm	2326mm	1075mm	NA	60.0kg
MONPR011	11 Step	600 x 700mm	2640mm	2318mm	1115mm	YES	77.5kg
MONPR012	12 Step	600 x 700mm	2880mm	2469mm	1157mm	YES	82.9kg
MONPR013	13 Step	600 x 700mm	3120mm	2620mm	1199mm	YES	89.7kg
MONPR014	14 Step	600 x 700mm	3360mm	2771mm	1241mm	YES	94.5kg



TRDP5/2 & TRDP7/4
FOLDS TO JUST
40mm THICK!

Industrial Aluminium Slimline Platform Ladder - 120kg / 150kg

- TRDP8/5 supports up to 150kg with industrial-duty performance
- Durable aluminium construction with reinforced step joints
- Anti-slip feet and industrial duty rating for safe, stable performance
- Compliant with AS/NZS 1892 standards and backed by a 1-year warranty

SKU	Type	Overall Height	Platform Height	Weight
TRDP5-2	2 Step	1520mm	600mm	5.6kg
TRDP6-3	3 Step	1830mm	900mm	6.9kg
TRDP7-4	4 Step	2130mm	1200mm	8.3kg
TRDP8-5	5 Step	2400mm	1500mm	11kg
SP-TRDP-FEET	Wheel kit to suit INDALEX TRDP platform ladders			



Industrial Aluminium Retail & Office Platform Stepladder - 120kg

- Large 300mm x 350mm platform for a stable, comfortable work area
- Industrial duty rated for strength, durability, and safety on job sites
- Trapezoidal tread profile enhances rigidity and wear resistance
- Folds to just 115mm deep for compact storage
- 120kg load rating, compliant with AS/NZS 1892 standards
- Backed by a 1-year warranty

SKU	Type	Reach Height	Platform Height	Weight
FS13868	2 Step	2600mm	570mm	4.5kg
FS13869	3 Step	2900mm	850mm	5.6kg
FS13870	4 Step	3100mm	1130mm	6.9kg



Aluminium Platform Ladder - 150kg

- Large 660mm x 400mm anti-slip platform with rubber feet for stable use
- 900mm high guard rail and full AS/NZS 1892 compliance for secure operation

SKU	Type	Platform Height	Weight	Optional Wheel Kit
PROP5-2	2 Step	600mm	11.0kg	PROWK
PROP6-3	3 Step	900mm	12.0kg	PROWK
PROP7-4	4 Step	1200mm	13.0kg	PROWK
PROP8-5	5 Step	1500mm	14.0kg	PROWK
PROP9-6	6 Step	1800mm	16.0kg	PROWK
PROP10-7	7 Step	2100mm	20.0kg	PROWK
PROP11-8	8 Step	2400mm	22.0kg	PROWK
PROP12-9	9 Step	2700mm	24.0kg	PROWK
PROP13-10	10 Step	3000mm	26.0kg	PROWK
PROP15-12	12 Step	3600mm	30.0kg	PROWK



PROP6
Optional Locking Gate



PROWK-A
Optional Wheel Kit



Also available - wheel kits, locking gates, hand rails, tool tray and heavy duty top shelf.

PLATFORM LADDERS



P170 Job Station Aluminium Platform Stepladder - 170kg

- › Large 610 x 457mm platform with heavy-duty aluminium construction
- › Trapezoidal tread design for superior strength and stability
- › Integrated bracing and castors, compliant with AS/NZS 1892 standards

SKU	Type	Platform Height	Maximum Reach	Weight
FS13538	3 Step	900mm	2870mm	16.9kg
FS13539	4 Step	1200mm	3160mm	18.4kg
FS13540	5 Step	1500mm	3450mm	19.9kg
FS13541	6 Step	1800mm	3740mm	21.9kg
FS13542	7 Step	2030mm	4030mm	27.4kg
FS13543	8 Step	2320mm	4320mm	28.4kg
FS13544	10 Step	2910mm	4910mm	33.2kg
FS13545	12 Step	3490mm	5490mm	37.6kg
FS13954	Optional Accessory Safety Gate Kit			2.4kg



FS13954
Optional Safety Gate



Castors Included



Pro. Punchlock Aluminium Platform Stepladder - 170kg

- › Punchlock tread design increases the torsional rigidity of the overall frame
- › Industrial duty and compliant with AS/NZS 1892.1 for use on various worksites

SKU	Type	Platform Height	Maximum Reach	Weight
FS13931	2 Step	570mm	2570mm	8.8kg
FS13932	3 Step	850mm	2860mm	10.0kg
FS13933	4 Step	1130mm	3140mm	11.1kg
FS13934	5 Step	1420mm	3430mm	12.3kg
FS13935	6 Step	1700mm	3710mm	14.0kg
FS13936	7 Step	1990mm	4000mm	19.5kg
FS13937	8 Step	2270mm	4280mm	21.0kg
FS13991	Optional Castor Wheel Kit (White) Fits 2-5 Step			2.5kg
FS13992	Optional Castor Wheel Kit (Yellow) Fits 6-7 Step			2.5kg
FS13993	Optional Castor Wheel Kit (Green) Fits 8 Step			3.3kg
FS13952	Optional Safety Gate Kit			2.7kg



FS13952
Optional Safety Gate



P150 Riveted Aluminium Platform Stepladder - 150kg

- › Lightweight and highly portable for easy transport and handling
- › Functional magnetised handrail secures tools and fasteners within reach
- › Large 508 x 416mm standing area enhances comfort and working stability
- › Checker plate deck surface provides reliable anti-slip footing
- › Oversized anti-slip feet offer superior grip and long-lasting durability
- › Complies with Australian & New Zealand standards AS/NZS 1892

SKU	Type	Platform Height	Maximum Reach	Weight
FS13580	3 Step	900mm	2900mm	11.0kg
FS13581	4 Step	1200mm	3200mm	12.5kg
FS13582	5 Step	1500mm	3500mm	13.9kg
FS13583	6 Step	1800mm	3800mm	15.8kg
FS13584	Optional Castor Kit			3.5kg
FS13952	Optional Safety Gate Kit			2.6kg



FS13584
Optional Castor



FS13952
Optional Safety Gate



BAILEY

P170 Job Station Fibreglass Platform Stepladder - 170kg

- › Large 610 x 457mm platform ensures comfort and secure footing
- › Electro-safe fibreglass frame ideal for electrical hazard environments
- › Anti-slip PVC boots and compliant with AS/NZS 1892

SKU	Type	Platform Height	Maximum Reach	Weight
FS13530	3 Step	900mm	2870mm	16.9kg
FS13531	4 Step	1200mm	3160mm	18.4kg
FS13532	5 Step	1500mm	3450mm	19.9kg
FS13533	6 Step	1800mm	3740mm	21.9kg
FS13534	7 Step	2030mm	4030mm	27.4kg
FS13535	8 Step	2320mm	4320mm	28.4kg
FS13536	10 Step	2910mm	4910mm	33.2kg
FS13537	12 Step	3490mm	5490mm	37.6kg
FS13954	Optional Safety Gate Kit			2.4kg



FS13954

Optional Safety Gate

Castors Included

BAILEY

P150 Riveted Fibreglass Platform Stepladder - 150kg

- › Lightweight and portable with a magnetised handrail for securing tools
- › Spacious 508 x 416mm standing area with checker plate anti-slip surface
- › Large anti-slip feet enhance durability and ground stability
- › Compliant with AS/NZS 1892 Australian & New Zealand standards

SKU	Type	Platform Height	Maximum Reach	Weight
FS13576	3 Step	900mm	2900mm	12.1kg
FS13577	4 Step	1200mm	3200mm	13.8kg
FS13578	5 Step	1500mm	3500mm	15.4kg
FS13579	6 Step	1800mm	3800mm	17.5kg
FS13584	Optional Castor Kit			3.5kg
FS13952	Optional Safety Gate Kit			2.6kg



FS13584

Optional Castor

FS13952

Optional Safety Gate

BAILEY

Pro. Punchlock Fibreglass Platform Stepladder - 170kg

- › Large anti-slip 400 x 500mm platform
- › Compliant with AS/NZS 1892 Australian & New Zealand standards

SKU	Type	Platform Height	Maximum Reach	Weight
FS13945	2 Step	580mm	2600mm	9.65kg
FS13946	3 Step	860mm	2900mm	11.05kg
FS13947	4 Step	1140mm	3100mm	12.45kg
FS13948	5 Step	1430mm	3400mm	13.95kg
FS13949	6 Step	1720mm	3700mm	15.85kg
FS13950	7 Step	2000mm	4000mm	20.05kg
FS13951	8 Step	2290mm	4300mm	22.45kg
FS13991	Optional Castor Wheel Kit (White) Fits 2-3 Step			2.5kg
FS13992	Optional Castor Wheel Kit (Yellow) Fits 4-6 Step			2.5kg
FS13993	Optional Castor Wheel Kit (Green) Fits 7-8 Step			3.3kg
FS13952	Optional Safety Gate Kit			2.7kg



FS13952

Optional Safety Gate

PLATFORM LADDERS



Pro Series Industrial Fibreglass Platform Ladder - 150kg

- > 660 x 400mm platform with 900mm guard rail for safety
- > Complies with AS/NZS 1892 standards

SKU	Type	Platform Height	Weight	Optional Wheel Kit
PROPF5-2	2 Step	600mm	13.0kg	PROWK
PROPF6-3	3 Step	900mm	14.0kg	PROWK
PROPF7-4	4 Step	1200mm	16.0kg	PROWK
PROPF8-5	5 Step	1500mm	17.0kg	PROWK
PROPF9-6	6 Step	1800mm	20.0kg	PROWK
PROPF10-7	7 Step	2100mm	24.0kg	PROWK
PROPF11-8	8 Step	2400mm	26.0kg	PROWK
PROPF12-9	9 Step	2700mm	28.0kg	PROWK
PROPF13-10	10 Step	3000mm	30.0kg	PROWK
PROPF15-12	12 Step	3600mm	36.0kg	PROWK



PROPG
Optional Locking Gate



PROWK-A
Optional Wheel Kit



Also available - wheel kits, locking gates, hand rails, tool tray and heavy duty top shelf.



Aluminium Adjustable Height Platform Stepladder - 170kg 3 - 4 - 5 - 6 Step

- > Adjustable height design suits 3, 4, 5, and 6-step platform ladders
- > One-hand, self-locking mechanism allows fast, secure adjustment
- > Rear leg adjusts in 49mm increments to suit stairs or sloped surfaces
- > Large 420mm x 500mm platform provides stable, comfortable standing area
- > Pre-drilled and ready for optional safety gate attachment (FS13952)
- > Lightweight design at just 18.8kg for easy handling and transport
- > Built to AS/NZS 1892 Australian & New Zealand Standards

SKU	Step	Nominal Size	Platform Height	Reach Height	Weight
FS13999	3 Step	1860mm	850mm	2850mm	18.8kg
	4 Step	2160mm	1140mm	3140mm	
	5 Step	2460mm	1420mm	3420mm	
	6 Step	2760mm	1710mm	3710mm	



FS13952
Optional Safety Gate



PROMT Aluminium Multi-Purpose Ladder

- > 6 ladders in 1 with multiple configurable positions
- > Locking hinge system enables quick, secure adjustments
- > Industrial-grade aluminium construction for tough worksites
- > 3-piece rung joints add extra strength and durability
- > Anodised components for enhanced corrosion resistance



SKU	Type	Height - Stairway	Height - 2 Scaffold Bases	Height - Twin	Height - Extension
PROMT11	Extended - 12 Step	1300 - 1500mm	300 - 1200mm	1000 - 1500mm	2000 - 3000mm
PROMT15	Extended - 16 Step	1600 - 2100mm	300 - 1200mm	1300 - 2100mm	2600 - 4200mm
PROMT19	Extended - 20 Step	1900 - 2700mm	300 - 1200mm	1600 - 2700mm	3200 - 5400mm



Riveted Solid Aluminium

Double Sided Step Ladder - 120kg / 135kg / 150kg / 180kg

- › Anti-slip rungs and feet with safety-focused construction
- › Durable anodised aluminium resists corrosion and dirt
- › Strong two-piece top and diagonal spreader bars for stability
- › Complies with AS/NZS 1892 standards

SKU	Type	Capacity	Ladder Size	Weight
TRDS2D	2 Step	150kg	600mm	3.0kg
TRDS3D	3 Step	150kg	900mm	4.1kg
TRDS4D	4 Step	150kg	1200mm	4.9kg
TRDS5D	5 Step	135kg	1500mm	6.5kg
TRDS6D	6 Step	135kg	1800mm	7.4kg
TRDS7D	7 Step	120kg	2100mm	9.2kg
TRDS8D	8 Step	120kg	2400mm	10.0kg



Riveted Solid Aluminium

Double Sided Step Ladder - 150kg / 180kg

SKU	Type	Capacity	Ladder Size	Weight
PROS3D	3 Step	180kg	900mm	4.1kg
PROS4D	4 Step	180kg	1200mm	4.9kg
PROS5D	5 Step	180kg	1500mm	6.5kg
PROS6D	6 Step	180kg	1800mm	7.4kg
PROS7D	7 Step	180kg	2100mm	9.2kg
PROS8D	8 Step	180kg	2400mm	10.0kg
PROS9D	9 Step	180kg	2700mm	14.0kg
PROS10D	10 Step	180kg	3000mm	16.0kg
PROS12D	12 Step	150kg	3700mm	20.0kg
PROS14D	14 Step	150kg	4300mm	25.0kg
PROS16D	16 Step	150kg	4900mm	30.0kg



Pro Fibreglass Double Sided Step Ladder - 150kg / 180kg

- › Anodised aluminium components with heavy-duty feet for 8ft–16ft use
- › Backed by a 5-year warranty and compliant with AS/NZS 1892 standards

SKU	Type	Capacity	Ladder Size	Weight
PROSF3D	3 Step	180kg	900mm	5.8kg
PROSF4D	4 Step	180kg	1200mm	7.4kg
PROSF5D	5 Step	180kg	1500mm	9.2kg
PROSF6D	6 Step	180kg	1800mm	11.0kg
PROSF7D	7 Step	180kg	2100mm	13.0kg
PROSF8D	8 Step	180kg	2400mm	15.0kg
PROSF10D	10 Step	180kg	3000mm	21.0g
PROSF12D	12 Step	150kg	3700mm	26.0kg
PROSF14D	14 Step	150kg	4300mm	30.0kg
PROSF16D	16 Step	150kg	4800mm	36.0kg



EXTENSION LADDERS



Industrial Trade Aluminium Extension Ladder - 135kg

- › 3-year warranty for peace of mind
- › Industrial duty rated for demanding work sites
- › Lightweight yet strong double-sided aluminium design
- › Anti-slip feet for improved safety and stability
- › Compliant with AS/NZS 1892 standards

SKU	Type	Ladder Size	Weight
TRDX16	Extended - 16 Step	2900/4700mm	12.5kg
TRDX18	Extended - 18 Step	3200/5300mm	13.5kg
TRDX22	Extended - 22 Step	3800/6600mm	15.5kg



Pro Series Aluminium Extension Ladder - 130kg / 180kg

- › Industrial-grade aluminium construction for strength and reliability
- › 3-piece rung joint system enhances durability
- › Anodised components offer improved corrosion resistance
- › Built for industrial work sites
- › Meets AS/NZS 1892 standards

SKU	Type	Capacity	Ladder Size	Weight
PROX14	Extended - 14 Step	180kg	2600/4100mm	15.0kg
PROX18	Extended - 18 Step	180kg	3200/5300mm	16.0kg
PROX22	Extended - 22 Step	180kg	3800/6600mm	19.0kg
PROX26	Extended - 26 Step	150kg	4400/7800mm	24.0kg
PROX30	Extended - 30 Step	150kg	5000/9000mm	26.0kg
PROX33	Extended - 33 Step	130kg	5600/9900mm	28.0kg
PROX36	Extended - 36 Step	130kg	6300/10800mm	33.0kg



Trade Industrial Fibreglass Extension Ladder - 120kg / 135kg

- › Includes a 3-year warranty for peace of mind
- › Standard V-bracket for added stability
- › Compliant with AS/NZS 1892 Australian & New Zealand standards

Also available

- Optional Retractable Castors/Wheels Kits.
- Optional 'Fold Away' Safety Gate for 2-6 Step SKU.

SKU	Type	Capacity	Ladder Size	Weight
TRDXF14	Extended - 14 Step	135kg	2800/4300mm	17.0kg
TRDXF18	Extended - 18 Step	135kg	3400/5500mm	21.0kg
TRDXF22	Extended - 22 Step	135kg	4000/6700mm	24.0kg
TRDXF26	Extended - 26 Step	120kg	4900/8200mm	30.0kg





Aluminium Order Picking Ladder - 180kg

- › Heavy-duty aluminium construction for industrial use
- › Folds flat for easy storage and transport
- › Dual platform gates allow full walk-through access
- › Complies with AS/NZS 1892 standards for safety and performance

SKU	Type	Platform Height	Weight
ODP3	3 Step	720mm	25kg
ODP4	4 Step	950mm	29kg
ODP5	5 Step	1210mm	33kg
ODP6	6 Step	1450mm	36kg
ODP7	7 Step	1690mm	44kg
ODP8	8 Step	1930mm	45kg
ODP9	9 Step	2170mm	49kg
ODP10	10 Step	2410mm	55kg
ODP11	11 Step	2650mm	60kg



"WALK THROUGH" MODEL

Aluminium Access Platform Ladder - 200kg

- › Manual braking system for added safety
- › 125mm wheels offer easy mobility and smooth glide
- › 100mm deep treads enhance climbing safety and comfort
- › Large work platform with shelf, accessible from three sides
- › Complies with AS/NZS 1892 Australian & New Zealand standards

SKU	Type	Platform Height	Weight
FS13591	3 Step	828mm	38.1kg
FS13592	4 Step	1104mm	40.6kg
FS13593	5 Step	1381mm	43.0kg
FS13594	6 Step	1656mm	46.0kg
FS13595	7 Step	1933mm	48.5kg
FS13596	8 Step	2209mm	51.0kg
FS13597	10 Step	2761mm	62.0kg
FS13598	12 Step	3313mm	69.0kg
FS13599	14 Step	3866mm	76.4kg



Aluminium Modular Access / Platform Ladder - 200kg

- › Industrial-duty aluminium construction, fully welded for strength and durability
- › Designed for high-frequency, heavy-duty use on commercial sites
- › Lightweight and highly manoeuvrable with foot-operated brake castors
- › Removable handrails provide safe access to elevated work areas
- › Flat-packed for easy transport with tools and detail instructions included
- › Complies with Australian & New Zealand standards AS/NZS 1892

SKU	Type	Platform Size	Weight
FS135-FS137-FS13789-1M	4 Step	1000mm	16.5kg
FS135-FS137-FS13790-2M	4 Step	2000mm	31.0kg



StockMaster Navigator



Navigator Order Picking Ladder - 150kg

- › Automatic braking and self-closing gate enhance safety during use
- › Rota-Gate and smooth maneuverability enable fast, efficient stock picking

SKU	Height	5kg Working Range	20kg Working Range
SM-N04	1145mm	1400 - 2800mm	1400 - 2300mm
SM-N05	1435mm	1700 - 3100mm	1700 - 2600mm
SM-N06	1720mm	2000 - 3400mm	Not Suitable
SM-N07	2005mm	2300 - 3700mm	Not Suitable
SM-N08	2295mm	2500 - 3900mm	Not Suitable
SM-N09	2580mm	2800 - 4200mm	Not Suitable
SM-N10	2865mm	3100 - 4500mm	Not Suitable
SM-N11	3155mm	3400 - 4800mm	Not Suitable
SM-N12	3440mm	3700 - 5100mm	Not Suitable
SM-N13	3735mm	4000 - 5400mm	Not Suitable
SM-N14	4015mm	4300 - 5700mm	Not Suitable



Available in Two Models:

- Standard Series with standard three-way handrail
- Pro Series equipped Safety Gate and Rota Gate

StockMaster LiftTruk



Lift-Truk Manual Order Picking Ladder - 150kg

- › Manually lifts up to 60kg with no power required
- › Improves safety and reduces strain during lifting tasks

SKU	Height	5kg Working Range	20kg Working Range
SM-LT04M	1145mm	1400 - 2800mm	1400 - 2300mm
SM-LT05M	1435mm	1700 - 3100mm	1700 - 2600mm
SM-LT06M	1720mm	2000 - 3400mm	2000 - 2900mm
SM-LT07M	2005mm	2300 - 3700mm	2300 - 3200mm
SM-LT08M	2295mm	2500 - 3900mm	2500 - 3400mm
SM-LT09M	2580mm	2800 - 4200mm	2800 - 3700mm
SM-LT010M	2865mm	3100 - 4500mm	3100 - 4000mm
SM-LT011M	3155mm	3400 - 4800mm	3400 - 4200mm
SM-LT012M	3440mm	3700 - 5100mm	3700 - 4600mm
SM-LT013M	3735mm	4000 - 5400mm	4000 - 4900mm
SM-LT014M	4015mm	4300 - 5700mm	4300 - 5200mm



Available in Two Models:

- Standard Series with standard three-way handrail
- Pro Series equipped Safety Gate and Rota Gate


StockMaster Tracker



Tracker Manual Mobile Platform Ladder - 150kg

- › Mobile platform with large wheels, auto-locks when stationary

SKU	Height	Working Range
SM-T03	860mm	1100 - 2700mm
SM-T04	1145mm	1400 - 3000mm
SM-T05	1435mm	1700 - 3300mm
SM-T06	1720mm	2000 - 3600mm
SM-T07	2005mm	2300 - 3900mm
SM-T08	2295mm	2500 - 4200mm
SM-T09	2580mm	2800 - 4400mm
SM-T10	2865mm	3100 - 4700mm
SM-T11	3155mm	3400 - 5000mm
SM-T12	3440mm	3700 - 5300mm
SM-T13	3735mm	4000 - 5600mm
SM-T14	4015mm	4300 - 5900mm



Available in Two Models:

- Standard Series with standard three-way handrail
- Pro Series equipped Safety Gate and Rota Gate

StockMaster Step-Thru



Step-Thru All Terrain Mobile Access Platform - 150kg

- › Mobile steps for indoor and outdoor access
- › Ideal for loading docks, containers, and mezzanines
- › Easy to move over sealed or uneven surfaces
- › 150kg load rated for safe, reliable use

SKU	Platform Height	Service Height Range
SM-ST03	860mm	900 - 1185mm
SM-ST04	1145mm	1185 - 1475mm
SM-ST05	1435mm	1475 - 1760mm
SM-ST06	1720mm	1760 - 2045mm
SM-ST07	2005mm	2045 - 2335mm
SM-ST08	2295mm	2335 - 2620mm
SM-ST09	2580mm	2620 - 2905mm
SM-ST10	2865mm	2905 - 3150mm




StockMaster Mezzalad



Mezzalad Mezzanine Access Ladder - 150kg

- › Access ladder for mezzanines, lofts, and elevated areas
- › Folds flat against the wall when not in use
- › Simple lift-and-pull to deploy
- › Includes upper-level safety gate for secure access

SKU	Minimum Service Height	Maximum Service Height
SM-VH01	2330mm	2529mm
SM-VH02	2529mm	2744mm
SM-VH03	2744mm	2977mm
SM-VH04	2977mm	3225mm



StockMaster Mezzalift



Mezzalift Manually Operated Goods Lift - 60kg

- › Manually operated lift for transferring goods to mezzanine or elevated areas
- › Suitable for single items or stacked loads up to 60kg
- › Adjustable length to match mezzanine height

SKU	Service Height Rating
SM-MH08	2250 - 2555mm
SM-MH09	2535 - 2840mm
SM-MH10	2820 - 3125mm
SM-MH11	3110 - 3415mm
SM-MH12	3395 - 3700mm
SM-MH13	3685 - 3990mm
SM-MH14	3970 - 4275mm





FOLDS AWAY IN ONLY 5 MINUTES!



TSWPF

Collapsible Work Platform - 250kg

- › Designed to safely carry two people with a combined load capacity of 250kg
- › Folds flat for easy storage and assembly, ideal for freight and transport
- › 1200 x 1200mm platform, 1000mm high sides, and a 2200mm rear safety screen
- › Fitted with inward-opening self-closing door, handrail, toe boards on all sides
- › Safety features include two harness anchor points and fork-attachment pins



BH01151
Safety Harness
Fall Protection



SKU	Colour	Platform Size L x W	Height	Flat Size L x W x H
TSWPF	Yellow	1200 x 1200mm	1000mm	1200 x 1200 x 450mm



FWP25

Forklift Work Platform - 250kg

- › Reinforced single-panel sides for strength and quick assembly
- › Self-closing gate with bow latch for safe, secure access
- › Two floor-mounted anchor points for harness safety compliance
- › Removable tool tray keeps gear within reach and prevents drops
- › Fork locking pins ensure secure attachment to forklift
- › Zinc-plated finish protects against rust and wear in tough conditions
- › Heavy-duty steel construction built for industrial use
- › Compact design for easy storage and handling
- › Complies with AS 2359.1 Australian Safety Standards

The use of FWP25 on a forklift truck should not be considered if the capacity of that forklift is less than 1800kg for a counterbalanced type or 1080kg for a straddle type forklift.

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Load Centre
FWP25	1155 x 1225 x 2000mm	160 x 60mm	640mm	600mm



WP-GC

Forklift Work Platform - 250kg

- › Heavy-duty welded construction for industrial environments, built to withstand tough use
- › Self-closing gate with bow latch and two harness anchor points ensure worker safety
- › Fork locking pins secure the cage during forklift transport, preventing accidental detachment
- › Galvanised finish resists corrosion, suitable for both indoor and outdoor applications
- › Compact and low-maintenance design, easy to store and durable for long-term use
- › Complies with AS 2359.1, meeting Australian safety standards for forklift work platforms

The use of WP-GC on a forklift truck should not be considered if the capacity of that forklift is less than 1925kg for a counterbalanced type or 1155kg for a reach type forklift.

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Load Centre
WP-GC	1155 x 1225 x 2065mm	160 x 65mm	640mm	600mm





CNGHR
Rigging Hanging Rack -
5 Hooks



CNGC10

Rigging Lockable Storage Cage - 750kg

- › Designed for secure storage and transport of rigging gear including chains, slings, shackles, and clamps
- › Fully enclosed mesh cage with a sheet metal roof for protection during on-site handling
- › Lockable hinged gate prevents unauthorised access and theft
- › Fitted with 4-point crane lift lugs and forklift pockets for easy relocation
- › Zinc-plated finish for enhanced corrosion resistance
- › Supplied flat-packed for easy on-site assembly (fully assembled available on request)

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Hooks
CNGC10	1030 x 1030 x 1930mm	165 x 65mm	665mm	20



WPOP

Order Picker Cage - 1000kg

- › Wire mesh back and sides for visibility and protection
- › Includes fitted parcel tray for convenient packing access
- › Optional wheels and tow hitch for workplace manoeuvrability
- › Available in three models to suit different order picker heights
- › Customisable to fit specific forklift models and applications
- › Durable enamel paint finish

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Load Centre
WPOP	1200 x 1200 x 1000mm	140 x 60mm	560mm	600mm




CGP116

Crane Pallet Cage - 1000kg

- › Fully opening front gate for fast and easy access
- › Stackable design: 3 high empty, 2 high when loaded
- › Pallet racking compatible for efficient warehouse storage
- › Equipped with 4-point crane lift lugs and forklift pockets
- › Durable sheet metal floor fitted as standard
- › Zinc-plated finish for corrosion resistance

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres
CGP116	1250 x 1250 x 1100mm	245 x 80mm	452mm






CSPN-1T / CSPN-2T

Goods Cage - 1000kg / 2000kg

- › Designed for storing and transporting loose or palletised goods
- › Suits standard 1200mm square pallet
- › Available in 1-tonne and 2-tonne capacity models
- › Fully opening front gate for easy loading and unloading
- › Stackable 3 high when empty, 2 high when loaded
- › Fitted with 4-point lift crane lugs and fork stirrups
- › Zinc-plated finish for corrosion resistance
- › Supplied fully assembled and ready to use



SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	W.L.L.
CSPN-1T	1350 x 1350 x 1155mm	155 x 60mm	680mm	1000kg
CSPN-2T	1350 x 1350 x 1200mm	155 x 75mm	680mm	2000kg



BKN130

Floor Mounted Mega Bin Tipper - 1000kg

- › Allows 130° rotation of Nally bins via hydraulic lever
- › 304 stainless steel chute guides material flow efficiently
- › Removable side and upper safety barriers for flexible access
- › Compatible with forklift or hand pallet jack loading
- › 240V, 2.2kW hydraulic power pack included
- › Bin retainers hold mega bins securely during tipping
- › Tipping height approx. 1100mm above floor level
- › Full tipping cycle completes in 42 seconds
- › Suitable for food industry applications
- › Durable zinc-plated frame with stainless steel chute



SKU	Overall Size	Width Inside Cradle	Tipping Height	Rotation
BKN130	1745 x 1555 x 1400mm	1185mm	1100mm	130°




BTS10 / BTS10-NP / BTS10-W

IBC Bin Tilter - 2000kg

- › 10° tilt enables decanting directly from IBC
- › Spring-loaded mechanism adjusts tilt as liquid level drops (3 springs supplied)
- › Easy access to valve for quick hose connection
- › Model BTS10 includes removable fork pockets for forklift transport and positioning
- › Model BTS10-W includes wheels for manual mobility
- › Durable zinc-plated finish for corrosion resistance



BTS10



BTS10-NP



BTS10-W

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Wheels
BTS10	1200 x 1130mm	185 x 85mm	730mm	-
BTS10-NP	1200 x 1130mm	-	-	-
BTS10-W	1200 x 1130mm	-	-	Yes