

TROLLEYS & CARTS



TeamStar Trolleys	12-13
Trust Utility Carts	14
Trust Special Purpose Trolleys	15-18
Jumbo Series Trolleys.....	19-20
Teamstar Platform Trolleys.....	21-23
Stainless Steel Medical Trolleys.....	24-27
Hand Trucks & Stock Trolleys	28-32
Teamstar Dollies.....	33-34
Teamstar Skates	35-36
Powered Trolleys & Tables	36-37

TeamStar - The Top Choice in Trolleys

TeamStar Trolleys are a fully welded construction and the Australian design is a winner in the national market.

Various accessories such as clip boards and parts boxes are also available.



TS1A

Flatbed Trolley

- › Australian design
- › Robust metal frame for durability and strength
- › Optional accessories include clipboards and parts boxes

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1A	900 x 600mm	945mm	340kg	125mm

Some of the many TEAMSTAR trolley features include:

- › 1-year frame warranty
- › Durable long-lasting powder coated finish
- › Standard with 2 swivel & 2 rigid castors mounting plates for versatility
- › Ability to customise on medium and large size orders



TS1AXL

Extra Large Flatbed Trolley

- › Australian design
- › Fitted with six heavy-duty castors for enhanced mobility
- › Optional accessories include buffers and locking castors

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1AXL	1200 x 700mm	1050mm	520kg	150mm



TS2A

2 Tier Steel Trolley

- › Australian design
- › Non-slip surface on each tier for secure handling and slip prevention
- › Optional accessories include clipboards and parts boxes

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS2A	900 x 600mm	940mm	340kg	125mm



TS3A

3 Tier Steel Trolley

- › Australian design
- › Non-slip surface on each tier for secure handling and slip prevention
- › Optional accessories include clipboards and parts boxes

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS3A	900 x 600mm	940mm	340kg	125mm



TS1F

Full Mesh Trolley

- › Australian design
- › Robust metal frame for durability and strength
- › Integrated fold-down gate for improved access
- › Optional accessories include clipboards and parts boxes

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1F	900 x 600mm	855mm	340kg	125mm



TS2B

Half Basket Trolley

- › Australian design
- › Robust metal frame for durability and strength
- › Half basket design for efficient stock picking
- › Optional accessories include clipboards and parts boxes

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS2B	900 x 600mm	910mm	340kg	125mm

Team Systems pride themselves on never compromising the quality of product, and all trolleys come with unsurpassed features.

All trolleys come standard with castor mounting plates.

Castors are bolted to these castor mounting plates to allow for ease of castor replacement, or to allow for changes to castor arrangement.

Available in a large range of SKUs with ability to customise on large orders.



TS2T 2 Tub Steel Trolley

340kg Order Picking
Trolley without Bracket
bar suits two tubs.



TS4B

4 Tub Steel Trolley

- › Australian design
- › Two types of crates available:
- › IH048 - 16L 457 x 318 x 168mm
- › IH042 - 27L 457 x 318 x 260mm



SKU	Size	Handle Height	Capacity	Wheel Dia.
TS4B	990 x 650mm	910mm	340kg	125mm



TSOFT

Office File Trolley

- › Ideal for order picking, mailing and file handling
- › Basket fits standard suspension files
- › Fully powder coated for office environments
- › Easy to manoeuvre with four high-quality swivel castors



SKU	Size	Handle Height	Capacity	Wheel Dia.
TSOFT	650 x 380mm	930mm	220kg	100mm



TSCLIPBOARD-H
Fully Welded Clipboard

TSMY

Stock Picking Trolley

- › Optional clipboard or utility bin
- › Compatible with Nally Crates IH060, IH051 and IH078 (sold separately)
- › Tray holder (TSOPH) and parts tray (IH077) also available



Size	Handle Height	Capacity	Wheel Dia.
900 x 420mm	910mm	220kg	100mm



TSCLIPBOARD-H
Fully Welded Clipboard

TS1B

Stock Picking Trolley

- › Optional clipboard or utility bin
- › Compatible with Nally Crates IH060, IH051 and IH078 (sold separately)
- › Tray holder (TSOPH) and parts tray (IH077) also available



SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1B	900 x 420mm	1035mm	220kg	100mm



TS1BD

Double Tub Stock Picking Trolley

- › Proudly Australian designed
- › Compatible with Nally crates IH060, IH051 and IH078 (sold separately)

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1BD	950 x 420mm	1000mm	220kg	125mm



TROLLEY ACCESSORIES


Team Systems can also supply a number of useful accessories to suit all our trolleys.

TSCLIPBOARD Clipboard

- › Clamps onto all trolleys.
- › Powder-coat silver bull clip & pen rack.

IH077 Parts Tray

TSOPH Parts Tray Holder



TRUST UTILITY CARTS

Trust



RT4041

Bitbar 2 Shelf Utility Cart

- › Innovative design for easily transporting any items
- › V-notch for secure attachment of tubular items
- › User-friendly handles
- › Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Capacity	Wheel Dia.
RT4041	1150 x 641 x 987mm	230kg	125mm

Trust



RT4043

Bitbar 3 Shelf Utility Cart

- › Innovative design for easily transporting any items
- › V-notch for secure attachment of tubular items
- › User-friendly handles
- › Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Capacity	Wheel Dia.
RT4043	1150 x 641 x 987mm	230kg	125mm

Trust



RT4044

Bitbar 2 Shelf Utility Cart

- › Innovative design for easily transporting any items
- › V-notch for secure attachment of tubular items
- › User-friendly handles
- › Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4044	978 x 435 x 987mm	230kg	125mm

Trust



RT4045

Bitbar 2 Flat Shelf Utility Cart

- › Innovative design for easily transporting any items
- › V-notch for secure attachment of tubular items
- › User-friendly handles
- › Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4045	978 x 435 x 968mm	230kg	125mm

Trust



RT4046

Bitbar 3 Shelf Utility Cart

- › Innovative design for easily transporting any items
- › V-notch for secure attachment of tubular items
- › User-friendly handles
- › Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4046	978 x 435 x 987mm	230kg	125mm

Trust



RT4047

Bitbar 3 Flat Shelf Utility Cart

- › Innovative design for easily transporting any items
- › V-notch for secure attachment of tubular items
- › User-friendly handles
- › Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4047	978 x 435 x 968mm	230kg	125mm

Trust

RT4061 / RT4062

U-Boat Trolley

- › Ideal choice for storing, counting & picking goods.
- › Commercial grade powder coated steel handle.
- › Optional extra shelf available.



SKU	Size	Load Capacity	Wheel Diameter
RT4061	1634 x 454 x 1632mm	810kg	125mm
RT4062	1960 x 454 x 1632mm	810kg	125mm

Trust

RT4063 / RT4064

U-Boat Trolley Shelf

- › Optional shelf to suit RT4061 & RT4062 trolleys.



SKU	Size	Load Capacity	Colour
RT4063	1634 x 454 x 70mm	80kg	Black
RT4064	1960 x 454 x 70mm	80kg	Black

Trust

RT4411

OEASY Platform Trolley

- › Moulded structure enhances strength and durability
- › Textured, non-skid surface helps prevent shifting
- › Built-in tie down notches for securing loads in place
- › Fitted with a powder coated steel handle for reliable grip and control



SKU	Size	Load Capacity	Wheel Type
RT4411	1019 x 610 x 1006mm	450kg	150mm TPR

Trust

RT4414

OEASY Platform Trolley

- › Moulded structure enhances strength and durability
- › Textured, non-skid surface helps prevent shifting
- › Built-in tie down notches for securing loads in place
- › Fitted with a powder coated steel handle for reliable grip and control



SKU	Size	Load Capacity	Wheel Type
RT4414	1324 x 610 x 1070mm	540kg	200mm Pneumatic

Trust

RT4412

OEASY Platform Trolley

- › Moulded structure enhances strength and durability
- › Textured, non-skid surface helps prevent shifting
- › Built-in tie down notches for securing loads in place
- › Fitted with a powder coated steel handle for reliable grip and control



SKU	Size	Load Capacity	Wheel Type
RT4412	1019 x 610 x 1006mm	900kg	150mm PP

Trust

RT4413 / RT4416

OEASY Platform Trolley

- › Moulded structure enhances strength and durability
- › Textured, non-skid surface helps prevent shifting
- › Built-in tie down notches for securing loads in place
- › Fitted with a powder coated steel handle for reliable grip and control



SKU	Size	Load Capacity	Wheel Type
RT4413	1324 x 610 x 1057mm	900kg	200mm TPR
RT4416	1629 x 762 x 1057mm	900kg	200mm TPR



RT4421

OEASY A Frame Panel Trolley

- › Designed to transport large panel items like mattresses, doors and timber
- › High-side inclined frame and side rail keep the load secure during transit
- › Textured non-skid surface
- › Moulded structure adds strength and durability
- › Built-in tie down notches for securing loads in place
- › Powder-coated steel handle



SKU	Size	Load Capacity	Wheel Diameter
RT4421	984 x 610 x 1092mm	900kg	150mm



RT4422

OEASY A Frame Panel Trolley

- › Designed to transport large panel items like mattresses, doors and timber
- › High-side inclined frame and side rail keep the load secure during transit
- › Moulded structure adds strength and durability
- › Textured non-skid surface
- › Tie-down notches for securing loads
- › Powder-coated steel handle



SKU	Size	Load Capacity	Wheel Diameter
RT4422	1289 x 610 x 1140mm	900kg	200mm



RT4432

OEASY Sheet & Panel Trolley

- › Designed to transport large panel items like mattresses, doors and timber
- › Inclined frame and side rail hold load securely
- › Non-slip textured surface
- › Moulded body structure enhances strength
- › Tie-down notches for securing load
- › Powder-coated steel handle



SKU	Size	Load Capacity	Wheel Diameter
RT4432	1289 x 610 x 1140mm	900kg	200mm



RT4463 / RT4465

OEASY Panel Platform Trolley

- › Designed to carry small parcels and objects
- › Fence helps secure items during transport
- › Two directional and two swivel castors for easy manoeuvrability
- › Powder-coated steel fence and handle



SKU	Size	Load Capacity	Wheel Diameter
RT4463	1422 x 610 x 1048mm	900kg	200mm
RT4465	1730 x 762 x 1048mm	900kg	200mm



RT4711

Laundry & Waste Cart

- › For waste collection, material handling & laundry handling
- › Fits through standard doorways and into elevators easily
- › Metal frame & industrial strength structural foam construction



SKU	Size	Load Capacity	Cubic Capacity
RT4711	1145 x 750 x 880mm	180kg	0.3m3



RT5041 / RT5043

X-Type Linen Cart

- › For the collection of all kinds of linen
- › Durable, lightweight & easy to control
- › High quality vinyl bag with side straps
- › Easily folds for storage



SKU	Size	Load Capacity	Colour
RT5041	705 x 635 x 876mm	170L	Brown
RT5043	Cloth Bag to Suit	170L	Brown

Trust

RT5021

House Keeping Cart

- › Fully integrated system for efficient organisation
- › Adjustable shelves to maximise storage flexibility
- › Built-in hook for hanging tools and bags
- › Ergonomic handles for comfort and secure grip



SKU	Size	Load Capacity	Wheel Diameter
RT5021	1524 x 559 x 1270mm	N/A	200mm

Trust

RT5022

House Keeping Cart with Doors

- › Fully integrated system for efficient organisation
- › Adjustable shelves to maximise storage flexibility
- › Built-in hook for hanging tools and bags
- › Ergonomic handles for comfort and secure grip



SKU	Size	Load Capacity	Wheel Diameter
RT5022	1524 x 559 x 1270mm	N/A	200mm

Trust

RT5023

House Keeping Cart with Doors & Hood

- › Fully integrated system for efficient organisation
- › Adjustable shelves to maximise storage flexibility
- › Built-in hook for hanging tools and bags
- › Ergonomic handles for comfort and secure grip



SKU	Size	Load Capacity	Wheel Diameter
RT5023	1524 x 559 x 1570mm	N/A	200mm

Trust

RT5051

House Keeping Cart

- › Fully integrated system for efficient organisation
- › Adjustable shelves to maximise storage flexibility
- › Built-in hook for hanging tools and bags
- › Ergonomic handles for comfort and secure grip



SKU	Size	Load Capacity	Wheel Diameter
RT5051	1024 x 510 x 1090mm	N/A	180mm

Trust

RT4010 / RT4020

Hi5 2 Shelf Utility Cart

- › Double handles
- › Plastic moulded shelves
- › Non-marking swivel castors
- › Aluminium uprights
- › Non-skid textured surface



SKU	Size	Load Capacity	Wheel Diameter
RT4010	854 x 473 x 960mm	130kg	100mm
RT4020	1032 x 508 x 960mm	135kg	100mm

Trust

RT4011 / RT4021

Hi5 3 Shelf Utility Cart

- › Double handles
- › Plastic moulded shelves
- › Non-marking swivel castors
- › Aluminium uprights
- › Non-skid textured surface



SKU	Size	Load Capacity	Wheel Diameter
RT4011	854 x 473 x 960mm	130kg	100mm
RT4021	1032 x 508 x 960mm	135kg	100mm



RT4023

Hi5 3 Shelf Utility Cart with 3 Panels

- > Double handles.
- > Plastic moulded shelves.
- > Non-marking swivel castors.
- > Aluminium uprights.
- > Non-skid textured surface.

SKU	Size	Load Capacity	Colour
RT4023	1032 x 508 x 960mm	135kg	Black



RT4026

Hi5 4 Shelf Utility Cart

- > Double handles.
- > Plastic moulded shelves.
- > Non-marking swivel castors.
- > Aluminium uprights.
- > Non-skid textured surface.

SKU	Size	Load Capacity	Colour
RT4026	1032 x 508 x 1295mm	135kg	Black



RT4031 / RT4032

Bitbar Mobile Work Centres

- > Sturdy structural foam construction that resists rust, dents, chipping and peeling
- > Moulded-in storage compartments and integrated cup holder for small tools and items
- > Non-skid textured surface provides secure footing and load stability



SKU	Size	Capacity	Description
RT4031	1245 x 670 x 972mm	340kg	4-Drawer and Cabinet
RT4032	1245 x 670 x 972mm	340kg	2-Door Cabinet

CLAXMOBILE

Collapsible Trolley

- > The clever folding cart that collapses effortlessly at the push of a button
- > Two spacious load platforms ideal for plastic crates or beverage containers
- > Practical features include a block brake, crate holder, and fold-up lower platform



SKU	Basket Height	Tray Capacity	Overall Dimensions
CLAXMOBILE	270mm	20kg upper tray 40kg lower tray	890 x 550 x 1030mm



AVAILABLE OPTION

TSX2C
Crate Extra



TSX2

Collapsible Trolley

- > Ideal for use in moderate-duty transport and handling
- > Foldable design with two levels, holding up to three crates for efficient transport and storage
- > Large wheels and safety foot brake ensure smooth movement



SKU	Basket Height	Tray Capacity	Overall Dimensions
TSX2	260mm	40kg upper tray 50kg lower tray	990 x 603 x 1088mm

AVAILABLE OPTION

VCARTCRT
Crate Extra



VCART

Collapsible Trolley

- > Ideal for use in workplaces, schools, home & office
- > Top platform folds back to allow for larger items
- > Includes one collapsible crate/basket which locks into either top or bottom platform
- > Robust foot pedal brake




SKU	Basket Height	Tray Capacity	Overall Dimensions
VCART	260mm	25kg upper tray 50kg lower tray	1000 x 600 x 1070mm

The highest quality imported trolleys. Non-marking PU wheels with precision bearings. 1000mm handle height to suit Australian market. Yellow protectors on all folding handles.

JUMBO

TEAMSTAR
Signature Series



PEDAL
BRAKE
OPTION
HB SKU ONLY



HL110


Steel Single Deck Trolley

- › Foldable handles
- › Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL110	745 x 485mm	860mm	220kg	100mm

JUMBO

TEAMSTAR
Signature Series



PEDAL
BRAKE
OPTION
HB SKU ONLY



HB210


Steel Single Deck Trolley

- › Foldable handles
- › Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HB210	920 x 620mm	860mm	370kg	125mm

JUMBO

TEAMSTAR
Signature Series



PEDAL
BRAKE
OPTION
HB SKU ONLY



HL120D / HB220D


Steel Double Deck Trolley

- › Double handles
- › Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL120D	745 x 485mm	860mm	220kg	100mm
HB220D	965 x 615mm	1030mm	370kg	125mm

JUMBO

TEAMSTAR
Signature Series



PEDAL
BRAKE
OPTION
HB SKU ONLY



HL130D / HB230D


Steel Triple Deck Trolley

- › Double handles
- › Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL130D	785 x 485mm	1000mm	220kg	100mm
HB230D	965 x 615mm	950mm	370kg	125mm

JUMBO

TEAMSTAR
Signature Series



PEDAL
BRAKE
OPTION
HB SKU ONLY



HB211

Steel Single Deck Trolley

- › Fixed handles
- › Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HB211	915 x 615mm	860mm	300kg	125mm

JUMBO

TEAMSTAR
Signature Series



HG511

Steel Single Deck Trolley

- › Single fixed handle.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HG511	1170 x 765mm	1000mm	650kg	200mm

JUMBO SERIES TROLLEYS



HL120M / HB220M

Steel Double Deck Trolley

- › Double fixed handles.
- › Zinc plated mesh panels.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL120M	740 x 480mm	1000mm	220kg	100mm
HB220M	960 x 610mm	1000mm	300kg	125mm



HB213 / HG313

Steel Full Mesh Trolley

- › Double fixed handles.
- › Zinc plated mesh panels.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HB213	970 x 615mm	950mm	300kg	125mm
HG313	1225 x 760mm	1010mm	400kg	150mm



GP210

Plastic Single Deck Trolley

- › Industrial flatbed trolley with industrial grade heavy-duty plastic bed
- › Folding steel handle for ease of storage and transportation
- › Low noise castors for office environment

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
GP210	830 x 505mm	1000mm	250kg	125mm



ST16009F / ST17011F

Stainless Steel Flatbed Trolley

- › 4 castor wheels.
- › Single folding handle.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
ST16009F	900 x 600mm	920mm	350kg	100mm
ST17011F	1100 x 700mm	920mm	500kg	200mm



TS26004

Double Deck Tray Trolley

- › Grade 304 stainless steel
- › Reversible stainless steel trays

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TS26004	740 x 400mm	910mm	200kg	100mm



TS36004

Triple Deck Tray Trolley

- › Grade 304 stainless steel
- › Reversible stainless steel trays

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TS36004	740 x 400mm	910mm	200kg	100mm



TSS11

Small Folding Flatbed Trolley

- › Quick release handle.
- › Folds for easy storage.
- › 1000mm handle height to suit Australian market.



SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TSS11	740 x 480mm	1000mm	150kg	100mm



TSL11

Large Folding Flatbed Trolley

- › Quick release handle.
- › Folds for easy storage.
- › 1000mm handle height to suit Australian market.



SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TSL11	890 x 600mm	1000mm	250kg	125mm



TSXL12

Pressed Metal Trolley

- › Huge deck area.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TSXL12	1160 x 760mm	1000mm	300kg	160mm



TSS32

3 Deck Platform Trolley

- › Pressed metal construction for secure transport
- › Inlaid industrial matting prevents slipping
- › Fitted with quality castors and dual handles for smooth, controlled movement

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TSS32	740 x 480mm	1000mm	150kg	100mm



TPT1220

Heavy Duty Aluminium Platform Trolley

- › Handles loads up to 750kg for heavy-duty transport
- › Welded aluminium frame offers strength and corrosion resistance
- › Heavy-duty castors provide smooth, stable movement

SKU	Deck Type	Load Capacity	Dimensions
TPT1220	Single	750kg	1220 x 610 x 236mm



TPT1525

Heavy Duty Aluminium Platform Trolley

- › Handles loads up to 750kg for heavy-duty transport
- › Welded aluminium frame offers strength and corrosion resistance
- › Heavy-duty castors provide smooth, stable movement

SKU	Deck Type	Load Capacity	Dimensions
TPT1525	Single	750kg	1525 x 760 x 236mm

TEAMSTAR PLATFORM TROLLEYS



HTS500S / HTS600S

Single Deck 6 Wheel Trolley

- > Galvanised finish for long-lasting durability
- > Rust-proof construction ideal for cool rooms and refrigerated environments
- > Suitable for use in supermarkets, greengrocers, and food storage areas



SKU	Deck Type	Load Capacity	Dimensions
HTS500S	Single	450kg	990 x 460 x 950mm
HTS600S	Single	450kg	1140 x 565 x 950mm



HTS500D / HTS600D

Twin Deck 6 Wheel Trolley

- > Galvanised finish for long-lasting durability
- > Rust-proof construction ideal for cool rooms and refrigerated environments
- > Suitable for use in supermarkets, greengrocers, and food storage areas



SKU	Deck Type	Load Capacity	Dimensions
HTS500D	Double	225kg per Deck	990 x 460 x 950mm
HTS600D	Double	220kg per Deck	1140 x 565 x 950mm



FW99E

Large Aluminium Folding Platform Trolley

- > Lightweight yet strong aluminium frame with corrosion resistance for indoor and outdoor use
- > Foldable platform and handle for space-saving storage and easy transport
- > Solid wheels and a non-slip platform provide smooth, stable and secure handling across various surfaces



SKU	Size	Handle Height	Load Capacity	Wheel Dia.
FW99E	900 x 610mm	1010mm	250kg	180mm



HTD800S2

6 Wheel Furniture & Bulky Items Trolley

- > Long rail handles on both sides for securing bulky or oversized items
- > Galvanised finish with rust-proof protection for extended durability
- > Ideal for cool rooms, refrigerated areas, and cold storage applications
- > Also suitable for furniture stores, removalists, and warehouse use



SKU	Deck Type	Load Capacity	Dimensions
HTD800S2	Single	450kg	1140 x 800 x 950mm



GT600S

Tubular Deck Trolley

- > Galvanised finish for enhanced durability and corrosion resistance
- > Suitable for use in supermarkets, warehouses, and commercial storage environments



SKU	Deck Type	Load Capacity	Dimensions
GT600S	Single	350kg	1200 x 600 x 950mm



HBEW5

2 Tier Nesting Platform Trolley

- > Zinc plated for corrosion resistance and durability
- > Foldable top shelf allows transport of a wider range of products



SKU	Bottom Deck Size	Top Deck Size	Capacity	Wheel Dia.
HBEW5	800 x 400mm	760 x 430mm	200kg	125mm



TSUPFT

Upright File Trolley

- › Chrome plated upright file trolley with two fold-up shelves
- › Includes a three-tier shelf design for organised storage
- › Optional rain cover available for added protection



SKU	Load Capacity	Dimensions
TSUPFT	120kg	500 x 465 x 1100mm



TSUPFT-COVER

Rain Cover to suit Upright File Trolley

- › Designed to protect your upright file trolley (TSUPFT) from rain and moisture, ensuring the safety and integrity of your documents and files
- › Features a durable, water-resistant material that provides reliable coverage



SKU	Description
TSUPFT-COVER	Lightweight rain cover to TSUPFT



TSQ25B

2 Tier Lipped Trolley

- › Dual shelves and anti-slip lips
- › Powder-coated frame



SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
TSQ25B	1000 x 700mm	980mm	250kg	125mm



TPR500

Sheet Panel Cart

- › Reinforced platform for stable transport of large panels
- › Steel frame and wide wheelbase for added stability
- › Lockable swivel castors for smooth, secure movement



SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
TPR500	1200 x 580mm	1180mm	500kg	150mm



SW078

Heavy Duty Platform Trolley

- › Powder coated finish
- › Removable handle
- › Also available in double handle



SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
SW078	1372 x 685mm	960mm	560kg	125 x 35mm



SW078BG

Heavy Duty Platform Trolley

- › Powder coated finish
- › Large deck with removable vertical supports



SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
SW078BG	1372 x 685mm	960mm	560kg	125 x 35mm

STAINLESS STEEL MEDICAL TROLLEYS

MDSSTNR50

Medical Trolley

- > Grade 304 stainless steel for hygiene and durability
- > Ideal for clinics, hospitals, and medical environments



SKU	Deck Size	Castor Diameter
MDSSTNR50	500 x 500 x 900mm	95mm

MDSST00

Medical Trolley with Rails

- > Grade 304 stainless steel for hygiene and durability
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Deck Size	Castor Diameter
MDSST00	500 x 500 x 900mm	95mm

MDSST01

Medical Trolley with Rails and One Drawer

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST01	125mm Deep	500 x 500 x 900mm	95mm

MDSST01LK

Medical Trolley with Rails and One Lockable Drawer

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST01LK	125mm Deep	500 x 500 x 900mm	95mm

MDSST02

Medical Trolley with Rails and Two Drawers

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Two drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST02	125mm Deep	500 x 500 x 900mm	95mm

MDSST02LK

Medical Trolley with Rails and Two Drawers (One Lockable)

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST02LK	125mm Deep	500 x 500 x 900mm	95mm

MDSST03

Medical Trolley with Rails and Three Drawers

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Three drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST03	125mm Deep	500 x 500 x 900mm	95mm

MDSST03LK

Medical Trolley with Rails and Three Drawers (One Lockable)

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST03LK	125mm Deep	500 x 500 x 900mm	95mm

MDSST04

Medical Trolley with Rails and Four Drawers

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Three drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST04	125mm Deep	500 x 500 x 900mm	95mm

MDSST04LK

Medical Trolley with Rails and Four Drawers (One Lockable)

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSST04LK	125mm Deep	500 x 500 x 900mm	95mm

MDSSTNR60

Medical Trolley

- > Grade 304 stainless steel for hygiene and durability
- > Ideal for clinics, hospitals, and medical environments



SKU	Deck Size	Castor Diameter
MDSSTNR60	600 x 500 x 900mm	95mm

MDSSTD00

Medical Trolley with Rails

- > Grade 304 stainless steel for hygiene and durability
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Deck Size	Castor Diameter
MDSSTD00	800 x 500 x 900mm	95mm

MDSSTD01

Long Medical Trolley with Rails and One Drawer

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One long drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSSTD01	125mm Deep	800 x 500 x 900mm	95mm

MDSSTD22

Long Medical Trolley with Rails and Two Drawers

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Two drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSSTD22	125mm Deep	800 x 500 x 900mm	95mm

MDSSTD04

Long Medical Trolley with Rails and Four Drawers

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Four drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



SKU	Drawer	Deck Size	Castor Diameter
MDSSTD04	125mm Deep	800 x 500 x 900mm	95mm

MDSSTNR80

Medical Trolley

- > Grade 304 stainless steel for hygiene and durability
- > Ideal for clinics, hospitals, and medical environments



SKU	Deck Size	Castor Diameter
MDSSTNR80	800 x 500 x 900mm	95mm

MDSLTL

Single Linen Skip

- > Grade 304 stainless steel with a high-quality finish
- > Smooth, continuous stainless steel welding throughout
- > Ideal for clinics, hospitals, and medical environments



SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDSLTL	400 x 560 x 850mm	370 x 320mm	80mm

MDSLTL

Single Linen Skip with Foot Operated Lid

- > Grade 304 stainless steel with an outstanding finish
- > Smooth stainless steel welding for a clean, hygienic build
- > Foot-operated acrylic lid and lockable castors for added safety
- > Ideal for clinics, hospitals, and medical environments



SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDSLTL	400 x 560 x 850mm	370 x 320mm	80mm

MDDLTL

Double Linen Skip

- › Grade 304 stainless steel with a high-quality finish
- › Smooth, continuous stainless steel welding throughout
- › Ideal for clinics, hospitals, and medical environments



SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDDLTL	560 x 780 x 850mm	370 x 320mm	80mm

MDDLTL

Double Linen Skip with Foot Operated Lid

- › Grade 304 stainless steel with an outstanding finish
- › Smooth stainless steel welding for a clean, hygienic build
- › Foot-operated acrylic lid and lockable castors for added safety
- › Ideal for clinics, hospitals, and medical environments



SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDDLTL	560 x 780 x 850mm	370 x 320mm	80mm

MDDTLT

Triple Linen Skip

- › Grade 304 stainless steel with a high-quality finish
- › Smooth, continuous stainless steel welding throughout
- › Ideal for clinics, hospitals, and medical environments



SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDDTLT	560 x 1180 x 850mm	370 x 320mm	80mm

MDMIT

Mayo Medical Instrument Trolley

- › Grade 304 stainless steel construction
- › Height-adjustable telescopic frame
- › Ideal for clinics, hospitals, and medical environments



SKU	Overall Size	Telescopic height	Castor Dia.
MDMIT	600 x 400 x 20mm	850 - 1400mm	65mm



FW90MS / FW90L

Aluminium Foldable Hand Truck Trolley

- › Lightweight aluminium frame
- › Foldable for compact storage
- › Pneumatic wheels for quiet, stable transport
- › Ergonomic handles for reduced strain and better control



SKU	Folded/Unfolded Height	Platform (W x L)	Load Capacity
FW90MS	710/1000mm	390 x 280mm	70kg
FW90L	1020/1280mm	590 x 400mm	200kg



RUXXAC / RUXXACXL

Business Folding Trolley

- › Durable plastic and aluminium frame with reinforced platform
- › Smooth-rolling wheels for easy movement on various surfaces
- › Ergonomic handle and foldable design for comfort and compact storage
- › Ideal for home, school, retail, or warehouse use



SKU	Folded/Unfolded Height	Platform (W x L)	Load Capacity
RUXXAC	685/1030mm	490 x 250mm	125kg
RUXXACXL	735/1030mm	490 x 410mm	125kg



AVAILABLE OPTION

TP450 TOE-TO-TOE Plate

- › Extension plate 450 x 450mm



UPGRADE OPTION

Puncture Proof Wheels

- › 265mm puncture proof wheels



SF300

BOX 'N' BAG Industrial Trolley

- › Powder coated structural steel with multi grip loop handle
- › Full height, flat surface RHS frame for secure support of double box stacks
- › Suitable for heavy loads of boxed & bagged products

SKU	Load Capacity	Frame Size	Base Plate	Wheel Diameter	Weight
SF300	300kg	1290 x 370mm	430 x 240 x 9mm	260mm	22kg



AVAILABLE OPTION

TP450 TOE-TO-TOE Plate

- › Extension plate 450 x 450mm



UPGRADE OPTION

Puncture Proof Wheels

- › 265mm puncture proof wheels



TH300

ALL ROUNDER Industrial Trolley

- › Powder coated structural steel with ergonomic hand grips
- › Suitable as a multi purpose trolley
- › Ideal for transporting heavy drums, barrels, round tubs, gas cylinders, garden ornaments, paint cans, automotive parts, and large boxed goods

SKU	Load Capacity	Frame Size	Base Plate	Wheel Diameter	Weight
TH300	300kg	1400 x 300mm	430 x 240 x 9mm	260mm	20kg



AVAILABLE OPTION

TP450 TOE-TO-TOE Plate

- › Extension plate 450 x 450mm



UPGRADE OPTION

Puncture Proof Wheels

- › 265mm puncture proof wheels



DL1600C

SUPER MOVER Industrial Trolley

- › Powder coated structural steel with two hand grip levels
- › Flat load support system ratchet strap can be fitted
- › Suitable for safely moving big fridges, freezers, ATM machines, game machines, stacks of tyres, large hot water cylinders, heavy gas cylinders & furniture
- › Protective strips for moving appliances

SKU	Load Capacity	Frame Size	Base Plate	Wheel Diameter	Weight
DL1600C	300kg	1560 x 430mm	430 x 240 x 9mm	320mm	25kg





CAT300 Convert-A Hand Trolley

- > Unique 2 in 1 trolley
- > 300kg(flatbed)-150kg(handtruck)

SKU	Hand Truck Size	Flat Deck Size	Load Capacity	Wheel Dia.
CAT300	420 x 650mm	420 x 1200mm	300/150kg	250/125mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



TSHT12 General Duty Trolley

- > 1.6mm Tubular Frame.
- > 4mm Base Plate.
- > Solid Axles.
- > High Quality Rubber Wheels

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT12	355 x 230mm	1230mm	180kg	250mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



UPGRADE OPTION

Puncture
Proof Wheels



TSHTMP Multi Purpose Trolley

- > Pneumatic wheels offer smooth movement
- > Suits 200 litre (44 gallon) drums

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHTMP	455 x 195mm	1235mm	200kg	250mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



UPGRADE OPTION

Puncture
Proof Wheels



TSHTSB Carton Trolley

- > Pneumatic wheels offer smooth movement
- > Easy lean back design allows stacked trolley to stand upright on its own
- > Great for heavy cartons stacked to the top

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHTSB	510 x 250mm	1330mm	200kg	250mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



UPGRADE OPTION

Puncture
Proof Wheels



TSTPH P Handle Hand Trolley

- > 1.6mm Tubular Frame.
- > 4mm Base Plate.
- > Solid Axles.
- > Pneumatic wheels

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHTPH	430 x 250mm	1255mm	200kg	250mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



UPGRADE OPTION

Puncture
Proof Wheels



TSHT3A All Purpose Trolley

- > 1.6mm Tubular Frame.
- > 4mm Base Plate.
- > Solid Axles.
- > Pneumatic wheels

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT3A	430 x 250mm	1255mm	200kg	250mm

HAND TRUCKS & STOCK TROLLEYS



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



TSHT4A

Appliance Stairclimber Trolley


- › Stair-climbing wheels for easier lifting
- › 4mm base plate for heavy loads
- › Smooth wheels and ergonomic handle
- › Ideal for appliance moves and deliveries

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT4A	455 x 185mm	1235mm	220kg	150mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



TSHT5A

Tall Appliance Stairclimber Trolley

- › Stair-climbing wheels for easier lifting
- › 4mm base plate for heavy loads
- › Smooth wheels and ergonomic handle
- › Ideal for appliance moves and deliveries

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT5A	455 x 185mm	1540mm	220kg	150mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



TSHT4

General Purpose Trolley

- › 4mm base plate
- › Pneumatic wheels for rough surfaces
- › Adjustable handle for comfort
- › Great for warehouse and workshop use

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT4P	455 x 185mm	1235mm	200kg	250mm



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



TSHT5P

Tall General Purpose Trolley

- › 4mm base plate
- › Pneumatic wheels for rough surfaces
- › Adjustable handle for comfort
- › Great for warehouse and workshop use

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT5P	455 x 185mm	1540mm	200kg	250mm



HT-00520

Sack Hand Truck Trolley

- › Strong steel frame with blue powder-coated finish
- › Solid rubber wheels for smooth movement
- › Rear handle design for stable high stack transport
- › Ideal for heavy appliances and boxed goods



SKU	Plate Size	Handle Height	Capacity	Wheel Dia.
HT-00520	355 x 230 x 5mm	1200mm	250kg	250mm



S11T / S11T-SHORT

Sack Hand Truck Trolley

- › Short-frame design (1360 x 490mm) for tight spaces
- › 265mm pneumatic wheels for smooth movement
- › Rear and ergonomic handles for secure load control
- › Ideal for appliances, boxed goods, and warehouse use



SKU	Plate Size	Load Capacity	Toe Depth
S11T	335mm x 300mm x 5mm	300kg	195mm
S11T-SHORT	400mm x 300mm x 5mm	300kg	260mm



TSCST

Chair Collector Trolley

- › Solid steel construction
- › Ergonomic & stable
- › Safe handling of stacker chairs
- › Fits most chair types



SKU	Dynamic Load Capacity	Dimensions
TSCST	100kg	330 x 450mm (1st Level)



FW83

Aluminium Hand Trolley

- › Lightweight aluminium frame with corrosion resistance
- › Straight, stress-resistant design for durability and shock absorption
- › Double ergonomic handles for comfortable use
- › Large pneumatic wheels for quiet, stable transport



SKU	Overall Size	Load Capacity	Wheel Dia.	N.W.
FW83	467 x 505 x 1334mm	200kg	250mm	9.6kg



FW84A

Aluminium Hand Trolley with Extendible Platform

- › Lightweight aluminium frame with corrosion resistance
- › Stress-resistant straight frame with extendible platform
- › Double ergonomic handles for comfortable operation
- › Large pneumatic wheels for smooth, quiet transport



SKU	Overall Size	Load Capacity	Wheel Dia.	N.W.
FW84A	802 x 506 x 1231mm	200kg	255mm	11.2kg



FW84E

Aluminium Hand Trolley with Wide Platform

- › Lightweight aluminium frame with corrosion resistance
- › Stress-resistant straight frame with wider platform
- › Double ergonomic handles for comfortable operation
- › Large pneumatic wheels for smooth, quiet transport



SKU	Overall Size	Load Capacity	Wheel Dia.	N.W.
FW84E	501 x 506 x 1231mm	200kg	255mm	12.8kg



FW85

Convertible Aluminium Hand Trolley with Dual Handle

- › Lightweight, corrosion-resistant aluminium
- › Converts between upright and lay down modes for versatile use
- › Stress-resistant frame and platform design



SKU	Vertical Size	Load Capacity	Wheel Dia.	N.W.
FW85	466 x 506 x 1561mm	200/250kg	125/255mm	17kg



FW86

Convertible Aluminium Hand Trolley

- › Lightweight, corrosion-resistant aluminium
- › Wide, stress-resistant platform design
- › Dual ergonomic handles for comfort
- › Pneumatic wheels for smooth movement



SKU	Vertical Size	Load Capacity	Wheel Dia.	N.W.
FW86	466 x 506 x 1561mm	200/250kg	125/255mm	19kg





AVAILABLE OPTION

11-1003-B
SAFETY STRAP



11-2480-FA

Steel AT Monster Hand Trolley

- Heavy-duty steel frame with self-supporting wheelbase
- All-terrain manoeuvrability
- Large steel toe for stable handling of wide, heavy loads
- Ideal for moving furniture, appliances, and bulky goods in industrial or home settings



SKU	Plate Size	Overall Size	Capacity
11-2480-FA	550 x 255mm	660 x 650 x 1550mm	350kg



AVAILABLE OPTION

11-1003-B
SAFETY STRAP



11-2482

Steel Stock and Beverage Hand Trolley

- Heavy-duty steel frame with self-supporting wheelbase
- All-terrain manoeuvrability
- Large steel toe for stable handling of wide, heavy loads
- Ideal for beverage, stock, and industrial transport across rough surfaces



SKU	Plate Size	Overall Size	Capacity
11-2482	510 x 250mm	510 x 250 x 1330mm	250kg



11-23AT-17-PA

Pro Aluminium AT Tall Hand Truck

- Heavy-duty aluminium frame and tall loop handle
- 125mm castors and 250mm foam-filled wheels for all-terrain mobility
- Rotating frame converts between stand and lay down modes
- Wide nose plate for stable transport of bulky or irregular loads



SKU	Plate Size	Overall Size	Capacity
11-23AT-17-PA	230 x 460mm	230 x 460 x 1520mm	230kg



11-23G1

Aluminium Gas Cylinder Hand Truck

- Lightweight aluminium frame with 230kg capacity and curved support
- Triple omni-wheels and foam-filled rear wheel for all-direction mobility
- Gas bottle toe, magnets, and safety strap for secure cylinder transport
- D-loop handles and rotating frame, ergonomic handling in tight spaces



SKU	Overall Size	Capacity
11-23G1	520 x 450 x 1650mm	230kg



11-23RC-LITE

Omni Wheel LITE Aluminium P handle Hand Truck

- Lightweight anodised aluminium frame with 150kg capacity
- 125mm omni wheels for 360° movement and self-supporting
- Curved and straight bottom rail for both cylindrical, boxes and crates
- P-handle and ergonomic design reduce strain and enhance control



SKU	Plate Size	Overall Size	Capacity
11-23RC-LITE	457 x 190mm	190 x 460 x 1300mm	150kg



11-23SC-17


Rotatruck Pro Stair Climber Hand Truck

- 125mm Rotacaster omni wheels for smooth stair navigation
- Requires 30% less effort than standard stair climbers
- Ideal for appliances, logistics, and warehouse use
- Not suitable for open-backed stairs with a gap of 125mm or more



SKU	Plate Size	Overall Size	Capacity
11-23SC-17	457 x 228mm	460 x 450 x 1530mm	225kg





TSD44

Drum Dolly

- > Suit to 205 litre/44 gallon drum
- > Smooth rolling and strong, durable construction

SKU	Wheel Dia.	Load Capacity	Dimensions
TSD44	80mm	205L (300kg)	614mm Diameter



SUITS RT1015
Round Plastic Bin



RT1819


Plastic Drum Dolly for Barrels

- > Suit to RT1015 drum
- > Heavy-duty structural foam construction resists rust, dents and chips

SKU	Wheel Dia.	Load Capacity	Dimensions
TSD44	80mm	208L (200kg)	619mm Diameter



SUITS IH060, IH051,
IH078 & RT3011/3012
Stack & Nest Tubs



RT4483


Containers Dolly

- > Durable structural foam body won't rust, dent or peel
- > 100mm non-marking swivel castors for smooth movement

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RT4483	100mm	150kg	630 x 435mm	IH060, IH051, IH078, RT3011, RT3012



SUITS IH060, IH051,
IH078 & IH315/310
Stack & Nest Tubs



TS10PD


Plastic Dolly

- > Food grade plastic
- > Temperature rating to - 20°C to 60°C
- > Standard are yellow, red, blue, and white
- > Proudly Australian made

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TS10PD	100mm	150kg	620 x 400mm	IH060, IH051, IH078, IH315, IH310



SUITS IH323
Bread Crate



TSPD323

Plastic Dolly

- > Australian made
- > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TSPD323	100mm	140kg	620 x 710mm	IH323



SUITS IH066
Fish Crate



RM74DY


Plastic Dolly

- > Australian made
- > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RM74DY	100mm	140kg	450 x 710mm	IH066



SUITS DOUBLE
IH051 Crates



RM120DY Plastic Dolly

- > Australian made
- > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RM120DY	100mm	140kg	870 x 645mm	2 x IH051



SUITS IH060, IH051,
IH078



TS10CD Crate Dolly

- > Rigid powder-coated steel

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TS10CD	100mm	80kg	600 x 360mm	IH060, IH051, IH078



TSFD Furniture Dolly

- > Ideal for moving furniture

SKU	Wheel Dia.	Load Capacity	Dimensions
TSFD	100mm	300kg	550 x 800mm



PNEUMATIC, SOLID
WHEELS & PUNCTURE
PROOF AVAILABLE



TSPTS/TSPTP/TSPTPP Piano Trolley

- > Ideal for moving furniture
- > Optional wheels upgrade available

SKU	Wheels	Load Capacity	Dimension
TSPTS	200mm Solid	400kg	860 x 500mm
TSPTP	250mm Pneumatic	450kg	860 x 500mm
TSPTPP	250mm Puncture proof	400kg	860 x 500mm



SUITS TSRT
WHITE/BLUE



TSRT-DOLLIE Dolly to Suit TSRT Tub

- > TSRT rotomoulded tubs suits to TSRT-DOLLIE
- > Suitable for laundry, stock Handling and waste

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TSRT-DOLLIE	100mm	250kg	1130 x 600 x 600mm	TSRT



TSSLB Spring Loaded Base

- > Spring-loaded base reduces strain and injury risk
- > Fully automatic scissor mechanism with no power required
- > Maintains top load at optimal lifting height
- > Optional corflute or solid plastic top available (1095 x 600mm)

NOTE: Pictured with optional corflute top sold separately

SKU	Dimensions
TSSLB	700 x 400mm

OPTIONAL
BOLT ON WHEELS
ALSO AVAILABLE



TSRT350

Rotomoulded Tub

- › Food grade
- › Proudly Australian made

SKU	Load Capacity	External Dimensions
TSRT350	350 Litres	1250 x 760 x 680mm



FW06

6 Tonne Low Profile Load Skate

- › Stable, rugged & low level construction
- › Easy to operate, offering practical solutions for handling and moving heavy loads

SKU	Capacity	Wheel Size	Overall Size	Weight
FW06	6000kg	75mm	395 x 330 x 101mm	13.8kg




FY02

2 Tonne Skate

- › Maintenance-free
- › Fitted with a rubber surface to help protect and stabilise items

SKU	Capacity	Wheel Size	Overall Size	Weight
FY02	2000kg	75mm	270 x 120 x 110mm	4.8kg



FY12


12 Tonne Skate

- › Maintenance-free
- › Fitted with a rubber surface to help protect and stabilise items

SKU	Capacity	Wheel Size	Overall Size	Weight
FY12	12000kg	115 x 60 mm	400 x 345 x 145mm	40kg

AVAILABLE OPTION

CTAHD
Steer Handle



CTA4


6 Tonne Load Skate with Rubber Top

- › Built for heavy-duty stability and smooth movement
- › Ideal for relocating machinery and large equipment in tight spaces

SKU	Capacity	Wheel Size	Overall Size	Weight
CTA4	6000kg	75mm	300 x 222x 110mm	16kg

AVAILABLE OPTION

CTAHD
Steer Handle



CTA6

8 Tonne Load Skate with Rubber Top

- › Built for heavy-duty stability and smooth movement
- › Ideal for relocating machinery and large equipment in tight spaces

SKU	Capacity	Wheel Size	Overall Size	Weight
CTA6	8000kg	75 mm	400 x 222 x 110mm	23kg



CTAHD

Handle for CTA Skates

› Includes 1 metre draw bar and swivelling platform with thrust bearing

SKU	Wheel Size	Skate Size	Suit To
CTAHD	75mm	4 x 25 x 95mm	CTA4 / CTA6



SFW03

3 Tonne Load Skates with Handle

› Includes 1 metre draw bar and swivelling platform with thrust bearing

SKU	Capacity	Wheel Size	Skate Size	Weight
SFW03	3000kg	86 x 90mm	305 x 231 x 108mm	14kg



ABD150

Furniture Moving Load Skates

- › Pressed steel construction
- › Corner skates to assist with moving awkward rectangular loads
- › Ball bearing castors

SKU	Capacity	Wheel Size	Overall Size	Weight
ABD150	150kg	50 x 20mm	366 x 204 x 85mm	8kg per set 4



CR8SET

20 Tonne Full Load Skate Set for Shipping Container

- › Skid-resistant surface and durable wheels for smooth transport
- › Ideal for moving shipping containers and heavy items in tight spaces

SKU	Capacity	Deck Height
CR8SET	20000kg	155mm



HG127

Tow Tug

- › Electric-powered design for smooth, effortless towing
- › Compact and ergonomic for tight-space manoeuvrability
- › Built tough with quick-hitch and heavy-duty wheels for industrial use

SKU	Capacity	Speed	Motor	Weight
HG127	1000kg	3-6km/h	400W	90kg



HG115

Powered Electric Platform Trolley

- › Single handle
- › Large deck size.

Features	Specifications
Capacity	800kg
Dimensions	2150 x 900 x 1100mm
Deck Size	1600 x 790 x 385mm
Motor	36V/Ah
Battery	3 x 12V/55Ah
Speed	5-8km/h
Weight	170kg



HG103

Power Cart

- › Single handle
- › Large deck size

Features	Specifications
Capacity	400kg
Dimensions	1455 x 630 x 1080mm
Deck Size	1280 x 630mm
Motor	400W
Battery	2 x 12V/33Ah
Speed	3-7km/h
Weight	98kg



HG103B

Power Cart

- › Single handle
- › Large deck size.

Features	Specifications
Capacity	400kg
Dimensions	1455 x 630 x 1080mm
Deck Size	1280 x 630mm
Motor	400W
Battery	2 x 12V/33Ah
Speed	3-7km/h
Weight	98kg



HG105

Power Cart with Cage

- › Single handle
- › Large deck size

Features	Specifications
Capacity	400kg
External Dimensions	1455 x 630 x 1080mm
External Cage Size	1280 x 630 x 1080mm
Motor	400W
Battery	2 x 12V/33Ah
Speed	3-7km/h
Weight	113kg



HG109

Power Cart with Electric Lift & Drive

- › Single handle
- › Large deck size

Features	Specifications
Capacity	500kg
Dimensions	1240 x 600 x 1100mm
Table Height Range (Min - Max)	460 - 900mm
Deck Size	1000 x 600mm
Motor (Lifting & Driving)	400W
Battery	2 x 12V/33Ah
Weight	180kg



HG116

Power Cart with Electric Lift & Drive

- › Single handle
- › Large deck size

Features	Specifications
Capacity	500kg
Dimensions	1340 x 600 x 1100mm
Table Height Range (Min - Max)	460 - 1600mm
Deck Size	1100 x 600mm
Motor (Lifting/Driving)	800W/400W
Battery	2 x 12V/33Ah
Weight	234kg



HG116B

Power Cart with Electric Lift & Drive

- › Single handle
- › Large deck size

Features	Specifications
Capacity	400kg
Dimensions	1340 x 600 x 1100mm
Table Height Range (Min - Max)	460 - 1600mm
Deck Size	1100 x 600mm
Motor (Lifting/Driving)	800W/400W
Battery	2 x 12V/33Ah
Weight	234kg



CUSTOM TROLLEYS DESIGN & MANUFACTURE


CELEBRATING **32** YEARS
IN AUSTRALIA

Team Systems Can Custom Design And Manufacture Trolleys To Suit Your Personalised Requirements.

At Team Systems, we pride ourselves on our ability to Listen, Design, Engineer and Manufacture solutions for your Material Handling applications. As we have been producing trolleys and Material Handling equipment for over thirty years, we are dedicated to providing the Australian market with high quality and reliable products. With our wide selection of trolleys, ladders, castors, plastics and other equipment, we allow our customers to operate at the highest level in the manufacturing, storage and distribution of their materials.



38



- HOSPITALITY SERVICE TROLLEYS
- LAUNDRY & NURSERY TROLLEYS
- SPECIALISED STOCK PICKERS TROLLEYS
- MEDICAL, EDUCATIONAL AND OFFICE TROLLEYS
- CATERING AND FOOD SERVICE TROLLEYS
- OTHER PERSONALISED CUSTOM TROLLEYS