

2026 PRODUCT GUIDE MATERIAL HANDLING EQUIPMENT













































MONSTAR LADDER

TEAM ST = P



Team Systems has grown to become Australia's leading manufacturer and importer of Material Handling Equipment.

Team Systems has been at the forefront of continued product development and sourcing of new products from right across the globe.

Our Brands include: Teamstar Trolleys, Teamstep, Rollmasta Conveyor, equip Powered Trolleys, Monstar Ladders, Crane Fork Attachments and Drumtech Drum Handling Equipment, just to name a few.

Team Systems also has a long standing relationship with some of Australia's largest manufacturers like Viscount & Nally Plastics, and Bailey Ladders.

- National distribution from five branches across Australia.
- 2000 product lines in stock.
- Warehousing & Consolidating orders in China.
- Direct manufacturing of products in China for specific customer requirements.

Team Systems' Values

The values embraced by the people at Team Systems stem from a tradition which has been maintained from the very outset. These values are the key to maintaining successful and transparent relationships which have nurtured long term and mutually prosperous associations.

At Team Systems we expect our people to behave consistently with the following values:

- Integrity: Honest, ethical dealings within the letter and spirit of the law
- **Teamwork:** Working towards a common goal in a collaborative, inclusive manner
- Individual Accountability: Accepting responsibility, a sense of urgency, an eye for detail and a "can do" attitude
- Mutual Support and Respect: Being available, respect for others' opinions, time, feelings and by use of appropriate language
- **Trust and Openness:** Facilitating frequent, transparent two-way communications
- **Courage:** To risk going beyond our comfort zone and to learn from our mistakes
- Fairness: Accepting of a difference of opinion and achieving balance and equity in outcomes
- Uncompromising Standards: Care for health, safety and the environment as well as living and promoting our values in a culture of continuous improvement and learning.



"Our Goal is to provide Material Handling Equipment and solutions which will allow our customers to operate at the highest level in the Manufacturing, Retail, Storage and Distribution of their product."

CUSTOM MATERIAL HANDLING DESIGN & MANUFACTURE

CELEBRATING 32 YEARS



Team Systems can custom design and manufacture to suit your requirements.

Team Systems pride ourselves on our ability to Understand, Design, Engineer and Manufacture solutions for your Material Handling applications.

Team Systems has been manufacturing trolleys and Materials Handling equipment for over thirty years. In fact we started our life as a manufacturer of Trolleys, Stillages and Shop Fittings back in the early 90's.

You may not know but some of the many Trolleys we have manufactured are involved in the moving products that pass through your hands every day.

Take for instance, Australia Post Bar Code Sorter Racks. Team Systems in conjunction with Australia Post designed and manufactured the Trolleys that all the standard post goes through.

We designed the first round mobile one piece plastic step with retracting castors in 1998. Known as the "Teamstep". We have since added many SKUs to this range.

We designed the first fold away Fork Lift Work Platform in Australia and a great range of Trolleys and Industrial Ladders.

Not only have we been involved in developing our own products but we have been heavily involved in Designing and Manufacturing products for our customers since our inception.

Call us to arrange a site visit from one of our experienced representatives who will design and engineer a solution for your application.

- SERVICE STATION DISPLAYS
- LAUNDRY & NURSERY TROLLEYS
- SPECIALISED STOCK PICKERS
- MEDICAL & EDUCATIONAL
- CATERING TROLLEYS






















TEAM SYSTEMS HISTORICAL TIMELINE

DANDENONG - VIC

CLAREDALE ROAD DANDENONG



Our first location was a small factory at 34 Claredale Road, Dandenong, Victoria.



Team Systems started as a steel fabricator/manufacturer of trolleys and stillages to the manufacturing, food and nursery industry.

DANDENONG - VIC

CHELTENHAM ROAD DANDENONG



With a business SKU aimed at Corporate Australia Team Systems receives work from large companies including Coca Cola, United Energy, Spotlight Stores and RACV, just to name a few.



1995

FIRST SHOWROOM





TEAMSTEP DEVELOPMENT





1998

1994



Team Systems was formed in 1994 by Shane and Mevice Poulton (Current Owners).



AMBERLEY CRESCENT DANDENONG



In 1995, Team Systems moved to 35 Amberley Crescent, Dandenong, Victoria.



Shortly after Team Systems found the need to create its own brand of Trolleys 'Teamstar Trolleys.'

This helped develop a sustainable business with better cash flow and better margins.

1997

MILLS ROAD MANUFACTURING



In 1997, Team Systems relocated to a far bigger premises with a Showroom fronting Cheltenham Road in Dandenong and a Manufacturing facility directly behind it in Mills Road, Dandenong, Victoria.



In 1998, Team Systems develops the Teamstep Mobile Step Stool. This is the first in our range of Moulded Steps and Roto Moulded Products.







ROBOTIC WELDING INTRODUCED



Robotic Welding introduced into the manufacturing process. Major tender won from Australia Post to manufacture Bar Code Sorter Racks.



ACQUISITION NUPLAS PLASTICS



In 2002, Team Systems purchases Nuplas Plastics (Logo) and commences importing products from China mainland and Taiwan Area.



2002

DANDENONG SOUTH - VIC

DANDENONG SOUTH SHOWROOM/WAREHOUSE



In October 2004, Team Systems' existing premises is compulsorily acquired by Vic Roads. Team Systems purchases and relocates to its own brand new premises.



CAMPBELLFIELD - VIC

CAMPBELLFIELD WAREHOUSE



In 2006, Team Systems opens its first branch located in Campbellfield, Victoria.



2006

2000

MAJOR TENDER WON



In 2000, Team Systems moves to Robotic Welding and also wins a major tender to manufacture Bar Code Sorter Racks for Australia Post.

Branding Expansion



DIRECT IMPORTING FROM **CHINA & TAIWAN AREA** COMMENCES



Opportunity arises to begin directly importing specialised products from China mainland & Taiwan Area.



2004





Product Range and Area Distribution expands with the opening of the first Campbellfield Warehouse.





TEAM SYSTEMS HISTORICAL TIMELINE

CANNING VALE - WA

CANNING VALE SHOWROOM/WAREHOUSE



In 2009, Shane Poulton purchases Ideal Wire in Perth from our long standing distributor Eric Smith. We change the name to Ideal Systems (W.A.) Pty Ltd and relocates to a company owned premises at 211 Bannister Road, Canning Vale, Western Australia.



CAMPBELLFIELD - VIC

CAMPBELLFIELD SHOWROOM/WAREHOUSE



In 2010, Team Systems moves the Campbellfield Branch to larger premises at 1497 Hume Highway, Campbellfield, Victoria.



2010

YATALA - QUEENSLAND

BRISBANE SHOWROOM/WAREHOUSE



In 2011, Team Systems opens the Brisbane branch from a 3PL Warehouse and in 2012 purchases a new building to operate and grow the Queensland market.



BRISBANE BRANCH OPERATES FROM 3PL WAREHOUSE DISTRIBUTION TEAM SYSTEMS
WEBSITE UPGRADED
TO FIT BUSINESS
DEVELOPMENT





New Website Launch

2012

2009



Branding Evolution



HANNER BLEADNER

Localised themed marketing campaigns to grows product sales & help promote new warehouse openings.



Branding Evolution



2011



From 2011 to 2014, Team Systems continues to grow its international contacts with various distributorships and agreements throughout China mainland, Indonesia, Thailand and Taiwan Area strengthening its position as a premium Material Handling business.

During this period Team Systems completes a number of larger custom made projects with its partners in China delivery new solutions in the logistics industry.

2013



Branding Evolution







CANNING VALE - WA

PERTH SHOWROOM/ **WAREHOUSE**



In October 2014, Team Systems purchases Techinicaids Pty Ltd. A Perth based material handing company trading since 1969 and amalgamates it with Ideal Systems in Perth, Western Australia.

In November 2014, Shane Poulton purchases a new industrial site at logis estate Dandenong South Victoria ready for development of our new head office and warehouse with over 2600m²

Branding Expansion





2014

DANDENONG SOUTH - VIC

NEW DANDENONG SOUTH HEAD OFFICE/WAREHOUSE



of storage space.

WETHERILL PARK - NSW

NEW SOUTH WALES SHOWROOM/WAREHOUSE



In October 2015, Team Systems opens up NSW sales office and warehouse in Wetherill Park bridging a national distribution point across Australia.



DANDENONG SOUTH - VIC CAMPBELLFIELD - VIC

NEW DANDENONG SOUTH HEAD OFFICE/WAREHOUSE



In 2016, Team Systems relocates to new head office warehouse building in Logis Boulevard, Dandenong South, Victoria.

NEW CAMPBELLFIELD WAREHOUSE



In 2016, Team Systems purchases new building in Campbellfield and relocates existing Campbellfield branch to new premises.



ACQUISITION AUSTEC/EASITILT TROLLEYS

In 2016 Team Systems purchases AUSTEC Trolleys. Manufacturer of EASITILT Trolleys.

2016

TEAM SYSTEMS CELEBRATES MILESTONE '20 YEARS IN BUSINESS' 1994 - 2014

20 Years Special Edition










Team Systems provide our pride custom stillage service to the customer. According to individual personalised needs, we design and manufacture the collapsible, stackable and durable stillage.

2015

New Product Range continues to be added to inventory to meet growing market demand.





NEW DIRECTION BEGINS NEW LOGO & BRANDING

The new logo shapes a more young and modern image for Team Systems.



Complete redesign of Corporate Branding & Company Logo.



The new logo is officially put into business use.





TEAM SYSTEMS HISTORICAL TIMELINE

BRANDING IMAGE

BRANDING IMAGE GETS UNIVERSAL UPGRADE

All brands get the evaluation.



TeamStar Signature Series is designed to promote our proud feature products.



NEW ZEALAND

NEW ZEALAND



In 2018, Team Systems expand marketing to New Zealand and establish a New Zealand website for introduction.

ACQUISITION JAVA-AUST



In 2018, Team Systems purchases Java-Aust a wholesaler of Road Safety Equipment.

2018

TRUST BRAND

TRUST BRANDING



Team Systems purchases and upgrades Trustshop.com.au



BOOST E-COMMERCE

ONLINE BUSINESS IS VIGOROUSLY IMPROVED

2020 catalogue published with paper and digital copies.





2020

2017

Brand separation in product groups and upgraded logo designs for more impact brand awareness.



Branding Evolution







New Zealand Website Launch



Branding Evolution



2019





E-commerce Website
Upgraded Team Website



Team Systems introduces a new environment-friendly, fast-charging and high-quality lithium battery product range.







WETHERILL PARK - NSW

NEW WETHERILL PARK WAREHOUSE



In 2021, Team Systems purchases a new building in Wetherill Park and relocates existing Sydney Operation to new premises.



The new office and warehouse with over 3000m² of storage space.

BIGGER STORAGE SPACE FOR EXPANSION NEEDS





Our Australia-wide warehouse and office sites and the new massive product storage space allows Team Systems to respond online orders quickly and efficiently from all over Australia.

2022

ADELAIDE - SA

NEW HINDMARSH OFFICE / WAREHOUSE



ACQUISITION INDUSTRIAL TRUCK & EQUIPMENT CO.



In 2023, Team Systems acquires long standing agent in South Australia Industrial Truck and Equipment Co. (ITEC) from Robert Visser and Simon Tiddy. This business is transformed into a fully operational branch of Team Systems.

TEAM SYSTEMS
CELEBRATES MILESTONE
'30 YEARS IN BUSINESS'
1994 - 2024



iROLL is designed to promote our prominent castors and wheels range.





2024

To be Continued

2025

2021

During 2020 - 2021, with the high-speed growth of Team Systems business SKU, the online business introduction website is converted to an e-commerce platform. The e-commerce SKU allows Team Systems to expand its online marketing and to better maintain its customer network.

2023 catalogue published with paper and digital copies.



2023



E-commerce Website Gets a Modern Facelift









TEAM SYSTEMS PRIVATE BRANDS





















Contents

11	TROLLEYS & CARTS
"	Industrial Trolley Range For All Industries.
39	CASTORS & WHEELS
37	Castors And Wheels For All Applications.
49	LIFTING & HANDLING EQUIPMENT
4/	Lifting & Handling Equipment For Various Applications And Requirements.
91	SAFETY EQUIPMENT
/ I	Safety Equipment For OH&S And Workplace Standards.
113	LADDERS & ACCESS EQUIPMENT
113	Ladders And Access Equipment For Efficient And Safe Height Access.

Hospitality & Plastic Storage For Productive Manufacturing And Storage Of Your Products.

PLASTIC STORAGE

Hospitality 8: Plactic Charge 5: 5: 5: 4: 4:





TROLLEYS & CARTS

TeamStar Trolleys 12-13 Trust Utility Carts Trust Special Purpose Trolleys 15-18 Jumbo Series Trolleys 19-20 21-23 Teamstar Platform Trolleys Stainless Steel Medical Trolleys 24-27 Hand Trucks & Stock Trolleys 28-32 Teamstar Dollies 33-34 Teamstar Skates 35-36 Powered Trolleys & Tables 36-37

CASTORS & WHEELS

TeamStar Castors	40-44
iROLL Castors & Wheels	45-46
Fallshaw Castors & Wheels	46-47
Castor Accessories	48

LIFTING & HANDLING **EQUIPMENT**









SAFETY EQUIPMENT

Road Safety Equipment	92-93
Safety Bollards	94
Safety Tape	95
Safety and Protection Strips	96
Convex Mirrors	97
Spill Kits	98
Spill Containment Pallets	99
Dangerous Goods Storage	99-101
Matting	102-103
Height Safety	104-105
Personal Protection Equipment	106-111
Miscellaneous Safety Equipment	112

LADDERS & ACCESS EQUIPMENT

Team Steps	114
Monstar Steps	115
Monstar Ladders	116-120
Platform Ladders	121-124
Double Sided Ladders	125
Extension Ladders	126
Order Picking Ladders	127
Mobile Platforms	128
Mezzanine Access & Lifts	129
Work Platforms	130-132

PLASTIC STORAGE

Hospitality Containers	134-136
Hospitality & Cleaning Equipment	137
Rotomoulded Tubs & Dollies	138-141
Stack & Nest Containers	142-143
Stacking Containers	144-145
Nesting Containers	146
Ventilated Crates	147
Round Buckets & Foldable Crate	es 148
Storage Containers	149-151
Bulk Bins & Pallets	142-155
Workbenches	156-157
Longspan Shelving & Action Rac	ks 158
Personal Lockers	159




Visit Team Systems Online

On our new web site you can access information on Team updates, latest deals, custom service and handy tips. You'll also find the latest information on all of our products.



• Register your account and collect your personalised offers.



• Quick links to popular categories.



• Technical information of products.



P

1

\$2,860.00 Inc-GST

TROLLEYS & CARTS



TeamStar Trolleys	12-13
Trust Utility Carts	14
Trust Special Purpose Trolleys	15-18
Jumbo Series Trolleys	19-20
Teamstar Platform Trolleys	21-23
Stainless Steel Medical Trolleys	24-27
Hand Trucks & Stock Trolleys	28-32
Teamstar Dollies	33-34
Teamstar Skates	35-36
Powered Trolleys & Tables	36-37

TeamStar - The Top Choice in Trolleys

TeamStar Trolleys are a fully welded construction and the Australian design is a winner in the national market.

Various accessories such as clip boards and parts boxes are also available.



TS1A

Flatbed Trolley

- > Australian design
- > Robust metal frame for durability and strength
- > Optional accessories include clipboards and parts boxes

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1A	900 x 600mm	945mm	340kg	125mm

Some of the many TEAMSTAR trolley features include:

- > 1-year frame warranty
- > Durable long-lasting powder coated finish
- > Standard with 2 swivel & 2 rigid castors mounting plates for versatility
- > Ability to customise on medium and large size orders



TS1AXL

Extra Large Flatbed Trolley

- > Australian design
- > Fitted with six heavy-duty castors for enhanced mobility
- > Optional accessories include buffers and locking castors

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1AXL	1200 x 700mm	1050mm	520kg	150mm





2 Tier Steel Trolley

- > Australian design
- > Non-slip surface on each tier for secure handling and slip prevention
- > Optional accessories include clipboards and parts boxes



SKU	Size	Handle Height	Capacity	Wheel Dia.
TS2A	900 x 600mm	940mm	340kg	125mm



TS3A

3 Tier Steel Trolley

- > Australian design
- > Non-slip surface on each tier for secure handling and slip prevention
- > Optional accessories include clipboards and parts boxes



SKU	Size	Handle Height	Capacity	Wheel Dia.
TS3A	900 x 600mm	940mm	340kg	125mm





Full Mesh Trolley

- > Australian design
- > Robust metal frame for durability and strength
- > Integrated fold-down gate for improved access
- > Optional accessories include





TS2B

Half Basket Trolley

- > Australian design
- > Robust metal frame for durability and strength
- > Half basket design for efficient stock picking
- > Optional accessories include clipboards and parts boxes



SKU	Size	Handle Height	Capacity	Wheel Dia.
TS2B	900 x 600mm	910mm	340kg	125mm



Team Systems pride themselves on never compromising the quality of product, and all trolleys come with unsurpassed features.

All trolleys come standard with castor mounting plates.

Castors are bolted to these castor mounting plates to allow for ease of castor replacement, or to allow for changes to castor arrangement. Available in a large range of SKUs with ability to customise on large orders.



TS2T 2 Tub Steel Trolley

340kg Order Picking Trolley without Bracket bar suits two tubs.



TS4B

4 Tub Steel Trolley

- > Australian design
- > Two types of crates available:
- > IH048 16L 457 x 318 x 168mm
- > IH042 27L 457 x 318 x 260mm

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS4B	990 x 650mm	910mm	340kg	125mm



TSOFT

Office File Trolley

- Ideal for order picking, mailing and file handling
- > Basket fits standard suspension files
- Fully powder coated for office environments
- Easy to manoeuvre with four high quality swivel castors

h-	6	3
ndle Height	Capacity	Wheel Dia.

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS0FT	650 x 380mm	930mm	220kg	100mm





Fully Welded Clipboard

TSMY

Stock Picking Trolley

- > Optional clipboard or utility bin
- Compatible with Nally Crates IH060, IH051 and IH078 (sold separately)
- Tray holder (TSOPTH) and parts tray (IH077) also available



Size	Handle Height	Capacity	Wheel Dia.
900 x 420mm	910mm	220kg	100mm





TSCLIPBOARD-H Fully Welded Clipboard

TS1B

Stock Picking Trolley

- > Optional clipboard or utility bin
- Compatible with Nally Crates IH060, IH051 and IH078 (sold separately)
- Tray holder (TSOPTH) and parts tray (IH077) also available



SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1B	900 x 420mm	1035mm	220kg	100mm





TS1RD

Double Tub Stock Picking Trolley

- > Proudly Australian designed
- Compatible with Nally crates IH060, IH051 and IH078 (sold separately)

SKU	Size	Handle Height	Capacity	Wheel Dia.
TS1BD	950 x 420mm	1000mm	220kg	125mm



TROLLEY ACCESSORIES

Team Systems can also supply a number of useful accessories to suit all our trolleys.





RT4041



Bitbar 2 Shelf Utility Cart

- > Innovative design for easily transporting any items
- > V-notch for secure attachment of tubular items
- > User-friendly handles
- > Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Capacity	Wheel Dia.
RT4041	1150 x 641 x 987mm	230kg	125mm





RT4043

Bitbar 3 Shelf Utility Cart

- > Innovative design for easily transporting any items
- > V-notch for secure attachment of tubular items
- > User-friendly handles
- > Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Capacity	Wheel Dia.
RT4043	1150 x 641 x 987mm	230kg	125mm





RT4044

Bitbar 2 Shelf Utility Cart

- > Innovative design for easily transporting any items
- > V-notch for secure attachment of tubular items
- > User-friendly handles
- $\,\,$ Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4044	978 x 435 x 987mm	230kg	125mm





RT4045

Bitbar 2 Flat Shelf Utility Cart

- > Innovative design for easily transporting any items
- > V-notch for secure attachment of tubular items
- > User-friendly handles
- > Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4045	978 x 435 x 968mm	230kg	125mm





RT4046

Bitbar 3 Shelf Utility Cart

- > Innovative design for easily transporting any items
- > V-notch for secure attachment of tubular items
- > User-friendly handles
- > Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4046	978 x 435 x 987mm	230kg	125mm





RT4047

Bitbar 3 Flat Shelf Utility Cart

- > Innovative design for easily transporting any items
- > V-notch for secure attachment of tubular items
- > User-friendly handles
- > Sturdy structural foam construction won't rust, dent, chip or peel

SKU	Size	Load Capacity	Wheel Diameter
RT4047	978 x 435 x 968mm	230kg	125mm







RT4061 / RT4062 U-Boat Trolley

- Ideal choice for storing, counting & picking goods.
- Commercial grade powder coated steel handle.
- > Optional extra shelf available.

SKU	Size	Load Capacity	Wheel Diameter
RT4061	1634 x 454 x 1632mm	810kg	125mm
RT4062	1960 x 454 x 1632mm	810kg	125mm





RT4063 / RT4064 U-Boat Trolley Shelf

 Optional shelf to suit RT4061 & RT4062 trolleys.

SKU	Size	Load Capacity	Colour
RT4063	1634 x 454 x 70mm	80kg	Black
RT4064	1960 x 454 x 70mm	80kg	Black

Trust



OEASY Platform Trolley

- Moulded structure enhances strength and durability
- Textured, non-skid surface helps prevent shifting
- Built-in tie down notches for securing loads in place
- Fitted with a powder coated steel handle for reliable grip and control



SKU	Size	Load Capacity	Wheel Type
RT4411	1019 x 610 x 1006mm	450kg	150mm TPR



RT4414

OEASY Platform Trolle

- Moulded structure enhances strength and durability
- Textured, non-skid surface helps prevent shifting
- Built-in tie down notches for securing loads in place
- Fitted with a powder coated steel handle for reliable grip and control

		1
у		
S		
-	d	
)		


SKU	Size	Load Capacity	Wheel Type
RT4414	1324 x 610 x 1070mm	540kg	200mm Pneumatic

Trust



OEASY Platform Trolley

- Moulded structure enhances strength and durability
- Textured, non-skid surface helps prevent shifting
- Built-in tie down notches for securing loads in place
- Fitted with a powder coated steel handle for reliable grip and control





RT4413 / RT4416

OEASY Platform Trolley

- Moulded structure enhances strength and durability
- Textured, non-skid surface helps prevent shifting
- Built-in tie down notches for securing loads in place
- Fitted with a powder coated steel handle for reliable grip and control

SKU	Size	Load Capacity	Wheel Type
RT4413	1324 x 610 x 1057mm	900kg	200mm TPR
RT4416	1629 x 762 x 1057mm	900kg	200mm TPR



16

Trust

RT4421

OEASY A Frame Panel Trolley

- > Designed to transport large panel items like mattresses, doors and timber
- > High-side inclined frame and side rail keep the load secure during transit
- > Textured non-skid surface
- > Moulded structure adds strength and durability
- > Built-in tie down notches for securing loads in place
- > Powder-coated steel handle

SKU	Size	Load Capacity	Wheel Diameter
RT4421	984 x 610 x 1092mm	900kg	150mm



OEASY A Frame Panel Trolley

- > Designed to transport large panel items like mattresses, doors and timber
- > High-side inclined frame and side rail keep the load secure during transit
- Moulded structure adds strength and durability
- > Textured non-skid surface
- > Tie-down notches for securing loads
- > Powder-coated steel handle

SKU	Size	Load Capacity	Wheel Diameter
RT4422	1289 x 610 x 1140mm	900kg	200mm

Trust

RT4432

OEASY Sheet & Panel Trolley

- > Designed to transport large panel items like mattresses, doors and timber
- > Inclined frame and side rail hold load securely
- > Non-slip textured surface
- > Moulded body structure enhances strength
- > Tie-down notches for securing load
- > Powder-coated steel handle

SKU	Size	Load Capacity	Wheel Diameter
RT4432	1289 x 610 x 1140mm	900kg	200mm



RT4463 / RT4465 **OEASY Panel Platform Trolley**

- > Designed to carry small parcels and objects
- > Fence helps secure items during transport
- > Two directional and two swivel castors for easy manoeuvrability
- > Powder-coated steel fence and handle



SKU	Size	Load Capacity	Wheel Diameter
RT4463	1422 x 610 x 1048mm	900kg	200mm
RT4465	1730 x 762 x 1048mm	900kg	200mm

Trust



Laundry & Waste Cart


- > For waste collection, material handling & laundry handling
- > Fits through standard doorways and into elevators easily
- > Metal frame & industrial strength structural foam construction

SKL	J	Size	Load Capacity	Cubic Capacity
RT47	11 1145 x	750 x 880mm	180kg	0.3m3



RT5041 / RT5043 X-Type Linen Cart

- > For the collection of all kinds of linen
- > Durable, lightweight & easy to control
- > High quality vinyl bag with side straps
- > Easily folds for storage







Trust



House Keeping Cart

- > Fully integrated system for efficient organisation
- > Adjustable shelves to maximise storage flexibility
- > Built-in hook for hanging tools and bags
- > Ergonomic handles for comfort and secure grip

SKU	Size	Load Capacity	Wheel Diameter
RT5021	1524 x 559 x 1270mm	N/A	200mm



RT5022

House Keeping Cart with Doors

- > Fully integrated system for efficient organisation
- > Adjustable shelves to maximise storage flexibility
- > Built-in hook for hanging tools and bags
- > Ergonomic handles for comfort and secure grip

SKU	Size	Load Capacity	Wheel Diameter
RT5022	1524 x 559 x 1270mm	N/A	200mm



RT5023

House Keeping Cart with Doors & Hood

- > Fully integrated system for efficient organisation
- > Adjustable shelves to maximise storage flexibility
- > Built-in hook for hanging tools and bags
- > Ergonomic handles for comfort and secure grip

SKU	Size	Load Capacity	Wheel Diameter
RT5023	1524 x 559 x 1570mm	N/A	200mm



RT5051

Trust

House Keeping Cart

- > Fully integrated system for efficient organisation
- > Adjustable shelves to maximise storage flexibility
- > Built-in hook for hanging tools and bags


SKU	Size	Load Capacity	Wheel Diameter
RT5051	1024 x 510 x 1090mm	N/A	180mm





RT4010 / RT4020 Hi5 2 Shelf Utility Cart

- > Double handles
- > Plastic moulded shelves
- > Non-marking swivel castors
- > Aluminium uprights
- > Non-skid textured surface






RT4011 / RT4021 Hi5 3 Shelf Utility Cart

- > Double handles
- > Plastic moulded shelves
- > Non-marking swivel castors
- > Aluminium uprights
- > Non-skid textured surface

SKU	Size	Load Capacity	Wheel Diameter
RT4011	854 x 473 x 960mm	130kg	100mm
RT4021	1032 x 508 x 960mm	135kg	100mm





Trust



SKU	Size	Load Capacity	Colour
RT4023	1032 x 508 x 960mm	135kg	Black

Trust

RT4026

Hi5 4 Shelf Utility Cart

- > Double handles.
- > Plastic moulded shelves.
- > Non-marking swivel castors.
- > Aluminium uprights.
- > Non-skid textured surface.



SKU	Size	Load Capacity	Colour
RT4026	1032 x 508 x 1295mm	135kg	Black

Trust

RT4031 / RT4032 Bitbar Mobile Work Centres

- Sturdy structural foam construction that resists rust, dents, chipping and peeling
- Moulded-in storage compartments and integrated cup holder for small tools and items
- Non-skid textured surface provides secure footing and load stability

SKU	Size	Capacity	Description
RT4031	1245 x 670 x 972mm	340kg	4-Drawer and Cabinet
RT4032	1245 x 670 x 972mm	340kg	2-Door Cabinet

CLAXMOBILE Collapsible Trolley

- The clever folding cart that collapses effortlessly at the push of a button
- Two spacious load platforms ideal for plastic crates or beverage containers
- Practical features include a block brake, crate holder, and fold-up lower platform



SKU	Basket Height	Tray Capacity	Overall Dimensions
CLAXMOBILE	270mm	20kg upper tray	890 x 550 x 1030mm
CLAMMODILE	270111111	40kg lower tray	670 X 330 X 103011111







TSX2

Collapsible Trolley

- Ideal for use in moderate-duty transport and handling
- Foldable design with two levels, holding up to three crates for efficient transport and storage
- Large wheels and safety foot brake ensure smooth movement



SKU	Basket Height	Tray Capacity	Overall Dimensions
TSX2	TCV2 2/0	40kg upper tray	990 x 603 x 1088mm
1582	260mm	50kg lower tray	770 X 603 X 108811111

AVAILABLE OPTION





VCART

Collapsible Trolley

- Ideal for use in workplaces, schools, home & office
- Top platform folds back to allow for larger items
- Includes one collapsible crate/basket which locks into either top or bottom platform
- > Robust foot pedal brake



SKU	Basket Height	Tray Capacity	Overall Dimensions
VCART	2/0	25kg upper tray	1000 x 600 x 1070mm
VCART	260mm	50kg lower tray	1000 x 600 x 1070mm



The highest quality imported trolleys. Non-marking PU wheels with precision bearings. 1000mm handle height to suit Australian market. Yellow protectors on all folding handles.



- > Foldable handles
- > Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL110	745 x 485mm	860mm	220kg	100mm



- > Foldable handles
- > Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HB210	920 x 620mm	860mm	370kg	125mm



- > Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL120D	745 x 485mm	860mm	220kg	100mm
HB220D	965 x 615mm	1030mm	370kg	125mm



- > Double handles
- > Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL130D	785 x 485mm	1000mm	220kg	100mm
HB230D	965 x 615mm	950mm	370kg	125mm



- > Fixed handles
- > Pedal brake option available

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HB211	915 x 615mm	860mm	300kg	125mm



HG511

Steel Single Deck Trolley

> Single fixed handle.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HG511	1170 x 765mm	1000mm	650kg	200mm

20



> Zinc plated mesh panels.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HL120M	740 x 480mm	1000mm	220kg	100mm
HB220M	960 x 610mm	1000mm	300kg	125mm



- > Double fixed handles.
- > Zinc plated mesh panels.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
HB213	970 x 615mm	950mm	300kg	125mm
HG313	1225 x 760mm	1010mm	400kg	150mm







GP210

Plastic Single Deck Trolley

- > Industrial flatbed trolley with industrial grade heavy-duty plastic bed
- > Folding steel handle for ease of storage and transportation
- > Low noise castors for office environment

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
GP210	830 x 505mm	1000mm	250kg	125mm







- > 4 castor wheels.
- > Single folding handle.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
ST16009F	900 x 600mm	920mm	350kg	100mm
ST17011F	1100 x 700mm	920mm	500kg	200mm



- **Double Deck Tray Trolley** > Grade 304 stainless steel
- > Reversible stainless steel trays

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TS26004	740 x 400mm	910mm	200kg	100mm







TS36004

Triple Deck Tray Trolley

- > Grade 304 stainless steel
- > Reversible stainless steel trays

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TS36004	740 x 400mm	910mm	200kg	100mm







TSS11 **Small Folding** Flatbed Trolley

- > Quick release handle.
- > Folds for easy storage.
- > 1000mm handle height to suit Australian market.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TSS11	740 x 480mm	1000mm	150kg	100mm



- > Folds for easy storage.
- > 1000mm handle height to suit Australian market.

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TSL11	890 x 600mm	1000mm	250kg	125mm





Pressed Metal Trolley

> Huge deck area.

TSXL12

SKU	Size	Handle Height	Load Capacity	Wheel Dia.	
TSXL12	1160 x 760mm	1000mm	300kg	160mm	






3 Deck Platform Trolley

- > Pressed metal construction for secure transport
- > Inlaid industrial matting prevents slipping
- > Fitted with quality castors and dual handles for smooth, controlled movement

SKU	Size	Handle Height	Load Capacity	Wheel Dia.
TSS32	740 x 480mm	1000mm	150kg	100mm







Heavy Duty Aluminium Platform Trolley

- > Handles loads up to 750kg for heavy-duty transport
- > Welded aluminium frame offers strength and corrosion resistance
- > Heavy-duty castors provide smooth, stable





TPT1525

Heavy Duty Aluminium Platform Trolley

- > Handles loads up to 750kg for heavy-duty transport
- > Welded aluminium frame offers strength and corrosion resistance
- > Heavy-duty castors

provide sn movement	nooth, stable		
SKU	Deck Type	Load Capacity	Dimensions
TPT1525	Sinale	750ka	1525 x 760 x 236mm





HTS500S / HTS600S

Single Deck 6 Wheel Trolley

- > Galvanised finish for longlasting durability
- > Rust-proof construction ideal for cool rooms and refrigerated environments
- > Suitable for use in supermarkets, greengrocers, and food storage areas



450kg



1140 x 565 x 950mm



HTS500D / HTS600D

Twin Deck 6 Wheel Trolley

- > Galvanised finish for longlasting durability
- > Rust-proof construction ideal for cool rooms and
- > Suita supe and

igerated environments able for use in ermarkets, greengrocers, food storage areas					
KU	Deck Type	Load Capacity	Dimensions		
500D	Double	225kg per Deck	990 x 460 x 950mm		
600D	Double	220kg per Deck	1140 x 565 x 950mm		



Single

FW99E

SKU

HTS500S

HTS600S

Large Aluminium Folding Platform Trolley

- > Lightweight yet strong aluminium frame with corrosion resistance for indoor and outdoor use
- > Foldable platform and handle for space-saving storage and easy transport
- > Solid wheels and a non-slip platform provide smooth, stable and secure handling across various surfaces



SKU	Size	Handle Height	Load Capacity	Wheel Dia.
FW99E	900 x 610mm	1010mm	250kg	180mm



HTD800S2

Sł

HTS!

6 Wheel Furniture & Bulky Items Trolley

- > Long rail handles on both sides for securing bulky or oversized items
- > Galvanised finish with rust-proof protection for extended durability
- > Ideal for cool rooms, refrigerated areas, and cold storage applications
- > Also suitable for furniture stores, removalists, and warehouse use



SKU	Deck Type	Load Capacity	Dimensions
HTD800S2	Single	450kg	1140 x 800 x 950mm







Tubular Deck Trolley

- > Galvanised finish for enhanced durability and corrosion resistance
- > Suitable for use in supermarkets, warehouses, and commercial storage environments





TEEMSTAR





- **Platform Trolley**
- > Zinc plated for corrosion resistance and durability
- > Foldable top shelf allows transport of a wider range of products

SKU	Bottom Deck Size	Top Deck Size	Capacity	Wheel Dia.
HBEW5	800 x 400mm	760 x 430mm	200kg	125mm









TSUPFT

Upright File Trolley

- > Chrome plated upright file trolley with two fold-up shelves
- > Includes a three-tier shelf design for organised storage
- > Optional rain cover available for added protection

SKU	Load Capacity	Dimensions
TSUPFT	120kg	500 x 465 x 1100mm



TSUPFT-COVER

Rain Cover to suit Upright File Trolley

- Designed to protect your upright file trolley (TSUPFT) from rain and moisture, ensuring the safety and integrity of your documents and files
- > Features a durable, water-resistant material that provides reliable coverage

SKU	Description
TSUPFT-COVER	Lightweight rain cover to TSUPFT





2 Tier Lipped Trolley

TSQ25B

> Dual shelves and anti-slip lips > Powder-coated frame

SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
TSQ25B	1000 x 700mm	980mm	250kg	125mm





TPR500

- transport of large panels
- > Steel frame and wide wheelbase for added stability
- > Lockable swivel castors for smooth, secure movement

SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
TPR500	1200 x 580mm	1180mm	500kg	150mm





SW078

Heavy Duty Platform Trolley

- > Powder coated finish
- > Removable handle
- > Also available in double handle

SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
SW078	1372 x 685mm	960mm	560kg	125 x 35mm





SW078BG

Heavy Duty Platform Trolley

- > Powder coated finish
- > Large deck with removable vertical supports

SKU	Deck Size	Handle Height	Load Capacity	Wheel Dia.
SW078BG	1372 x 685mm	960mm	560kg	125 x 35mm





MDSSTNR50 **Medical Trolley**

- > Grade 304 stainless steel for hygiene and durability
- > Ideal for clinics, hospitals, and medical environments

SKU	Deck Size	Castor Diameter
MDSSTNR50	500 x 500 x 900mm	95mm

MDSST00

Medical Trolley with Rails

- > Grade 304 stainless steel for hygiene and durability
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Deck Size	Castor Diameter
MDSST00	500 x 500 x 900mm	95mm



Medical Trolley with Rails and One Drawer

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One drawer, bottom shelf, and double safety folds
- › German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Drawer	Deck Size	Castor Diameter
MDSST01	125mm Deep	500 x 500 x 900mm	95mm



MDSST01LK

Medical Trolley with Rails and One Lockable Drawer

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and

medical environments			
SKU	Drawer	Deck Size	Castor Diameter
MDSST01LK	125mm Deep	500 x 500 x 900mm	95mm

MDSST02

Medical Trolley with Rails and Two Drawers

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Two drawers, bottom shelf, and
- double safety folds > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments



MDSST02LK

Medical Trolley with Rails and Two Drawers (One Lockable)

- > Grade 304 stainless steel with softclose magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments







MDSST03

Medical Trolley with **Rails and Three Drawers**

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Three drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support





MDSST03LK

Medical Trolley with Rails and Three Drawers (One Lockable)

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and





Medical Trolley with **Rails and Four Drawers**

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Three drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Drawer	Deck Size	Castor Diameter	
MDSST04	125mm Deep	500 x 500 x 900mm	95mm	



MDSST04LK

Medical Trolley with Rails and Four Drawers (One Lockable)

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One lockable drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for
- Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Drawer	Deck Size	Castor Diameter
MDSST04LK	125mm Deep	500 x 500 x 900mm	95mm



MDSSTNR60 **Medical Trolley**

- > Grade 304 stainless steel for hygiene and durability
- > Ideal for clinics, hospitals, and medical environments

SKU	Deck Size	Castor Diameter
MDSSTNR60	600 x 500 x 900mm	95mm

MDSSTD00


Medical Trolley with Rails

- > Grade 304 stainless steel for hygiene and durability
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Deck Size	Castor Diameter
MDSSTD00	800 x 500 x 900mm	95mm









MDSSTD01

Long Medical Trolley with Rails and One Drawer

- > Grade 304 stainless steel with soft-close magnetic drawer
- > One long drawer, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Drawer	Deck Size	Castor Diameter
MDSSTD01	125mm Deep	800 x 500 x 900mm	95mm



MDSSTD22

Long Medical Trolley with **Rails and Two Drawers**

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Two drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Drawer	Deck Size	Castor Diameter
MDSSTD22	125mm Deep	800 x 500 x 900mm	95mm



Long Medical Trolley with **Rails and Four Drawers**

- > Grade 304 stainless steel with soft-close magnetic drawer
- > Four drawers, bottom shelf, and double safety folds
- > German ball-bearing runners for smooth drawer operation
- > Top and bottom rails on three sides for secure support
- > Ideal for clinics, hospitals, and medical environments

SKU	Drawer	Deck Size	Castor Diameter
MDSSTD04	125mm Deep	800 x 500 x 900mm	95mm





MDSSTNR80

Medical Trolley


- > Grade 304 stainless steel for hygiene and durability
- > Ideal for clinics, hospitals, and medical environments

SKU	Deck Size	Castor Diameter
MDSSTNR80	800 x 500 x 900mm	95mm

MDSLT

Single Linen Skip

- > Grade 304 stainless steel with a high-quality finish
- > Smooth, continuous stainless steel welding throughout
- > Ideal for clinics, hospitals, and medical environments





MDSLTL

Single Linen Skip with Foot Operated Lid

- > Grade 304 stainless steel with an
- > Smooth stainless steel welding
- > Foot-operated acrylic lid and lockable castors for added safety
- > Ideal for clinics, hospitals, and medical environments



SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDSLTL	400 x 560 x 850mm	370 x 320mm	80mm





MDDLT

Double Linen Skip

- Grade 304 stainless steel with a high-quality finish
- Smooth, continuous stainless steel welding throughout
- Ideal for clinics, hospitals, and medical environments

SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDDLT	560 x 780 x 850mm	370 x 320mm	80mm

MDDLTL

Double Linen Skip with Foot Operated Lid

- Grade 304 stainless steel with an outstanding finish
- Smooth stainless steel welding for a clean, hygienic build
- Foot-operated acrylic lid and lockable castors for added safety
- Ideal for clinics, hospitals, and medical environments

SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDDLTL	560 x 780 x 850mm	370 x 320mm	80mm



MDDTLT

Triple Linen Skip

- Grade 304 stainless steel with a high-quality finish
- Smooth, continuous stainless steel welding throughout
- Ideal for clinics, hospitals, and medical environments

SKU	Overall Size	Bag Frame Inner Size	Castor Dia.
MDDTLT	560 x 1180 x 850mm	370 x 320mm	80mm



MDMIT

Mayo Medical Instrument Trolley

- > Grade 304 stainless steel construction
- > Height-adjustable telescopic frame
- Ideal for clinics, hospitals, and medical environments

SKU	Overall Size	Telescopic height	Castor Dia.
MDMIT	600 x 400 x 20mm	850 - 1400mm	65mm





Aluminium Foldable Hand Truck Trolley

- > Lightweight aluminium frame
- > Foldable for compact storage
- Pneumatic wheels for quiet, stable transport
- > Ergonomic handles for reduced strain and better control



SKU	Folded/Unfolded Height	Platform (W x L)	Load Capacity
FW90MS	710/1000mm	390 x 280mm	70kg
FW90L	1020/1280mm	590 x 400mm	200kg

RUXXAC

RUXXAC / RUXXACXL **Business Folding Trolley**

- Durable plastic and aluminium frame with reinforced platform
- Smooth-rolling wheels for easy movement on various surfaces
- Ergonomic handle and foldable design for comfort and compact storage
- Ideal for home, school, retail, or warehouse use



SKU	Folded/Unfolded Height	Platform (W x L)	Load Capacity
RUXXAC	685/1030mm	490 x 250mm	125kg
RUXXACXL	735/1030mm	490 x 410mm	125kg



SF300

BOX 'N' BAG Industrial Trolley

- > Powder coated structural steel with multi grip loop handle
- > Full height, flat surface RHS frame for secure support of double box stacks
- > Suitable for heavy loads of boxed & bagged products

SKU	Load Capacity	Frame Size	Base Plate	Wheel Diameter	Weight
SF300	300kg	1290 x 370mm	430 x 240 x 9mm	260mm	22kg





AVAILABLE OPTION

TP450 TOE-TO-TOE Plate

> Extension plate 450 x 450mm



UPGRADE OPTION

Puncture Proof Wheels

> 265mm puncture proof wheels



TH300

ALL ROUNDER Industrial Trolley

- > Powder coated structural steel with ergonomic hand grips
- > Suitable as a multi purpose trolley
- > Ideal for transporting heavy drums, barrels, round tubs, gas cylinders, garden ornaments, paint cans, automotive parts, and large boxed goods

SKU	Load Capacity	Frame Size	Base Plate	Wheel Diameter	Weight
TH300	300kg	1400 x 300mm	430 x 240 x 9mm	260mm	20kg






AVAILABLE OPTION

AVAILABLE OF HOR

TP450 TOE-TO-TOE Plate





UPGRADE OPTION

Puncture Proof Wheels

> 265mm puncture proof wheels



DL1600C

SUPER MOVER Industrial Trolley

- > Powder coated structural steel with two hand grip levels
- > Flat load support system ratchet strap can be fitted
- Suitable for safely moving big fridges, freezers, ATM machines, game machines, stacks of tyres, large hot water cylinders, heavy gas cylinders & furniture
- > Protective strips for moving appliances

SKU	Load Capacity	Frame Size	Base Plate	Wheel Diameter	Weight
DL1600C	300kg	1560 x 430mm	430 x 240 x 9mm	320mm	25kg









CAT300

Convert-A Hand Trolley

- > Unique 2 in 1 trolley
- > 300kg(flatbed)-150kg(handtruck)

SKU	Hand Truck Size	Flat Deck Size	Load Capacity	Wheel Dia.
CAT300	420 x 650mm	420 x 1200mm	300/150kg	250/125mm



AVAILABLE OPTION





TSHT12

General Duty Trolley

- > 1.6mm Tubular Frame.
- > 4mm Base Plate.
- > Solid Axles.
- > High Quality Rubber Wheels

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT12	355 x 230mm	1230mm	180kg	250mm










TSHTMP

Multi Purpose Trolley

- > Pneumatic wheels offer smooth movement
- > Suits 200 litre (44 gallon) drums

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHTMP	455 x 195mm	1235mm	200kg	250mm





SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHTSB	510 x 250mm	1330mm	200kg	250mm



TSTPH P Handle Hand Trolley

- > 1.6mm Tubular Frame.
- > 4mm Base Plate.
- > Solid Axles.
- > Pneumatic wheels





All Purpose Trolley

- > 1.6mm Tubular Frame.
- > 4mm Base Plate.
- > Solid Axles.
- > Pneumatic wheels

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT3A	430 x 250mm	1255mm	200kg	250mm









Appliance Stairclimber Trolley

- > Stair-climbing wheels for easier lifting
- > 4mm base plate for heavy loads
- > Smooth wheels and ergonomic handle
- > Ideal for appliance moves and deliveries

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT4A	455 x 185mm	1235mm	220kg	150mm





TSHT5A

Tall Appliance Stairclimber Trolley

- > Stair-climbing wheels for easier lifting
- > 4mm base plate for heavy loads
- > Smooth wheels and ergonomic handle
- > Ideal for appliance moves and deliveries

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT5A	455 x 185mm	1540mm	220kg	150mm









TSHT4

General Purpose Trolley

- > 4mm base plate
- > Pneumatic wheels for rough surfaces
- > Adjustable handle for comfort
- > Great for warehouse and workshop use

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT4P	455 x 185mm	1235mm	200kg	250mm





Tall General Purpose Trolley

- > 4mm base plate
- > Pneumatic wheels for rough surfaces
- > Adjustable handle for comfort
- > Great for warehouse and workshop use

SKU	Toe Plate	Handle Height	Load Capacity	Wheel Dia.
TSHT5P	455 x 185mm	1540mm	200kg	250mm





Sack Hand Truck Trolley

- > Strong steel frame with blue powder-coated finish
- > Solid rubber wheels for smooth movement
- > Rear handle design for stable high stack transport
- > Ideal for heavy appliances and boxed goods







S11T/S11T-SHORT

Sack Hand Truck Trolley

- > Short-frame design (1360 x 490mm) for tight spaces
- > 265mm pneumatic wheels for smooth movement
- > Rear and ergonomic handles for secure load control
- > Ideal for appliances, boxed goods, and warehouse use



SKU	Plate Size	Load Capacity	Toe Depth
S11T	335mm x 300mm x 5mm	300kg	195mm
S11T-SHORT	400mm x 300mm x 5mm	300kg	260mm









TSCST

Chair Collector Trolley

- > Solid steel construction
- > Ergonomic & stable
- > Safe handling of stacker chairs
- > Fits most chair types

SKU	Dynamic Load Capacity	Dimensions
TSCST	100kg	330 x 450mm (1st Level)



FW83

Aluminium Hand Trolley

- Lightweight aluminium frame with corrosion resistance
- Straight, stress-resistant design for durability and shock absorption
- Double ergonomic handles for comfortable use
- Large pneumatic wheels for quiet, stable transport

SKU	Overall Size	Load Capacity	Wheel Dia.	N.W.
FW83	467 x 505 x 1334mm	200kg	250mm	9.6kg



FW84A

Aluminium Hand Trolley with Extendible Platform

- > Lightweight aluminium frame with corrosion resistance
- Stress-resistant straight frame with extendible platform
- Double ergonomic handles for comfortable operation
- Large pneumatic wheels for smooth, quiet transport

SKU	Overall Size	Load Capacity	Wheel Dia.	N.W.
FW84A	802 x 506 x 1231mm	200kg	255mm	11.2kg





FW84E


Aluminium Hand Trolley with Wide Platform

- Lightweight aluminium frame with corrosion resistance
- Stress-resistant straight frame with wider platform
- Double ergonomic handles for comfortable operation
- Large pneumatic wheels for smooth, quiet transport

SKU	Overall Size	Load Capacity	Wheel Dia.	N.W.
FW84E	501 x 506 x 1231mm	200kg	255mm	12.8kg



SKU	Vertical Size	Load Capacity	Wheel Dia.	N.W.
3110	vertical Size	Load Capacity	Wileet Dia.	14.44.
FW85	466 x 506 x 1561mm	200/250kg	125/255mm	17kg



SKU	Vertical Size	Load Capacity	Wheel Dia.	N.W.
FW86	466 x 506 x 1561mm	200/250kg	125/255mm	19kg

rotatruck





11-2480-FA

Steel AT Monster **Hand Trolley**

- > Heavy-duty steel frame with self-supporting wheelbase
- > All-terrain manoeuvrability
- > Large steel toe for stable handling of wide, heavy loads

 Ideal for movi appliances, a 	ng furniture, nd bulky goods in nome settings		
SKU	Plate Size	Overall Size	Capacity
11-2480-FA	550 x 255mm	660 x 650 x 1550mm	350kg

COFOFUCK

AVAILABLE OPTION 11-1003-B **SAFETY STRAP**



11-2482

Steel Stock and **Beverage Hand Trolley**

- > Heavy-duty steel frame with self-supporting wheelbase
- > All-terrain manoeuvrability
- > Large steel toe for stable handling of wide, heavy loads
- > Ideal for beverage, stock, and industrial transport across rough surfaces

SKU	Plate Size	Overall Size	Capacity
11-2482	510 x 250mm	510 x 250 x 1330mm	250kg

COTOCK



Pro Aluminium AT Tall Hand Truck

- > Heavy-duty aluminium frame and tall loop handle
- > 125mm castors and 250mm foamfilled wheels for all-terrain mobility
- > Rotating frame converts between stand and lay down modes
- > Wide nose plate for stable transport of bulky or irregular loads

SKU	Plate Size	Overall Size	Capacity
11-23AT-17-PA	230 x 460mm	230 x 460 x 1520mm	230ka

COTOTOCK



Aluminium Gas Cylinder Hand Truc

- > Lightweight aluminium frame with 230kg capacity and curved support
- > Triple omni-wheels and foam-filled rear wheel for all-direction mobility
- > Gas bottle toe, magnets, and safety strap for secure cylinder transport
- > D-loop handles and rotating frame, ergonomic handling in tight spaces


SKU	Overall Size	Capacity
11-23G1	520 x 450 x 1650mm	230kg

COFOFUCK



Omni Wheel LITE Aluminium P handle Hand Truck

- > Lightweight anodised aluminium frame with 150kg capacity
- > 125mm omni wheels for 360° movement and self-supporting
- > Curved and straight bottom rail for both cylindrical, boxes and crates
- > P-handle and ergonomic design reduce strain and enhance control



COTATION


11-23SC-17

Rotatruck Pro Stair Climber Hand Truck

- > 125mm Rotacaster omni wheels for smooth stair navigation
- > Requires 30% less effort than standard stair climbers
- > Ideal for appliances, logistics, and
- > Not suitable for open-backed stairs with a gap of 125mm or more


SKU	Plate Size	Overall Size	Capacity
11-23SC-17	457 x 228mm	460 x 450 x 1530mm	225kg











TSD44

Drum Dolly

- > Suit to 205 litre/44 gallon drum
- > Smooth rolling and strong, durable construction

SKU	Wheel Dia.	Load Capacity	Dimensions
TSD44	80mm	205L (300kg)	614mm Diameter









RT1819

Plastic Drum Dolly for Barrels

- > Suit to RT1015 drum
- > Heavy-duty structural foam construction resists rust, dents and chips

SKU	Wheel Dia.	Load Capacity	Dimensions
TSD44	80mm	208L (200kg)	619mm Diameter



SUITS IH060, IH051, IH078 & RT3011/3012 Stack & Nest Tubs





RT4483

Containers Dolly

- > Durable structural foam body won't rust, dent or peel
- > 100mm non-marking swivel castors for smooth movement

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RT4483	100mm	150kg	630 x 435mm	IH060, IH051, IH078,RT3011, RT3012



Plastic Dolly

- > Food grade plastic
- > Temperature rating to 20°C to 60°C
- > Standard are yellow, red, blue, and white
- > Proudly Australian made

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TS10PD	100mm	150kg	620 x 400mm	IH060, IH051, IH078,IH315, IH310







- > Australian made > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TSPD323	100mm	140kg	620 x 710mm	IH323







Plastic Dolly

> Australian made

- > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RM74DY	100mm	140kg	450 x 710mm	IH066



- > Australian made > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RM120DY	100mm	140kg	870 x 645mm	2 x IH051



SUITS IH060, IH051,



> Rigid powder-coated steel

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TS10CD	100mm	80kg	600 x 360mm	IH060, IH051, IH078





TSFD

Furniture Dolly

> Ideal for moving furniture

SKU	Wheel Dia.	Load Capacity	Dimensions
TSFD	100mm	300kg	550 x 800mm





- > Ideal for moving furniture
- > Optional wheels upgrade available

SKU	Wheels	Load Capacity	Dimension
TSPTS	200mm Solid	400kg	860 x 500mm
TSPTP	250mm Pneumatic	450kg	860 x 500mm
TSPTPP	250mm Puncture proof	400kg	860 x 500mm



> Suitable for laundry, stock Handling and waste

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TSRT-DOLLIE	100mm	250kg	1130 x 600 x 600mm	TSRT






TSSLB

Spring Loaded Base

- > Spring-loaded base reduces strain and injury risk
- > Fully automatic scissor mechanism with no power required
- > Maintains top load at optimal lifting height > Optional corflute or solid plastic top available (1095 x 600mm)
- NOTE: Pictured with optional corflute top sold separately

SKU	Dimensions
TSSLB	700 x 400mm





- > Food grade
- > Proudly Australian made

SKU	Load Capacity	External Dimensions
TSRT350	350 Litres	1250 x 760 x 680mm





FW06

6 Tonne Low Profile Load Skate

- > Stable, rugged & low level construction
- > Easy to operate, offering practical solutions for handling and moving heavy loads

SKU	Capacity	Wheel Size	Overall Size	Weight
FW06	6000kg	75mm	395 x 330 x 101mm	13.8kg





FY02

2 Tonne Skate

- > Maintenance-free

SKU	Capacity	Wheel Size	Overall Size	Weight
FY02	2000kg	75mm	270 x 120 x 110mm	4.8kg





FY12

12 Tonne Skate

- > Maintenance-free
- $\,\succ\,$ Fitted with a rubber surface to help protect and stabilise items

SKU	Capacity	Wheel Size	Overall Size	Weight
FY12	12000kg	115 x 60 mm	400 x 345 x 145mm	40kg









6 Tonne Load Skate with Rubber Top

- > Built for heavy-duty stability and smooth movement
- > Ideal for relocating machinery and large equipment in tight spaces

SKU	Capacity	Wheel Size	Overall Size	Weight
CTA4	6000kg	75mm	300 x 222x 110mm	16kg







CTA6

8 Tonne Load Skate with Rubber Top

- > Built for heavy-duty stability and smooth movement
- > Ideal for relocating machinery and large equipment in tight spaces

SKU	Capacity	Wheel Size	Overall Size	Weight
CTA6	8000kg	75 mm	400 x 222 x 110mm	23kg





CTAHD

Handle for CTA Skates

> Includes 1 metre draw bar and swivelling platform with thrust bearing

SKU	Wheel Size	Skate Size	Suit To
CTAHD	75mm	4 x 25 x 95mm	CTA4 / CTA6



> Includes 1 metre draw bar and swivelling platform with thrust bearing

SKU	Capacity	Wheel Size	Skate Size	Weight
SFW03	3000kg	86 x 90mm	305 x 231 x 108mm	14kg





ABD150

Furniture Moving Load Skates

- > Pressed steel construction
- > Corner skates to assist with moving awkward rectangular loads
- > Ball bearing castors

SKU	Capacity	Wheel Size	Overall Size	Weight
ABD150	150kg	50 x 20mm	366 x 204 x 85mm	8kg per set 4



CR8SET

20 Tonne Full Load Skate Set for Shipping Container

- > Skid-resistant surface and durable wheels for smooth transport
- > Ideal for moving shipping containers and heavy items in tight spaces

SKU	Capacity	Deck Height
CR8SET	20000kg	155mm





HG127

Tow Tug

- > Electric-powered design for smooth, effortless towing
- > Compact and ergonomic for tight-space manoeuvrability
- > Built tough with quick-hitch and heavy-duty wheels for industrial use

SKU	Capacity	Speed	Motor	Weight
HG127	1000kg	3-6km/h	400W	90kg






Powered Electric Platform Trolley

- > Single handle
- > Large deck size.









HG103

Power Cart

- > Single handle
- > Large deck size



Features	Specifications
Capacity	400kg
Dimensions	1455 x 630 x 1080mm
Deck Size	1280 x 630mm
Motor	400W
Battery	2 x 12V/33Ah
Speed	3-7km/h
Weight	98kg



HG103B

Power Cart

- > Single handle
- > Large deck size.



Features	Specifications		
Capacity	400kg		
Dimensions	1455 x 630 x 1080mm		
Deck Size	1280 x 630mm		
Motor	400W		
Battery	2 x 12V/33Ah		
Speed	3-7km/h		
Weight	98kg		



HG105

Power Cart with Cage

- > Single handle
- > Large deck size



Features	Specifications			
Capacity	400kg			
External Dimensions	1455 x 630 x 1080mm			
External Cage Size	1280 x 630 x 1080mm			
Motor	400W			
Battery	2 x 12V/33Ah			
Speed	3-7km/h			
Weight	113kg			



HG109

Power Cart with Electric Lift & Drive

- > Single handle
- > Large deck size



Specifications		
500kg		
1240 x 600 x 1100mm		
460 - 900mm		
1000 x 600mm		
400W		
2 x 12V/33Ah		
180kg		



HG116

Power Cart with Electric Lift & Drive

- > Single handle
- > Large deck size





HG116B

Power Cart with Electric Lift & Drive

- > Single handle





CUSTOM TROLLEYS DESIGN & MANUFACTURE



Team Systems Can Custom Design And Manufacture Trolleys To Suit Your Personalised Requirements.

At Team Systems, we pride ourselves on our ability to Listen, Design, Engineer and Manufacture solutions for your Material Handling applications. As we have been producing trolleys and Material Handling equipment for over thirty years, we are dedicated to providing the Australian market with high quality and reliable products. With our wide selection of trolleys, ladders, castors, plastics and other equipment, we allow our customers to operate at the highest level in the manufacturing, storage and distribution of their materials.











- HOSPITALITY SERVICE TROLLEYS
- LAUNDRY & NURSERY TROLLEYS
- SPECIALISED STOCK PICKERS TROLLEYS
- MEDICAL, EDUCATIONAL AND OFFICE TROLLEYS
- CATERING AND FOOD SERVICE TROLLEYS
- OTHER PERSONALISED CUSTOM TROLLEYS

TOTAL SECTION & WHEELS



TeamStar Castor	S	40-44
iROLL Castors &	Wheels	45-46
Fallshaw Castors	s & Wheels	46-47
Castor Accessori	ies	48












Plate Type









General Duty/Light Grey Rubber

50 - 75kg Capacity

- > Double ball race headset for smooth swivel action
- > Durable pressed metal frame with zinc plating for corrosion resistance
- > Reinforced axle sleeve enhances wheel strength and durability
- > TPP rubber wheel suitable for a wide range of surfaces

50 - 75KG	50 - 75KG CAPACITY B		LT HOLE - 10MM		MOUNTING PLATE	
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid
50mm (50kg)	69mm	TE11TPP050H	TE11TPP050HB	TE11TPP050S	TE11TPP050SB	TE11TPP050R
75mm (70kg)	100mm	TE11TPP075H	TE11TPP075HB	TE11TPP075S	TE11TPP075SB	TE11TPP075R
100mm (75kg)	125mm	TE11TPP100H	TE11TPP100HB	TE11TPP100S	TE11TPP100SB	TE11TPP100R








Bolt Hole Type











150 - 190kg Capacity

- > Double ball race head set for smooth swivel action
- > Durable pressed metal frame with zinc plating for corrosion resistance
- > Fitted with precision ball bearings to ensure smooth, quiet, and reliable rolling under load
- > TPP rubber wheel suitable for a wide range of surfaces


150 - 190KG CAPACITY		BOLT HOLE - 12MM		MOUNTING PLATE		
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid
80mm (140kg)	108mm	TE21TPB080H	TE21TPB080HB	TE21TPB080S	TE21TPB080SB	TE21TPB080R
100mm (150kg)	128mm	TE21TPB100H	TE21TPB100HB	TE21TPB100S	TE21TPB100SB	TE21TPB100R
125mm (190kg)	155mm	TE21TPB125H	TE21TPB125HB	TE21TPB125S	TE21TPB125SB	TE21TPB125R








Hole Type B







Industrial Blue Rubber

130 - 300kg Capacity

- Double ball race head set for smooth swivel performance
- Pressed metal frame with zinc plating for corrosion resistance
- > Fitted with durable roller bearings for reliable load handling
- Blue elastic rubber wheel delivers quiet, smooth, and versatile performance

130 - 300KG CAPACITY BOLT HOLE			MOUNTING PLATE					
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	Hole Type	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid	Plate Type
80mm (130kg)	108mm	TE21ENR080H	TE21ENR080HB	А	TE21ENR080S	TE21ENR080SB	TE21ENR080R	А
100mm (140kg)	128mm	TE21ENR100H	TE21ENR100HB	А	TE21ENR100S	TE21ENR100SB	TE21ENR100R	Α
125mm (180kg)	155mm	TE21ENR125H	TE21ENR125HB	А	TE21ENR125S	TE21ENR125SB	TE21ENR125R	Α
160mm (300kg)	200mm	TE21ENR160H	TE21ENR160HB	A/B	TE21ENR160S	TE21ENR160SB	TE21ENR160R	В











Bolt Hole Type




Plate Type A




Plate Type B

Industrial Urethane


140 - 300kg Capacity

- Double ball race head set for smooth swivel performance
- Pressed metal frame with zinc plating for corrosion resistance
- > Fitted with durable roller bearings for reliable load handling
- Urethane-tread wheel on a durable nylon core for high load capacity and smooth rolling

140 - 300K0	140 - 300KG CAPACITY BOLT HOLE - 12MM		MOUNTING PLATE				
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid	Plate
80mm (140kg)	108mm	TE21UNR080H	TE21UNR080HB	TE21UNR080S	TE21UNR080SB	TE21UNR080R	А
100mm (150kg)	128mm	TE21UNR100H	TE21UNR100HB	TE21UNR100S	TE21UNR100SB	TE21UNR100R	А
125mm (190kg)	155mm	TE21UNR125H	TE21UNR125HB	TE21UNR125S	TE21UNR125SB	TE21UNR125R	Α
160mm (300kg)	200mm	TE21UNR160H	-	-	-	-	В

















Industrial White Nylon


180 - 270kg Capacity


- Double ball race head set for smooth swivel performance
- Pressed metal frame with zinc plating for corrosion resistance
- Fitted with durable roller bearings for reliable load handling
- Solid white nylon wheel for high strength, low rolling resistance, and wear resistance

180 - 270KG CAPACITY		BOLT HOLE - 12MM		MOUNTING PLATE		
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid
80mm (180kg)	108mm	TE21NNR080H	TE21NNR080HB	TE21NNR080S	TE21NNR080SB	TE21NNR080R
100mm (190kg)	128mm	TE21NNR100H	TE21NNR100HB	TE21NNR100S	TE21NNR100SB	TE21NNR100R
125mm (270kg)	155mm	TE21NNR125H	TE21NNR125HB	TE21NNR125S	TE21NNR125SB	TE21NNR125R

















Medium Heavy Duty Rubber


200 - 400kg Capacity


- Double ball race head set for smooth swivel performance
- Pressed metal frame with zinc plating for corrosion resistance
- Fitted with durable roller bearings for reliable load handling
- Blue elastic rubber wheel delivers quiet, smooth, and versatile performance

200 - 400K0	200 - 400KG CAPACITY BOLT HOLE - 12MM		MOUNTING PLATE				
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid	Plate
100mm (200kg)	128mm	TE31EZB100H	TE31EZB100HB	TE31EZB100S	TE31EZB100SB	TE31EZB100R	А
125mm (250kg)	155mm	-	-	TE31EZB125S	TE31EZB125SB	TE31EZB125R	А
160mm (300kg)	200mm	-	-	TE31EZB160S	TE31EZB160SB	TE31EZB160R	В
200mm (400kg)	240mm	-	-	TE31EZB200S	TE31EZB200SB	TE31EZB200R	В

TEATTSTAR CASTORS













Heavy Duty Urethane

250 - 400kg Capacity

- > Welded heavy-duty metal frame with double ball race head set
- Urethane tread on nylon core for strength and smooth rolling
- Precision bearings ensure smooth, consistent, and low-resistance rolling
- Built for demanding industrial and material handling use


250 - 400K	G CAPACITY	MOUNTING PLATE					
Wheel Dia.	Overall Height	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid	Plate Type		
100mm (200kg)	143mm	TE41UPB100S	TE41UPB100SB	TE41UPB100R	A/B		
125mm (250kg)	165mm	TE41UPB125S	TE41UPB125SB	TE41UPB125R	A/B		
150mm (300kg)	191mm	TE41UPB150S	TE41UPB150SB	TE41UPB150R	A/B		



Super Heavy Duty Urethane 300 - 500kg Capacity

- Welded heavy-duty metal frame with double ball race head set
- Urethane tread on nylon core for strength and smooth rolling
- Precision bearings ensure smooth, consistent, and low-resistance rolling
- Built for demanding industrial and material handling use

300 - 500K0	G CAPACITY	MOUNTING PLATE				
Wheel Dia.	Overall Height	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid		
125mm (300kg)	173mm	TE51UNB125S	TE51UNB125SB	TE51UNB125R		
160mm (400kg)	202mm	TE51UNB160S	TE51UNB160SB	TE51UNB160R		
200mm (500kg)	247mm	TE51UNB200S	TE51UNB200SB	TE51UNB200R		



Super Heavy Duty Urethane

550 - 800kg Capacity

- Fully welded, zinc-plated metal frame for super heavy-duty performance
- Precision bearing head set ensures smooth and controlled swivel movement
- Urethane on cast iron wheel for strength and quiet rolling
- Fitted with precision wheel bearings for reliable, low-friction movement

550 - 800K	G CAPACITY		MOUNTING PLATE	
Wheel Dia.	Overall Height	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid
125mm (550kg)	180mm	TE51UIB125S	TE51UIB125SB	TE51UIB125R
160mm (600kg)	210mm	TE51UIB160S	TE51UIB160SB	TE51UIB160R
200mm (800kg)	225mm	TE51UIB200S	TE51UIB200SB	TE51UIB200R











Plate Type A




Plate Type B






Heavy Duty Urethane

- 110 400kg Capacity
- Urethane on cast iron wheel for strength and quiet performance
- Fully welded metal frame ensures maximum strength and durability
- Zinc-plated finish for corrosion resistance
- Precision bearings deliver smooth, and reliable rolling performance

110 - 400KG CA	110 - 400KG CAPACITY		MOUNTING PLATE				
Wheel Dia.	Overall Height	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid	Plate Type		
75mm (110kg)	106mm	TE60U0C075S	TE60U0C075SB	TE60U0C075R	А		
100mm (250kg)	143mm	TE71U0C100S	TE71U0C100SB	TE71U0C100R	В		
125mm (300kg)	165mm	TE71U0C125S	TE71U0C125SB	TE71U0C125R	В		
150mm (350kg)	191mm	TE71U0C150S	TE71U0C150SB	TE71U0C150R	В		
200mm (400kg)	241mm	TE71U0C200S	TE71U0C200SB	TE71U0C200R	В		










Kingpinless Extra Heavy Duty 1000 - 1500kg Capacity

- Kingpinless head race for enhanced stability and impact resistance
- Fully welded metal frame ensures maximum strength and durability
- Zinc-plated finish provides long-lasting corrosion resistance
- Urethane on cast iron wheel with precision bearings for smooth, highcapacity rolling

1000 - 1500KG CAPACITY		MOUNTING PLATE		
Wheel Dia.	Overall Height	SKU - Swivel	SKU - Fixed Rigid	
200mm (1000kg)	257mm	TE71UXB200S	TE71UXB200R	
250mm (1300kg)	292mm	TE71UXB250S	TE71UXB250R	
300mm (1500kg)	343mm	TE71UXB300S	TE71UXB300R	



TEBINSTAR













Stainless Steel Urethane

180 - 290kg Capacity

- Double ball race head set provides smooth and consistent swivel motion
- Pressed stainless steel frame for strength and corrosion resistance
- Stainless steel axle sleeve for added durability
- > High-strength nylon wheel for smooth, low-resistance movement

180 - 290K0	G CAPACITY	BOLT HOLE - 12MM		MOUNTING PLATE		
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid
80mm (180kg)	108mm	TE22UNI080H	TE22UNI080HB	TE22UNI080S	TE22UNI080SB	TE22UNI080R
100mm (190kg)	128mm	TE22UNI100H	TE22UNI100HB	TE22UNI100S	TE22UNI100SB	TE22UNI100R
125mm (270kg)	155mm	TE22UNI125H	TE22UNI125HB	TE22UNI125S	TE22UNI125SB	TE22UNI125R





Stainless Steel


180 - 290kg Capacity

- > Double ball race head set for smooth
- > Pressed stainless steel frame for durability and corrosion resistance
- > Stainless steel axle sleeve enhances durability and load support
- Nylon wheel offers lightweight strength and smooth, low-friction rolling
- > Perfect for cool room environments

180 - 290Ki	G CAPACITY	BOLT HOLE - 12MM		MOUNTING PLATE		
Wheel Dia.	Overall Height	SKU - Bolt Hole	SKU - Bolt Hole with Brake	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid
80mm (180kg)	108mm	TE22NNP080H	TE22NNP080HB	TE22NNP080S	TE22NNP080SB	TE22NNP080R
100mm (190kg)	128mm	TE22NNP100H	TE22NNP100HB	TE22NNP100S	TE22NNP100SB	TE22NNP100R
125mm (270kg)	155mm	TE22NNP125H	TE22NNP125HB	TE22NNP125S	TE22NNP125SB	TE22NNP125R
160mm (290kg)	200mm	TE22NNP160H	TE22NNP160HB	TE22NNP160S	-	TE22NNP160R



TEEMSTAR








Heavy Duty Low Profile

300 - 400kg Capacity

- > Double ball race head set for smooth swivel action
- > Fully welded frame for maximum strength and durability
- > Precision bearing ensures smooth,
- > Heavy-duty, low-profile nylon wheel for high load capacity in tight spaces

300 - 400KG CAPACITY		MOUNTING PLATE			
Wheel Diameter	Overall Height	SKU - Swivel	SKU - Swivel with Brake	SKU - Fixed Rigid	
50mm (300kg)	79mm	TE38NZB050S	TE38NZB050SB	TE38NZB050R	
75mm (400kg)	105mm	TE37NZB075S	-	TE37NZB075R	



Vicke



Grey Rubber Wheel

205kg Capacity

- > 200mm grey rubber wheel with a durable black polypropylene centre for versatile, long-term use
- > 82 Shore A rubber tyre offers excellent traction and added rim strength
- > Available in plain or roller bearing options to suit different requirements
- > Lightweight yet strong design ensures smooth handling and load stability
- > Ideal for carts, dollies, and utility equipment across commercial and personal applications

SKU	Load Capacity	Overall Height	Wheel Dia.	Tyre Width	Tyre Material	Rim Material
TWGR200W	205kg	200mm	200mm	50mm	Standard solid rubber grey	PP





Semi Pneumatic -**Puncture Proof Wheel**

100kg Capacity

- > 100kg rated with durable steel rim and black tyre
- > 265mm diameter with 3/4" or 20mm ball bearing
- > Semi-pneumatic, punctureproof for smooth, stable use
- > Lightweight and easy to install for carts and trolleys



SKU	Wheel Dia.	Ball Bearing
PP350X4SB20	265mm	20mm
PP350X4SB34	265mm	3/4 Inch





Pneumatic - Steel Wheel 100kg Capacity

TEEMSYSTEMS

- > Fitted to two-piece, wobblefree steel centres for stability and durability
- > Steel centres manufactured from 1.8mm thick highstrength steel



SKU	Wheel Dia.	Bearing	8km/hr	15km/hr
TK350X4STR-SB20	200mm	20mm	100kg	70kg
TK350X4STR-SB34	250mm	3/4 Inch	100kg	70kg





Pneumatic - Steel Wheel 200kg Capacity

- > Fitted to two-piece, wobble-free steel centres for stability and durability
- > Steel centres manufactured from 1.8mm thick high-strength steel



320mm

Wheel Dia. Wheel Width

80mm





Pneumatic Rigid Wheel 120 - 160kg Capacity

- > Double ball race head set for smooth swivel performance
- > Pressed steel construction for strength and durability
- > Fitted with double ball bearings for smooth rolling under load




Plate Type

SKU	Capacity	Overall Height	Wheel Dia.
TK250X4F	120kg	257mm	220mm
TK350X4F	160kg	320mm	265mm



SKU

TK350X6KN0-SB10



Pneumatic Swivel Wheel

8km/hr

200kg

15km/hr

180kg

120 - 160kg Capacity

- > Double ball race head set for smooth swivel performance
- > Pressed steel construction for strength and durability
- > Fitted with double ball bearings for smooth rolling under load




Plate Type

SKU	Capacity	Overall Height	Wheel Dia.
TK250X4S	120kg	257mm	220mm
TK350X4S	160kg	320mm	265mm





Pneumatic Swivel with **Brake Wheel**

120 - 160kg Capacity

- > Double ball race head set for smooth swivel performance
- > Pressed steel construction for strength and durability
- > Fitted with double ball bearings for smooth rolling under load





Plate Type

SKU	Capacity	Overall Height	Wheel Dia.
TK250X4SB	120kg	257mm	220mm
TK350X4SB	160kg	320mm	265mm





Solid Black Rubber Wheel

100kg Capacity

- Puncture-free rubber wheel for smooth, heavy-duty use
- Lightweight yet strong polypropylene centre
- Pressed-on rubber tyre for grip and shock absorption





Black Rubber Utility Wheel

150kg Capacity

- 250mm puncture-free rubber wheel for smooth, heavy-duty use
- Lightweight yet strong polypropylene centre
- Pressed-on rubber tyre for grip and shock absorption
- Choice of ball bearings (10 km/h max) or plain bushes for wet areas

SKU	Wheel Dia.	Alex
R25050C-PRYQ20	250mm	20mm
R25050C-PRYQ34	250mm	3/4 Inch



SKU

W-004

W-005



Semi Pneumatic -Puncture Proof Wheel

50kg Capacity

Wheel Dia.

200mm

250mm

 Polyurethane foam-filled tyres offer premium semi-pneumatic performance with puncture-proof reliability

Ball Bearing

20mm

3/4 Inch

- Fitted to two-piece, wobble-free steel centres for stability and durability
- Steel centres manufactured from 1.8mm thick high-strength steel



P200X50RIB 200mm 50mm 50kg	SKU	Wheel Dia.	Wheel Width	8km/hr
	P200X50RIB	200mm	50mm	50kg





OPTIONAL NON-MARKING GREY TYRE

Grey non-marking tyres
to protect sensitive floor.

Semi Pneumatic -Puncture Proof Wheel

75kg Capacity

- Polyurethane foam-filled tyres offer premium semi-pneumatic performance with puncture-proof reliability
- Fitted to two-piece, wobble-free steel centres for stability and durability
- Steel centres manufactured from 1.8mm thick high-strength steel



SKU	Wheel Dia.	Bearing	8km/hr	15km/hr
P250X4LUG-SB20	220mm	20mm	75kg	40kg
P250X4LUG-SB34	220mm	3/4 Inch	75kg	40kg





OPTIONAL NON-MARKING GREY TYRE

Grey non-marking tyres
to protect sensitive floor.

Semi Pneumatic -Puncture Proof Wheel

120kg Capacity

- Polyurethane foam-filled tyres offer premium semi-pneumatic performance with puncture-proof reliability
- Fitted to two-piece, wobble-free steel centres for stability and durability
- Steel centres manufactured from 1.8mm thick high-strength steel



SKU	Wheel Dia.	Wheel Width	8km/hr	15km/hr
P400X8KN0	400mm	100mm	120kg	90kg





Pneumatic - Steel Wheel 120kg Capacity

- Fitted to two-piece, wobble-free steel centres for stability and durability
- Steel centres manufactured from 1.8mm thick high-strength steel



SKU	Wheel Dia.	Wheel Width	8km/hr	15km/hr
250X4LUG-SB20	220mm	50mm	120kg	100kg







Pneumatic - Steel Wheel

140kg Capacity

- Fitted to two-piece, wobble-free steel centres for stability and durability
- Steel centres manufactured from 1.8mm thick high-strength steel

	100	-	-		
à	3	3	۶	8	5
1	O	K	×		Q
9	7	C	×	•	è

Wheel Width





Pneumatic - Steel Wheel 220kg Capacity

- Fitted to two-piece, wobble-free steel centres for stability and durability
- Steel centres manufactured from 1.8mm thick high-strength steel



SKU	Wheel Dia.	Wheel Width	8km/hr	15km/hr
400X8KN0	400mm	100mm	220kg	200kg



SKU

300X4DMD

Wheel Dia.

250mm



Pneumatic - Steel Wheel 230kg Capacity

8km/hr

140kg

110kg

- Fitted to two-piece, wobble-free steel centres for stability and durability
- Steel centres manufactured from 1.8mm thick high-strength steel



SKU	Wheel Dia.	Wheel Width	8km/hr	15km/hr
650X8GRA	420mm	160mm	230kg	220kg





Pneumatic - Plastic Centre Wheel

100kg Capacity

- Black pneumatic tyre with quality inner tube and plastic centre
- 20mm deep groove bearing for smooth performance
- Fitted with PP 20 cone BRG wheel for reliable support



SKU	Wheel Dia.	Bearing	Hub
250X4LUG-PWB20	220mm	20mm	60mm





Pneumatic - Plastic Centre Wheel

100kg Capacity

- > Black pneumatic tyre with quality inner tube and plastic centre
- Plain bearing design for simple, low-friction performance
- Fitted with PP 05 plain BSH wheel for reliable support



SKU	Wheel Dia.
250X4LUG-PWA05	220mm





Pneumatic - Plastic Centre Wheel

120kg Capacity

- Black pneumatic tyre with quality inner tube and plastic centre
- Plain bearing design for simple, low-friction performance
- Fitted with PP 05 plain BSH wheel for reliable support



SKU	Wheel Dia.
300X4DMD-PWA05	250mm





PFS2.5 Pallet Feet

SKU	Prod Size	Top Section
PFS2.5	135 x 135 x 2.5mm	60 x 60mm







TSWHEELPLATE

Wheel Plate

- > Mild Steel Raw 5mm Thick
- > Pre-drilled & threaded holes for easy castor mounting

Prod Size	UNC Holes Centres	
130 x 100 x 5mm	80mm x 60mm x 5/16"	80mm x 105mm x 3/8"













Expanding Screw

SKU	Dimensions
TER21.5	Ø 19 - 21.5 Round Screw
TER24	Ø 21.5 - 24 Round Screw
TER27	Ø 24 - 27 Round Screw
TER30	Ø 27 - 30 Round Screw
TES21.5	Ø 19 - 21.5 Square Screw
TES24	Ø 21.5 - 24 Square Screw
TES27	Ø 24 - 27 Square Screw
TES30	Ø 27 - 30 Square Screw






Butyl Rubber Seamless (Butt-Joined)

SKU	Dimensions	
SPTUBE250X4	Tube Pneumatic 250X4	
SPTUBE300-350X4	Tube Pneumatic 300X4 or 350X4	
SPTUBE250X6	Tube Pneumatic 250X6	
SPTUBE350X6	Tube Pneumatic 350X6	
SPTUBE500X6	Tube Pneumatic 500X6	
SPTUBE400X8	Tube Pneumatic 400X8	
SPTUBE650X8	Tube Pneumatic 650X8	









Ball Jointed A-JUSTA-FOOT

Insert Feet

SKU	Specifications
S3816	M16 (Square Tube)
S3820	M20 (Square Tube)
S5016	M16 (Square Tube)
S5020	M20 (Square Tube)
S5016	M16 (Round Tube)
S5020	M20 (Round Tube)

Adjustable Feet

- A multi-adjustable pedestal foot ideal for industrial, commercial, workshop or food industry applications
- The special insert in the base helps to absorb vibration and means your machinery will stay exactly where you put it

SKU	Spindle Size	Overall Length
AF801650	M16	50mm
AF8016100	M16	100mm
AF8016150	M16	150mm
AF8020100	M20	100mm
AF8020150	M20	150mm
AF8024150	M24	150mm
AF10016100	M16	100mm
AF10016150	M16	150mm
AF10020100	M20	100mm
AF10020150	M20	150mm
AF12520150	M20	150mm
AF12524150	M24	150mm
AFS601250	M12	50mm
AFS6012100	M12	100mm
AFS6012150	M12	150mm

SX LIFTING & HANDLING EQUIPMENT



Pallet Trucks	50-52
Scissor Lifts and Ta	bles52-54
Electric Handling E	quipment54-55
Lifters & Stackers	55-58
Pallet Levellers	58-59
Conveyor Systems	60-62
Drum Handling Equ	ipment63-67
Forklift Attachment	s67-71
Container Ramps	72
Cargo Handling Equ	ipment73
Waste Bin Handling	Equipment74
Workshop Handling	Equipment75-79
Hoisting Equipment	80-83
Round & Flat Slings	s 84-87
Load Restraints	88
Spare Parts	89



> 3-position control handle

SKU	AC25-450	AC25-520	AC25-685
Fork Overall Width	450mm	520mm	685mm
Fork Height Range	75 - 190mm		
Fork Size	160 x 50mm		
Fork Length	1150mm		
Capacity	2500kg		



- > Quick lift function reduces operator effort
- > 3-position control handle offers flexible operation

SKU	AC25-685QL	
Fork Overall Width	685mm	
Fork Height Range	75 - 200mm	
Fork Size	160 x 50mm	
Fork Length	1150mm	
Capacity	2000kg	



SKU	AC25-450-800	AC25-520-800
Fork Overall Width	450mm	685mm
Fork Height Range	75 - 190mm	85 - 200mm
Fork Size	160 x 60mm	160 x 50mm
Fork Length	800mm	
Capacity	2500kg	



SKU	ACL20-685
Fork Overall Width	685mm
Fork Height Range	75 - 190mm
Fork Size	160 x 60mm
Fork Length	1800mm
Capacity	2000kg



SKU	ACLOW-540 ACLOW-685	
Fork Overall Width	540mm	685mm
Fork Height Range	51 - 165mm	
Fork Size	160 x 37mm	
Fork Length	1150mm	
Capacity	2000kg	



SKU	AC20H0-685
Fork Overall Width	685mm
Fork Height Range	85 - 200mm
Fork Size	160 x 50mm
Fork Length	1150mm
Capacity	2000kg



ACS20-685

Stainless Steel Pallet Truck

- > Ideal for cool room environment
- Metal parts are made completely of stainless steel
- > Nylon steering wheel and fork rollers

SKU	ACS20-685
Fork Overall Width	685mm
Fork Height Range	75 - 190mm
Fork Size	160 x 50mm
Fork Length	1150mm
Capacity	2000kg



ACZ20L

Galvanised Pallet Truck

 Galvanising process gives durable corrosion protection that stands up to the constant abrasion of pallet entry and exit.

SKU	ACZ20L
Fork Overall Width	685mm
Fork Height Range	75 - 190mm
Fork Size	160 x 50mm
Fork Length	1150mm
Capacity	2000kg





HPT20S-540 / HPT20S-685

Pallet Truck with Scales

 Great alternative for users who need pallet weights for transportation

SKU	HPT20S-540	HPT20S-685
Fork Overall Width	555mm	692mm
Fork Height Range	85 - 200mm	75 - 190mm
Fork Size	182 x 5	50mm
Fork Length	1150	lmm
Capacity	200	0kg
Battery	DC 1.5	5V x 4



EPT15V

Lithium Electric Pallet Truck

- 1500kg capacity with replaceable lithium battery
- > Compact and easy to manoeuvre
- > Zero emissions, low maintenance
- > Smart CAN-BUS diagnostics system

SKU	EPT15V
Capacity	1500kg
Battery	24V/20Ah
Fork Height Range	85 - 195mm
Fork Length	1150mm
Fork Overall Width	550/685mm

MATEX

QPTE20L

Economic Electric Pallet Truck

- 2000kg capacity with replaceable lithium battery
- > Maintenance-free brush-less motor
- Durable build with enclosed drive wheel cover for added safety
- Designed with accessible components and emergency stop switch

SKU	QPTE20L
Capacity	2000kg
Battery	48V/15Ah
Fork Height Range	85 - 190mm
Fork Length	1220mm
Fork Overall Width	680mm

NOBLELIFT

PTE15N / PTE20N

Heavy Duty Electric Pallet Truck

- > Ergonomic & smart tiller design
- > Smart lithium battery
- > 2.5hour flash charge
- > Maintenance friendly
- > Robust smart design of chassis





HLTN10-540 / HLTN10-680

High Scissor Lift Pallet Truck

- > Suitable for open-bottom pallets and stillages
- > Doubles as a lift table or mobile workbench
- > Ideal for pallet loading and unloading tasks
- safety and stability

Fork Size (L x W x H)



1150 x 162 x 50mm



EX-540 / EX-685

Electric Scissor Lift Pallet Truck

- > Quick lift function
- > Skid lifter suitable as a lift table or work bench.

NOTE: Not suitable for CHEP style Pallets.



SKU	EX-540	EX-685
Fork Overall Width	540mm	685mm
Capacity	100	0kg
Fork Height Range	85 - 8	00mm
Fork Size (L x W x H)	1170 x 160 x 50mm	
Battery (5hrs)	12V/60Ah	

MATEX



Manual Scissor Lift Table

- > Positive braking system on rear wheels for safety
- > Handle folds flat for easy storage

SKU	TF15
Capacity	150kg
Table Height Range	220 - 750mm
Table Dimensions (L x W x H)	700 x 450 x 36mm
Handle Height from ground	950mm





TF30

Manual Scissor Lift Table

> Overload valve ensures load limit is not exceeded

SKU	TF30
Capacity	300kg
Table Height Range	285 - 880mm
Table Dimensions (L x W x H)	850 x 500 x 50mm
Handle Height from ground	990mm

MATEX



Manual Scissor Lift Table

> Overload valve ensures load limit is not exceeded

SKU	TF50
Capacity	500kg
Table Height Range	285 - 880mm
Table Dimensions (L x W x H)	850 x 500 x 50mm
Handle Height from ground	990mm

MATEX



TF75

Manual Scissor Lift Table

- > 1000 x 510mm deck
- > 750kg rated capacity

SKU	TF75
Capacity	750kg
Table Height Range	420 - 900mm
Table Dimensions (L x W x H)	1000 x 510 x 55mm
Handle Height from ground	1000mm





TG50

Extra Large Scissor Lift Table

> Huge deck size

SKU	TG50
Capacity	500kg
Table Height Range	286 - 915mm
Table Dimensions (L x W x H)	1600 x 810 x 55mm
Handle Height from ground	975mm

MATEX



TG100

Extra Large Scissor Lift Table

> Huge deck size

SKU	TG100
Capacity	1000kg
Table Height Range	360 - 1400mm
Table Dimensions (L x W x H)	2050 x 750 x 55mm
Handle Height from ground	1000mm

MATEX



TF200

Manual Rough Terrain Scissor Lift Table

- > Hydraulic foot pump
- > Self-levelling, rough-terrain lift table
- > Easy to move, brake-equipped design

SKU	TF200
Capacity	200kg
Table Height Range	345 - 1010mm
Table Dimensions (L x W x H)	1000 x 500 x 35mm
Handle Height from ground	1050mm





TF50S

Scissor Lift Table

- > Stainless steel construction table.
- > Galvanised scissors & pump.

SKU	TFD50S
Capacity	450kg
Minimum Height	290mm
Maximum Height	890mm
Platform Size (L x W)	815 x 500mm

MATEX



TFD35

Double Scissor Lift Table

- > High lift 1300mm
- > 350kg rated capacity

SKU	TFD35
Capacity	350kg
Table Height Range	355 - 1300mm
Table Dimensions (L x W x H)	910 x 500 x 53mm
Handle Height from ground	975mm

MATEX



TFD70

Double Scissor Lift Table

- > Large deck size
- > 700kg rated capacity.

SKU	TFD70
Capacity	700kg
Table Height Range	455 - 1500mm
Table Dimensions (L x W x H)	1220 x 610 x 53mm
Handle Height from ground	1015mm



TFD15S

Double Scissor Lift Table

- > Stainless steel construction table.
- > Galvanised scissors & pump.

SKU	TFD15S
Capacity	100kg
Minimum Height	250mm
Maximum Height	1220mm
Platform Size (L x W)	700 x 445mm

MATEX



TFD35S

Double Scissor Lift Table

- > Stainless steel construction table.
- > Galvanised scissors & pump.

SKU	TFD35S
Capacity	350kg
Minimum Height	355mm
Maximum Height	1295mm
Platform Size (L x W)	910 x 500mm

MATEX



ETF50

Electric Scissor Lift

- > 500kg capacity, lifts over 1m
- > Electric lift with smooth control
- > Large platform, easy to move

SKU	ETF50
Capacity	500kg
Table Height Range	440 - 1025mm
Table Dimensions (L x W x H)	1010 x 520 x 50mm
Handle Height from ground	970mm

MATEX



ETFD35

Electric Double Scissor Lift

- > Electric double scissor system
- > Steel frame and sealed battery
- > Lockable rear wheels and manual push

SKU	ETFD35
Capacity	350kg
Table Height Range	370 - 1300mm
Table Dimensions (L x W x H)	910 x 500 x 53mm
Handle Height from ground	920mm

MATEX



HTFG

Electric Lift Table

- > Spacious deck and included ramp for easy loading
- > Remote-controlled electric system with emergency stop

SKU	HTFG
Capacity	1000kg
Lowered Height	82mm
Raised Height	760mm
Platform Size (L x W)	1450 x 1140mm
Lift Speed	8 Seconds
Motor	0.75Kw - 3 Phase

MATEX

HIW4

Electric Lift Table

- > Heavy-duty steel build supports
- Compact structure ensures stable lifting and lowering
- European electronic control system for reliable operation
- Ideal for warehouses, factories, and workshops



SKU	HIW4
Capacity	2000kg
Lowered Height	190mm
Raised Height	1010mm
Platform Size (L x W)	1300 x 800mm
Lift Speed	40 Seconds
Motor	0.75Kw - 3 Phase



QPSE12N-35

Electric Stacker with Smart Lithium Battery

- > Ideal for light-duty use
- > Compact design with easy mobility
- > Fast 2.5-hour charging
- λdiustahla hasa lans

> Adjustable base legs	
> Ergonomic tiller with vertical drive and emergency stop	, horn,
SKU	QPSE12N-35
Mast Lift Height	3500mm
Capacity	1200kg
Fork Size (L x W x H)	1125 x 160 x 55mm
Battery	24V/50Ah LEP Lithium Battery

24V/25A Charger



PSE12N-32 / PSE12N-36

Electric Stacker with Smart Lithium Battery

- > Ideal for light-duty use
- > Compact design with easy mobility
- > Fast 2.5-hour charging
- > Maintenance-friendly construction
- > Durable smart chassis design

SKU	PSE12N-32	PSE12N-36
Mast Lift Height	3200mm	3600mm
Capacity	120	0kg
Fork Size (L x W x H)	1150 x 10	0 x 40mm
Battery	24V/60Ah LFP l	_ithium Battery
Charger	24V/25A	Charger

NOBLELIFT

Charger



PS13RM-45

Mast Reach Counterbalanced Lithium Power Stacker

- > High-efficiency German-made drive motor
- > Forward/backward mast movement for safety and stability
- > Integrated ride-on platform for easy and safe operation
- > Emergency power disconnect for added safety

SKU	PS13RM-45
Mast Lift Height	4500mm
Capacity	1300kg
Fork Size (L x W x H)	950(1070) x 100 x 35mm
Battery	24V/200Ah Lithium Battery
Charger	24V/80Ah Charger

NOBLELIFT

Special Order

PS16TSL-40 / PS16TSL-46

Heavy Duty Electric Stacker with **Smart Lithium Battery**

- > Safe, compact and ergonomic long tiller design allows for efficient and safe operation
- > Adjustable base legs and load backrest installed
- > Plexiglass Operator protection and emergency power disconnect

NOTE: PS16TSL-40 is equipped with side shift.

SKU	PS16TSL-40	PS16TSL-46
Mast Lift Height	4000mm	4600mm
Capacity	160	0kg
Fork Size (L x W x H)	1150 x 12	0 x 40mm
Battery	24V/270Ah Lit	hium Battery
Charger	On-board	Charger

NOBLELIFT



PS16CB-45

Electric Counterbalanced Lithium Power Stacker

- > High-efficiency German-made drive motor
- > Forward/backward mast movement for safety and stability
- > Integrated ride-on platform for easy and safe operation
- > Emergency power disconnect for added safety

SKU	PS16CB-45
Mast Lift Height	4500mm
Capacity	1600kg
Fork Size (L x W x H)	950 x 100 x 35mm
Battery	24V/200Ah Lithium Battery
Charger	24V/80Ah Charger

NOBLELIFT



SPN1035A

Semi Electric Stacker Lifter

- > Manual propulsion with lift/lower lever on dashboard
- > Straddle legs with 3-position adjustment
- > Foot-operated parking brake
- > Adjustable base legs with smooth PU rollers for versatile lifting tasks

SKU	SN1035A
Mast Lift Height	3500mm
Capacity	1000kg
Fork Length	1067mm
Battery	Built-in 10 AMP
Charger	Plug-in Battery Charger
Fork Length Battery	1067mm Built-in 10 AMP





56

MATEX



EPS0415

Electric Platform Stacker

- > Electric lift with manual push operation
- Combines lifting, stacking, and transporting in one compact design

SKU	EPS0415
Capacity	400kg
Fork Height Range	85 - 1500mm
Platform Size (L x W)	650 x 576mm
Battery/Motor	DC12V 60AH/700W

MATEX

3W219

Standard Steel Lifter

- Fold-away hydraulic foot pump with hand-turn lowering valve
- Tilts back like a hand truck for easy transport
- > Durable steel frame construction

SKU	3W219
Capacity	340kg
Lift Range	10 - 1350mm
Platform Size	560 x 560mm
Overall Size L x W x H	880 x 570 x 1545mm

MATEX



SFHD10

Vertical Manual Hand Walkie Stacker

- > Ideal for lifting and transporting products
- > Compatible with Euro-type pallets

SKU	SFHD10
Capacity	1000kg
Fork Height Range	85 - 2500mm
Min. Mast Height	1830mm
Fork Size	150 x 60mm
Fork Overall Width	300 - 740/550mm
Fork Length	1150mm

MATEX



Vertical Manual Hand Walkie Stacker

- > Ideal for lifting and transporting products
- > Compatible with Euro-type pallets


SKU	SFH15
Capacity	1500kg
Fork Height Range	85 - 1600mm
Min. Mast Height	1980mm
Fork Size	150 x 60mm
Fork Overall Width	300 - 740/550mm
Fork Length	1150mm

MATEX



Wide Legs Vertical Manual Hand Walkie Stacker

- > Ideal for lifting and transporting products
- Straddle design allows easy access around pallets
- > Compatible with Euro-type pallets



MATEX

FP0415F

Manual Platform Stacker with Forks and Removable Plate

- > Foot pedal operation for effortless lifting
- > Equipped with overload protection valve
- > Hard chrome-plated frame for durability
- Two frame rollers and two steering rollers for stable, safe operation

SKU	FP0415F
Capacity	400kg
Lift Range	200 - 1500mm
Platform Size	590 x 650mm
Overall Size L x W x H	1015 x 590 x 1630mm







MES150

Lifter Transporter

> Suitable for laboratories, offices, and light industrial use

SKU	MES150
Capacity	150kg
Lifting Height	1535mm
Fork Overall Width	520mm
Fork Length	460mm

MATEX

MEE100


Power Lifter Transporter

- > Easy to manoeuvre in tight spaces
- > Perfect for laboratories and clinical environments
- > Built-in overload protection for safe operation

SKU	MEE100
Capacity	100kg
Fork Height Range	1700mm
Fork Overall Width	600mm
Fork Length	470mm



- seconds for quick transport
- load at any height
- pinch points for added safety




SKU	ML2
Capacity	120kg Platform
Max. Lift Height	1026mm
Platform Size (L x W)	360 x 420mm

ML2-F

Folding Handle Fork **Mast Lifter**

- > Folds and unfolds in 30 seconds for quick transport
- > Patented silent winch locks load at any height
- > Internal steel cable prevents pinch points for added safety







DEP90

Mini Aluminium Stacker

- > Converts from lifter to platform trolley
- > Compact design for easy loading into a car boot

	•
SKU	DEP90
Capacity	90kg
Fork Height Range	25 - 1500mm
Platform Size	355 x 420mm
Net Weight	30kg





Manual Hand Stacker Platform Lifter

- > Lightweight stacker ideal for tradespeople
- > Folds compactly for easy transport in a UTE or wagon

SKU	WFH181
Capacity	181kg
Fork Height Range	90 - 2400mm
Fork Overall Width	630mm
Fork Length	570mm



MER35 / MER50

Aerial Work Platform Trolley Duct Lifter

- Fits easily through standard single doors in upright position
- Folding stabilisers and compact design for convenient storage
- No-tool, quick setup for fast deployment
- Aluminium telescopic mast system for strength and durability

SKU	MER35	MER50
Capacity	350kg	300kg
Max. Working Height	3500mm	5000mm
Overall Length	1500mm	1880mm



NFM180

Hydraulic Furniture Movers

- Industrial-grade quality built for demanding applications
- Trusted across multiple industries for professional use
- Ideal for transporting safes, washing machines, switchboards & cabinets
- Designed for safe and efficient handling of heavy items

SKU	NFM180
Capacity	1800kg
Lift Height	250mm
Wheels	145mm



MT001

Low Profile Pallet Turntable Disc Rotator

- > Designed to rotate heavy pallets with ease, the 23mm low-profile turntable allows smooth pallet access using a hand pallet truck
- Supports loads up to 1800kg with a reliable 360° rotation mechanism that reduces manual handling, boosts productivity and minimises operator strain
- > Optional foot-operated locking system ensures pallet stability during loading and turning
- > Perfect for warehouses, factories and distribution centres needing frequent pallet rotation

SKU	MT001
Capacity	1800kg
Top Inside Dia.	1282mm
Top Outside Dia.	1524mm
Height	23mm
Weight	124kg
Warranty	1 year







MATEX

ERP2000

Electric Pallet Turntable

- 2000kg electric turntable allows smooth, hands-free 360° pallet rotation for loading, wrapping or positioning
- > Foot pedal offers precise control; fork pockets enable easy forklift relocation
- > Compact and heavy-duty design suits high-volume industrial use

Features	ERP2000
Capacity	2000kg
Platform Size	1220(D) x 286(H)mm
Operation	240V/50Hz Single Phase
Speed	12r/min
Motor	2.2kW
Fork Pocket Size	178 x 54mm
Net Weight	220kg









PLG1

Pallet Leveller and Positioner

- > Maintains the active load layer at or above waist height, minimising bending and lifting while reducing LTIs caused by strain and repetitive movement
- ightarrow Scissor-action mechanism with adjustable spring combinations supports loads up to 2T
- > Low-friction bearing-supported turntable enables smooth and easy load rotation
- > Free-standing design requires no ground fixing for flexible placement and operation

SKU	PLG1
Capacity	200 - 2000kg
Rotating Platform Diameters	1110mm
Compressed Height	270mm
Extended Height	710mm
Base Size	1150 x 934mm
Pocket Size	170 x 50mm



MATEX

PLG1G

Galvanised Spring Actuated Pallet Leveller

- > Galvanised finish for superior corrosion resistance
- > Suitable for food industry, dairy, and environments with corrosive acids or saline solutions
- > Maintains load at waist height to reduce bending, lifting, and LTIs caused by strain and renetitive movement
- > Scissor-action design with adjustable springs supports loads up to 2T

SKU	PLG1G
Capacity	200 - 2000kg
Rotating Platform Diameters	1110mm
Compressed Height	240mm
Extended Height	705mm
Base Size	920 x 930mm



MATEX

PLG1C

Closed Top Pallet Leveller

- > Maintains active load layer at waist height to minimise bending and lifting, reducing LTIs from strain and repetitive movement
- \rightarrow Scissor-action leveller with adjustable spring combinations for handling loads up to 2T
- > Low-friction bearing turntable allows smooth load rotation
- > No ground fixing required for installation

Features	PLG1C
Capacity	200 - 2000kg
Rotating Platform Diameters	1110mm
Compressed Height	240mm
Extended Height	705mm
Base Size	920 x 930mm





PVC

- ROLLERS

WOR

- FRAME

Team System full range of imported gravity conveyors provides an efficient solution for moving various flat-bottom products like boxes, pallets, and trays. Ideal for transport, distribution centres, and container unloading, these conveyors enhance work flow, improve handling efficiency, and connect different stages of production.

Conveyor Roller - PVC & STEEL - Q Shaft 10 x 8

- > Ideal for low-cost, efficient handling without powered equipment
- > Quick to set up, dismantle, or relocate
- > Spring-loaded shafts enable easy install and low maintenance
- > Ensure at least three rollers support items during use



Conveyor Roller - PVC

 Durable PVC material offers lightweight strength and corrosion resistance



SKU	Roller Width	Roller Diameter	Capacity
TSPROLL300	230mm	50mm	40kg/ea
TSPROLL450	380mm	50mm	30kg/ea
TSPROLL600	530mm	50mm	20kg/ea

Conveyor Roller - Steel

 Robust design steel material for high strength and loadbearing capacity



SKU	Roller Width	Roller Diameter	Capacity
TSSROLL300	230mm	50mm	120kg/ea
TSSROLL450	380mm	50mm	120kg/ea
TSSROLL600	530mm	50mm	120kg/ea

rollma Sta

Conveyor Frame -Blue Mild Steel

- Strong mild steel frame with a durable royal blue powder-coated finish
- Interlocking sections make for greater flexibility for additions and subtractions of further lengths



>	Rigid support stands for use with gravity conveyors
>	Adjustable height for flexible setup and alignment
>	Recommended to be securely fixed for safe operation

Blue Mild Steel

Adjustable Stands -



SKU	Width	Min. Height	Max. Height
TSFTC300	300mm	720mm	1100mm
TSFTC450	450mm	720mm	1100mm
TSFTC600	600mm	720mm	1100mm

SKU	Dimensions (W x L)	Pitch
TSFRAME300	300 x 3000mm	75mm (min)
TSFRAME450	450 x 3000mm	75mm (min)
TSFRAME600	600 x 3000mm	75mm (min)

rollma Sta





Conveyor System Completed

- > Rollmasta Gravity Conveyors offer DIY flexibility to suit your specific handling needs
- > Available pre-packed for easy transport or fully assembled to minimise downtime
- \rightarrow Optional accessories like castors, hook bars, and more help optimise product flow in production or despatch areas











THE TEAM SYSTEMS 'DIY CONVEYOR SYSTEM'

Team Systems full range of Imported Gravity Conveyors provides the simple solution for moving all types of products in industries such as transport, distribution centres, container unloading & similar.

Roller Conveyors are one of the most common types of conveyors applied in conveying flat bottom type products such as cases, boxes, pallets & trays. These kind of conveyors improve efficiency distribution & line links between different stages of production of your product.

STEP 1



STEP 2



STEP 3



STEP 1:

- Choose type of conveyor rollers
- Choose conveyor roller width
- Choose number of conveyor rollers as needed

STEP 2:

- Choose matching conveyor frame width.
- Choose conveyor frame length as needed

STEP 3:

• Choose matching conveyor stands to suit conveyor frame.

ASSEMBLED CONVEYOR

• 40 Rollers @75mm Pitch.



PVC ROLLERS



STEEL ROLLERS





- > A unique flexible conveyor that expands, contracts, twists, and turns
- > Quick setup with adjustable-height legs and lockable castors
- > Skate wheels or rollers designed for reliable self-tracking
- > Expandable gravity conveyors offer a cost-effective solution
- > Perfect for packaging, transport, and manufacturing lines
- > Proven performer for efficient loading and unloading tasks

Heavy Duty Skate Wheel

SKU	EC450S	EC600S
Length - Extended	3900mm	3900mm
Length - Retracted	1000mm	1000mm
Width	450mm	600mm
Load Capacity	100kg/per metre	100kg/per metre
Castors	125mm	125mm
Height Range	690-1000mm	690-1000mm

Heavy Duty Steel Roller

SKU	EC450R	EC600R
Length - Extended	3900mm	3900mm
Length - Retracted	1450mm	1450mm
Width	450mm	600mm
Load Capacity	130kg/per metre	130kg/per metre
Castors	125mm	125mm
Height Range	690-1000mm	690-1000mm





CFR-A3337

Carton Flow Rail

- > Wide range of gravity-driven flow systems to suit different warehouse sizes and budgets
- > Ideal for picking operations with various carton sizes
- > First-In/First-Out stock presentation ensures proper inventory rotation
- > Separate loading and retrieval aisles improve picker efficiency
- > Compatible with conveyors and other storage solutions for streamlined pick modules and productivity

SKU	Load Capacity	Length
CFR-A3337	70kg/per metre	3m











DH205

Drum Handle

- > Durable construction ensures reliable lifting and control
- > Reduces user strain during repetitive drum handling
- > Reduces strain and risk of spills
- > Fits standard drum sizes for versatile use

Features	DH205
Material	Painted Steel





TSD44

Drum Dolly

- > Strong, durable build with smooth rolling performance
- > Fitted with heavy-duty castors for easy mobility

SKU	TSD44
Capacity	300kg
Suit Drum	205L / 44 Gallon
Deck Height	100mm
Deck Diameter Size	614mm
Wheel Type	4 x 75mm White Nylon Swivel
Suits Steel Drums	Max. 200Litres



- > Three-point arms minimise drum deformation
- > Auto-engages drum rim for secure handling
- > Suits open and closed head drums
- > Lightweight yet robust for easy transport and storage
- > Ideal for warehouses and industrial drum handling tasks

Features	CCK21
Capacity	500kg
Suit Drum	125/210 Litres Plastic and Steel
Overall Size	711 x 711 x 215mm



CAC45

Hydraulic Raptor Drum Loader Trolley

- > Heavy-duty build with 90° legs for deep pallet access
- > Precision hydraulic pump
- > Secure clamp and wheels for
- > Ideal for efficient drum handling in warehouses



SKU	CAC45
Capacity	450kg
Suit Drum	210 Litres Steel
Lift Height	500mm
Lift Per Stroke	11.6mm



CAG36

Hydraulic Drum Loader Trolley

- > Heavy-duty frame for stable drum handling and oil can transport
- > 3-position hydraulic lift control
- > Secure hoop reduces spills and tipping
- > Minimises strain and boosts efficiency

SKU	CAG36
Capacity	365kg / 800ibs
Suit Drum	205L / 44 Gallon Drums
Lift Height Range	270 - 390mm
Radius of Arm	290mm
Overall Size L x W	1022 x 722mm



NBF35

Drum Barrel Tilter Tipper Trolley

- > Handles steel drums without the need for adjustment or attachment changes
- > Screw-operated rim clamp for simple lifting and transport
- > Hydraulic foot pump raises the drum easily
- > Allows 180° rotation for controlled pouring or positioning

SKU	NBF35
Capacity	350kg
Suit Drum	Max. 200 Litres Steel
Lift Height	1425mm
Dimensions	1190 x 890 x 2020mm
Rotation	180°



64



ZG350

Drum Puller Lifter Clamp

- > Designed for lifting 210L horizontal drums up to 350kg
- > Heavy-duty build ensures durability in industrial use
- > Ergonomic and easy to operate with secure locking clamp
- > Prevents slips during transport for enhanced safety
- > Ideal for warehouses, factories, and drum handling tasks
- > Lightweight and compact for easy storage and mobility

SKU	Capacity	Suit Drum	Weight
ZG350	350kg	210 Litres	6kg







CBD454HD

Drum Truck Trolley - Drum Mover

- > Single-person drum trolley/lifter with 200mm rubber wheels
- > Safety beak securely grips drum lip for safe handling
- > Handles both steel and plastic drums with ease
- > Built for tough industrial applications and heavy use

SKU	Capacity	Suit Drum	Weight
CBD454HD	450kg	210 Litres	23kg





NF10

Tilting Drum Stand

- > 170kg capacity for efficient drum handling
- $\,>\,$ Self-loading design allows one-person operation without direct contact
- > Nylon castor wheels ensure smooth movement and easy positioning
- > Retractable handles and non-slip plastic grips for safe, easy transport

SKU	Capacity	Suit Drum	Weight
NF10	170kg	210 Litres	6kg









DTB1

Drum Trolley

- > Ideal for safely transporting drums
- > Drum can be stored in horizontal or vertical position
- > Spill capacity exceeds Australian Standard for portable units
- > Fitted drain plug allows emptying of containment area
- > Heavy duty castors and towing handle for effortless movement

SKU	DTB1
Working Load Limit (WLL)	1000kg
Suit Drum	205 Litre
No. of Drums	1
Spill Capacity	230 Litre
Dimensions	1245 x 730 x 510mm
Height incl. Handle	1250mm
Unit Weight	50kg





DLM50

Drum Lifter

- > Automatically clamps a 205L drum without leaving seat
- > Load-tightening arms lock under drum's rolling hoop when raised
- > Heavier loads increase clamping force for secure handling
- > Release by lowering drum and reversing the forklift
- > Durable zinc finish for corrosion resistance

SKU	DLM50
Working Load Limit (WLL)	500kg
Suit Drum	205 Litre Steel
Load Centre	1340mm
Fork Pocket Size	185 x 65mm
Fork Pocket Centres	300mm
Unit Weight	65kg





BGN-1

Single Drum Lifter

- > Unique beak design delivers high clamping force for secure drum grip
- > Handles one 205L steel (and select plastic) drums without adjustment
- > Forklift operator can safely place drum without leaving seat
- > Low-profile drum rest protects drums and their labels from damage
- > Few moving parts minimises maintenance
- > Durable zinc finish for corrosion resistance

SKU	BGN-1
Working Load Limit (WLL)	1000kg
Suit Drum	205 Litre Steel / Plastic
Load Centre	1210mm
Fork Pocket Size	185 x 60mm
Fork Pocket Centres	250mm
Unit Weight	72kg





BGN-2

Double Drum Lifter

- > Unique beak design delivers high clamping force for secure drum grip
- $\,\succ\,$ Handles one or two 205L steel (and select plastic) drums side by side
- > Safe, precise placement from the forklift seat with excellent visibility
- > Low-profile drum rest protects drums and their labels from damage
- > Few moving parts minimises maintenance
- > Durable zinc finish for corrosion resistance

SKU	BGN-2
Working Load Limit (WLL)	1500kg
Suit Drum	205 Litre Steel / Plastic
Load Centre	1250mm
Fork Pocket Size	185 x 60mm
Fork Pocket Centres	600mm
Unit Weight	95kg





DST01

Single Drum Rack

- > Securely stores a single drum with full spill containment
- > Fitted drain plug for quick emptying of the containment tray
- > Spill capacity exceeds Australian standards for portable units
- > Drum rack and spill bin supplied flat-packed for on-site assembly
- > Simple bolt-together design for quick installation
- > Durable zinc-plated finish for corrosion resistance

DST01
300kg
205 Litre
1
250 Litre
1210 x 610 x 750mm
1285mm
80kg





DST02

Double Drum Rack

- > Securely stores one or two drums with full spill containment
- > Fitted drain plug for quick emptying of the containment tray
- > Spill capacity exceeds Australian standards for portable units
- > Drum rack and spill bin supplied flat-packed for on-site assembly
- > Simple bolt-together design for quick installation
- > Durable zinc-plated finish for corrosion resistance

SKU	DST02
Working Load Limit (WLL)	600kg
Suit Drum	205 Litre
No. of Drums	2
Spill Capacity	245 Litre
Dimensions	1210 x 1210 x 570mm
Height incl. Handle	1115mm
Unit Weight	95kg







DSF01

Single Drum Rack

- > Securely stores a single drum
- > Stackable: 3 high empty, 2 high when loaded
- > Pair with SL2 Spill Bin for full spill protection
- > Zinc-plated finish for corrosion resistance

SKU	DSF01
Working Load Limit (WLL)	300kg per Unit
Suit Drum	205 Litre
No. of Drums	1
Dimensions	825 x 765 x 895mm
Height incl. 205L Drum	1195mm
Unit Weight	35kg



DSF02

Double Drum Rack

- > Securely stores one or two drums
- > Stackable: 3 high empty, 2 high when loaded
- > Pair with SLR4 Spill Bin for full spill protection
- > Zinc-plated finish for corrosion resistance

SKU	DSF02
Working Load Limit (WLL)	600kg per Unit
Suit Drum	205 Litre
No. of Drums	2
Dimensions	1425 x 765 x 895mm
Height incl. 205L Drum	1205mm
Fork Stirrup Size	160 x 65mm
Fork Stirrup Centres	664mm
Unit Weight	45kg





DER40H

Drum Rotator

- > Empties a drum with minimal effort
- > Hand wheel operation suits drum rotation at chest height
- > Large worm-drive gearbox locks drum in position when handle stops
- > Belly strap & eccentric lock secures drum in position
- > Slip-on forklift attachment for quick hookup
- > Durable zinc-plated finish for corrosion resistance

SKU	DER40H
Working Load Limit (WLL)	400kg
Suit Drum	205 Litre Steel
Load Centre	940mm
Rotation	360°
Fork Pocket Size	185 x 60mm
Fork Pocket Centres	840mm
Unit Weight	92kg





TEEMSYSTEMS

DRU50

Drum Dumper

- > Ideal for dumping waste and scrap materials
- > Belly strap & eccentric lock secures drum in position
- > Driver-activated pull cord allows safe, remote tipping
- > Allows 180° drum rotation for efficient emptying
- > Slip-on forklift attachment for quick and easy connection
- > Durable enamel paint finish for long-lasting protection

DRU50
500kg
205 Litre Steel
950mm
180°
185 x 60mm
840mm
85kg





FJCS25

Telescopic Jib (Short) 2.5T

- > Short-reach jib for confined-space lifting and maintenance
- > 1.96m reach fully extended; 1.3m retracted
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

FJCS25
2500kg
2500kg
1200kg
900kg
750kg
185 x 65mm
275mm
100kg



FJCS50

Telescopic Jib (Short) 4.75T

- > Short-reach jib for confined-space lifting and maintenance
- > 1.96m reach fully extended; 1.3m retracted
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

SKU	FJCS50
Working Load Limit (WLL)	4750kg
Extension Length 780mm - WLL	4750kg
Extension Length 1200mm - WLL	2400kg
Extension Length 1580mm - WLL	1800kg
Extension Length 1960mm - WLL	1500kg
Fork Pocket Size	185 x 75mm
Fork Pocket Centres	275mm
Unit Weight	130kg





FJCL25

Telescopic Jib (Long) 2.5T

- > Long-reach jib suits most lifting and maintenance
- > 3.5m reach fully extended; 2.1m retracted for tight areas
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

SKU	FJCL25
Working Load Limit (WLL)	2500kg
Extension Length 950mm - WLL	2500kg
Extension Length 1410mm - WLL	2500kg
Extension Length 1870mm - WLL	1900kg
Extension Length 2000mm - WLL	1650kg
Extension Length 2380mm - WLL	1250kg
Extension Length 2760mm - WLL	650kg
Extension Length 3140mm - WLL	380kg
Extension Length 3520mm - WLL	240kg
Fork Pocket Size	185 x 65mm
Fork Pocket Centres	275mm
Unit Weight	135kg





FJCL50

Telescopic Jib (Long) 4.75T

- > Long-reach jib suits most lifting and maintenance
- > 3.5m reach fully extended; 2.1m retracted
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

SKU	FJCL50
Working Load Limit (WLL)	4750kg
Extension Length 935mm - WLL	4750kg
Extension Length 1395mm - WLL	4275kg
Extension Length 1855mm - WLL	3800kg
Extension Length 2000mm - WLL	3300kg
Extension Length 2380mm - WLL	2500kg
Extension Length 2760mm - WLL	1300kg
Extension Length 3140mm - WLL	760kg
Extension Length 3520mm - WLL	480kg
Fork Pocket Size	185 x 75mm
Fork Pocket Centres	275mm
Unit Weight	170kg





SFJCS100

Telescopic Jib (Short) 10T

- $\ \, \hbox{$\rightarrow$ Short-reach jib suits confined-space lifting and maintenance of larger forklifts} \\$
- > 2.0m reach extended; 1.39m retracted
- > Wide fork pockets accommodate hydraulic tine positioners
- $\,\,$ Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

SKU	FJCS25
Working Load Limit (WLL)	10,000kg
Extension Length 930mm - WLL	10,000kg
Extension Length 1245mm - WLL	4800kg
Extension Length 1625mm - WLL	3600kg
Extension Length 2005mm - WLL	3000kg
Fork Pocket Size	230 x 110mm
Fork Pocket Centres	875mm
Unit Weight	400kg





SFJCL100

Telescopic Jib (Long) 10T

- > Long-reach jib suits most lifting and maintenance of larger forklifts
- > 3.56m reach fully extended; 2.19m retracted
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

SKU	SFJCL100
Working Load Limit (WLL)	10,000kg
Extension Length 920mm - WLL	10,000kg
Extension Length 1380mm - WLL	8550kg
Extension Length 1805mm - WLL	7600kg
Extension Length 2045mm - WLL	6600kg
Extension Length 2425mm - WLL	5000kg
Extension Length 2805mm - WLL	2600kg
Extension Length 3185mm - WLL	1520kg
Extension Length 3565mm - WLL	960kg
Fork Pocket Size	230 x 110mm
Fork Pocket Centres	875mm
Unit Weight	515kg







Tiltable Telescopic Jib (Short) 2.5T

- $\, \rightarrow \,$ Short reach jib with tilt facility to compensate lost hook and sling length
- > Three tilt angles up to 1.4m allowing extra lift height
- > 2.02m reach extended; 1.35m retracted for confined-space
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

Working Load Limit		Extension Length - W.L.L Fork Pocket						llmit Waimht
(W.L.L)	825mm	1125mm	1260mm	1640mm	2020mm	Size	Centre	Unit Weight
2500kg	2500kg	1800kg	1200kg	900kg	750kg	185 x 65mm	362mm	130kg





Tiltable Telescopic Jib (Long) 2.5T

- > Long-reach jib with tilt facility to compensate lost hook and sling length
- > Three tilt angles up to 2.48m allowing extra lift height
- > 3.58m reach fully extended; 2.15m retracted
- > Supplied with safety swivel hook and shackle
- $\,\,$ Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

Working Load Limit	Extension Length - W.L.L							Fork Pocket		Unit	
(W.L.L)	1005mm	1465mm	1925mm	2060mm	2440mm	2820mm	3200mm	3580mm	Size	Centre	Weight
2500kg	2500kg	2500kg	1900kg	1650kg	1250kg	650kg	380kg	240kg	185 x 65mm	362mm	180kg



TJCL50

Tiltable Telescopic Jib (Long) 4.75T

- > Long-reach jib with tilt facility to compensate lost hook and sling length
- > 3 tilt angles provide up to 2.4m allowing extra lift height
- > 3.59m reach fully extended; 2.16m retracted
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for fast connection
- > Durable zinc-plated finish for corrosion resistance

Working	Extension Length - W.L.L								Fork Po	ocket	Unit
Load Limit	1000mm	1460mm	1920mm	2070mm	2450mm	2830mm	3210mm	3590mm	Size	Centre	Weight
4750kg	4750kg	4275kg	3800kg	3300kg	2500kg	1300kg	760kg	480kg	185 x 75mm	370mm	240kg





70





Hook Point Jib

- > Simple slip-on jib with dual hook points for basic lifting applications
- > 2 fixed hook positions for general-purpose handling
- > Supplied with safety swivel hook and shackle
- > Slip-on fork attachment with safety chain for quick connection
- > Durable zinc-plated finish for corrosion resistance

SKU	Working Load Limit (W.L.L)	Hook Centres 1/2	Dimensions L x W	Fork Pocket Size	Fork Pocket Centres	Finish	Unit Weight
FSJ200	2000kg	500 / 1000mm	1040 x 400mm	140 x 65mm	250mm	Zinc	37kg
FSJ470	4700kg	600 / 1200mm	1250 x 1000mm	185 x 75mm	800mm	Paint	115kg
FSJ1200	12,000kg	600 / 1200mm	1300 x 1100mm	230 x 110mm	850mm	Paint	275kg





Slip-on Roll Prong

- > Slip-on roll prong for efficient handling of fabric, cable and coil products
- > Suits high-capacity forklifts due to extended load centre
- > Quick and easy to mount on standard forklift tines
- > Fitted with safety chain to prevent accidental disengagement
- > Constructed from high-tensile steel for heavy-duty use
- > Durable enamel paint finish for lasting protection


NOTE:

- Custom prong lengths available on request.
- The prong length should be approximately 75% of the roll length. The Working Load Limit (WLL) has been calculated at the centre of the prong. If the product being lifted exceeds the length of the prong, please contact us for more details.

SKU	Working Load Limit (W.L.L) @ Load Centre	Prong Diameter	Prong Length	Lost Load	Unit Weight
RPS-2N-40-1200	200kg @ 600mm	40mm	1200mm	1040mm	91kg
RPS-2N-50-1800	250kg @ 900mm	50mm	1800mm	1040mm	106kg
RPS-2N-60-2800	340kg @ 1400mm	60mm	2800mm	1040mm	141kg
RPS-2N-70-2800	510kg @ 1400mm	70mm	2800mm	1040mm	163kg
RPS-2N-80-2800	850kg @ 1400mm	80mm	2800mm	1040mm	194kg
RPS-3N-100-2800	1700kg @ 1400mm	100mm	2800mm	1040mm	328kg



MATEX



Fork Hook

NK25

- > Attaching equipment may alter forklift's operating characteristics
- > Always check de-rated capacity when using attachments
- > Australian designed and made for standard forklifts
- > Get updated rating plate from your forklift dealer or manufacturer

	SKU	Capacity	Maximum Fork Section	Net Weight
1	NK25	2500kg	160 x 160mm	25kg

MATEX



- > Ideal for lifting long loads or oversized pallets with a forklift
- > Fits fork tines up to 50 mm thick for broad compatibility
- > Must not exceed 150% of fork length for safe operation
- > Steel retaining strap prevents extension slippage during use
- > Robust steel construction for reliable load handling

NOTE: Specials made to order to suit most size fork lifts.

SKU	Class	Fork Length	Fork Width Fit	Weight/Pair
TSFT5	2	1016 - 1524mm	127mm	49kg
TSFT6	3	1220 - 1830mm	152mm	63kg
6XX15	2	1630 - 2440mm	127mm	73kg



Fork Extension Slippers

- > Slimline fork extensions for added reach and load versatility
- > Designed and manufactured in accordance with AS 2359.15
- > Supplied with toggle locking pins for secure attachment
- > Includes load rating plate for safety compliance
- > Available in capacities up to 16 tonnes
- > Durable zinc-plated finish for corrosion resistance

NOTE:

- Fork tines must be measured to ensure correct fit.
- The FE1 range suits a maximum 100x45mm fork size.
- For fork sizes above this (even if you have a 2.5T forklift), you must order the next size up.
- Example: a 2.5T forklift fitted with 125x45mm fork size suits the FE2 range.
- Slippers used for general usage should be no longer than 167% of the supporting tine length.
- If the slippers are longer than 167%, then the usage of those slippers shall be restricted to their specified application.



SKU	Working Load Limit (W.L.L)	Load Centre	Length	Maximum Tine Size	Minimum Tine Size	HCG	Weight/Pair
FE1-16	2500kg	500mm	1600mm	100 x 45mm	960mm	694mm	42kg
FE1-18	2500kg	500mm	1780mm	100 x 45mm	1068mm	783mm	46kg
FE1-20	2500kg	500mm	2000mm	100 x 45mm	1200mm	893mm	52kg
FE1-24	2500kg	500mm	2400mm	100 x 45mm	1440mm	1092mm	61kg
FE2-16	4000kg	500mm	1600mm	130 x 50mm	960mm	733mm	60kg
FE2-18	4000kg	500mm	1780mm	130 x 50mm	1068mm	833mm	66kg
FE2-20	4000kg	500mm	2000mm	130 x 50mm	1200mm	915mm	74kg
FE2-24	4000kg	500mm	2400mm	130 x 50mm	1440mm	1132mm	88kg
FE3-18	5000kg	500mm	1780mm	155 x 55mm	1068mm	809mm	77kg
FE3-20	5000kg	500mm	2000mm	155 x 55mm	1200mm	919mm	86kg
FE3-24	5000kg	500mm	2400mm	155 x 55mm	1440mm	1118mm	102kg
FE3-30	5000kg	500mm	3000mm	155 x 55mm	1800mm	1418mm	126kg
FE4-18	8000kg	600mm	1780mm	160 x 65mm	1068mm	836mm	133kg
FE4-20	8000kg	600mm	2000mm	160 x 65mm	1200mm	922mm	148kg
FE4-24	8000kg	600mm	2400mm	160 x 65mm	1440mm	1136mm	177kg
FE4-30	8000kg	600mm	3000mm	160 x 65mm	1800mm	1436mm	221kg

72





CR7E

Floor Container Ramp

- > Fixed-height ramp designed for bridging into standard containers from ground level
- > 1600 mm lip for smooth, stable container access
- > Purpose-built for ground-to-container loading operations
- > Robust construction for reliable, long-term use in warehouse and yard settings

SKU	Size	Width	Load Capacity	Unit Weight
CR7E	1260mm	2200mm	7000kg	330kg





FCR65 / FCR65RR

Forklift Container Ramp 6.5T

- > Economic ramp solution for safe container loading and unloading
- > FCR65RR models suits use with a refrigerated container only
- > Flip-up fork pockets for easy and secure transport
- > Safety chains provide stable container connection during use
- > Reinforced underside construction reduces steel fatigue
- > Tough enamel paint finish for long-lasting durability

SKU	Work Load Limit (W.L.L)	Height Ground to Lip	Dimension (L x W)	Fork Pocket Size	Fork Pocket Centres	Unit Weight
FCR65	6500kg	145mm	1542 x 2000mm	160 x 60mm	740mm	180kg
FCR65RR	6500kg	221mm	1800 x 2160mm	185 x 85mm	794mm	305kg





CRN8 / CRN8RE

Forklift Container Ramp 8T

- > Heavy-duty ramp for bridging into standard containers from ground level
- > 2.0m ramp length for smooth and efficient pallet handling
- > Self-levelling lip maintains full load capacity on uneven surfaces
- $\,\succ\,$ Fold-up ramp footing allows access to fork pockets for transport and placement
- > Safety chains provide secure container connection during use
- > Reinforced underside prevents steel fatigue over time
- > Optional Reefer Ramp Extension (CRN8RE) for refrigerated container access
- > Durable enamel paint finish for lasting protection













ASD20

Steel Cargo Bar

- > Heavy-duty 38mm square steel tubing
- > Two-piece adjustable design for variable load widths
- > High-visibility orange finish makes the bar easy to spot in dim or crowded areas
- > Mechanical ratchet operation prevents slippage and vibration
- > Articulating rubber foot pads grip securely and protect surfaces
- > Ideal for securing cargo in utes, vans, trucks, and trailers

SKU	Size	Range	Construction	Material
ASD20	38mm	2200 - 2920mm	Square Tube	Steel





USG12

Safety Swing Gate

- > Provides controlled access to hazardous areas such as machinery zones and vehicle crossings
- > Includes "Authorised Personnel Only" sign for added site safety
- > Compatible with ball fence systems and optional mounting post
- > Durable zinc-plated finish with quick clamp plate installation
- > Self-closing design with stainless steel spring hinges and built-in gate stop
- > Adjustable to suit 830–1280mm wide openings, fits left or right inward openings

SKU	Minimum Opening	Maximum Opening	Dimensions (excl. Clamp Plate)	Finish	Unit Weight
USG12	830mm	1280mm	840 x 40 x 440mm	Zinc	8kg



UMZ18

Mezzanine Safety Gate

- > Provides safe, controlled pallet transfer between mezzanine levels and ground floor
- \rightarrow Tilting gate design protects workers and prevents falls during loading and access
- > Suits a single pallet up to 1.7m high
- > Smooth tilt assisted by protected gas struts
- > Bumper rails guide pallet placement; lock-off and safety chain included
- > Robust design built to Australian Standards and OHS guidelines
- > Supplied flat pack in safety yellow enamel finish for high visibility

SK	(U	Inside Clearance	Pallet Height	Dimensions	Gate Working Envelope	Finish	Unit Weight
UMZ	Z18	1800(W) x 1600(D)mm	Up to 1700mm	2200 (W) x 2050(h)mm	2400(D)mm	Enamel Paint	235kg





NWB-T1

Single Wheelie Bin Tipper

- > Designed to lift, transport and empty 240L wheelie bins by forklift
- \rightarrow Allows 180° rotation with tipping action operated from the driver's seat
- > Integrated ramp for easy bin loading into the cradle
- > Optional configuration available for 120L plastic bins
- > Slip-on fork attachment with safety chain
- > Durable zinc finish, suitable for manufacturing and general industry use

SKU	Work Load Limit (W.L.L)	Load Centre	Tipping Angle	Fork Pocket Size	Fork Pocket Centres	Unit Weight
NWB-T1	500kg	1200mm	180°	185 x 75mm	310mm	100kg







NWB-T2

Double Wheelie Bin Tipper

- > Designed to lift, transport and empty one or two 240L wheelie bins by forklift
- $\,\,$ Allows 180° rotation with tipping action operated from the driver's seat
- \rightarrow Integrated ramp for easy bin loading into the cradle
- > Optional configuration available for 120L plastic bins
- > Slip-on fork attachment with safety chain
- > Durable zinc finish, suitable for manufacturing and general industry use

SKU	Work Load Limit (W.L.L)	Load Centre	Tipping Angle	Fork Pocket Size	Fork Pocket Centres	Unit Weight
NWB-T2	1000kg	1200mm	180°	185 x 75mm	310mm	150kg





W660RB Extra Rotator Base



W660PRB

W660B / W660PRB

Wheelie Bin with Rotator Base

- > Heavy-duty 660L wheelie bins for high-volume waste and recycling applications
- > W660PRB includes zinc-finished rotator base with fork pockets for tipping by a forklift with rotator fitted
- > Smooth inner walls for easy emptying and cleaning
- > Fits through a standard doorway, ideal for site or workplace clean-up
- > Fitted with 4 swivel wheels (2 with brakes) and large side handles for easy manoeuvrability
- > Durable HDPE construction; resistant to impact, acids, alkalis and corrosion

SKU	Rotator Base	Capacity	Dimensions	Fork Pocket Size	Fork Pocket Centres	Material	Unit Weight
W660B	NA	660 Litres	1370 x 780 x 1240mm	160 x 60mm	365mm	HDPE	42kg
W660PRB	Yes	660 Litres	1370 x 780 x 1246mm	160 x 60mm	365mm	HDPE	60kg















Bulk Bag Hopper

- > Slide valve allows easy, controlled material flow during filling or discharge
- > Compatible with SKX100 Bulk Bag Frame for efficient loading and unloading
- > Stacks 3 high when empty, 2 high when full, with easy placement via stacking feet
- > Designed for storing and dispensing bulk materials like aggregate, sand, gravel or grain
- > Durable zinc finish, suitable for manufacturing and general industry use

SKU	Work Load Limit (W.L.L)	Capacity	Hopper Opening	Width	Depth	Height	Unit Weight
SKH100	1000kg	0.25cu.m	300 x 300mm	1180mm	1180mm	740mm	72kg
SKH200	1000kg	1.0cu.m	300 x 300mm	1180mm	1180mm	1490mm	165kg









TGC2 / TGC4

Gas Cylinder Trolley

- > Designed to carry one size 'G' Oxygen and one size 'G' Acetylene gas cylinder
- \rightarrow Fork pockets and crane lifting chain sling provided for ease of transport by forklift or crane
- > Manually wheeled via push handles and 400mm diameter pneumatic tyres
- > Loadbinder allows cylinders to be securely fastened in position
- > Durable enamel paint finish for lasting protection

SKU	Work Load Limit (W.L.L)	Fork Pocket Size	Fork Pocket Centres	Unit Weight
TGC2	250kg	160 x 45mm	480mm	55kg
TGC4	500kg	150 x 85mm	810mm	115kg





Boot Cleaning Brush & Grate

- > 3 brushes and metal grate remove mud, grass and built-up debris
- > Prevents dirt entering offices, lunch rooms or new buildings
- > Heavy-duty steel construction with enamel finish
- > Ideal for mining, construction, agriculture and more

SKU	Occupants	Handles	Dimensions	Unit Weight
SWG1	1 Person	NA	590 x 490 x 360mm	15kg
SWG1H	1 Person	Yes	590 x 490 x 1000mm	19kg
SWG2	2 Persons	NA	1090 x 490 x 360mm	22kg
SWG2H	2 Persons	Yes	1090 x 490 x 1000mm	26kg





Boot Cleaning Station

- > 3-in-1 boot cleaner with grate, scrubbing brushes and spray hose
- > Optional model includes lower jet sprays for hands-free wash
- > Connects easily via snap hose fitting with drain outlet for wastewater
- > Heavy-duty steel construction

SKU	Occupants	Jet Spray	Dimensions	Unit Weight
SWS1	1 Person	NA	700 x 500 x 1080mm	71kg
SWS1H	1 Person	Yes	700 x 500 x 1080mm	72kg
SWS2	2 Persons	NA	1200 x 500 x 1080mm	99kg
SWS2H	2 Persons	Yes	1200 x 500 x 1080mm	100kg



76

MONSTAR PRO



Industrial Giant Fan for High-Volume Airflow in Busy Environments

The MONSTAR PRO industrial fan is built for powerful air circulation and easy mobility across large spaces. Ideal for factories, warehouses, gymnasiums, shopping centres, animal enclosures, and construction zones.

- > Large diameter provides an expansive airflow, ensuring effective circulation in large areas like warehouses, factories, and workshops.
- > 240V 50-60Hz voltage compatibility, making it suitable for use in a wide range of industrial and commercial settings.
- > Powered by a permanent magnet motor, offering reliable, efficient performance with reduced energy consumption.
- > Built with high-strength PP construction, ensuring durability and resistance to impact, ideal for tough environments.
- > Heavy weight ensures stability during operation while still allowing for portability with castors for easy movement.










Castors with Brakes





Handle to Transport

Wider Blade



Industrial Fan on Castors

SKU	MONFAN125
Motor Type	Permanent Magnet
Motor Power	600W
Voltage Frequency	240V/50hz
Blade Diameter	1.25m (48inch)
Maximum Speed	480r/min
Air Volume	630m³/min
Air Supply Distance	35-40m
Overall Dimension L x W x H	1500 x 790 x 1680m
Construction	High Strength PP construction
Net Weight	58kg

TEEMSYSTEMS

MATEX





JL750

Manual Floor Sweeper with Adjustable Handle

- Designed for efficient cleaning of large floor areas, the manual floor sweeper is perfect for industrial, commercial, and outdoor environments, such as streets, communities, parks, squares, factories, and construction sites
- The hand-pushed unpowered double-brush sweeper utilizes a unique spiral reversing transmission technology, providing superior performance for bulk garbage collection
- > Features two front brushes rotating in opposite directions, working in sync with a parallel shovel close to the ground to easily collect debris and garbage into the trash can

SKU	JL920
Working Surface Area	750mm
Maximum Work Efficiency	2350m²/h
Trash Bin Volume	50L
Overall Machine Weight	11.2kg
Overall Dimensions	1000(L)x750(W)x830(H)mm
Net Weight	14.8kg







JL920

Manual Floor Sweeper with Foldable Handle and Roller Brush

- > Designed for efficient, quiet cleaning in warehouses, factories, parks, streets and more
- > 920mm wide sweeping path with roller and dual side brushes for high coverage and speed
- > Corner pressure device allows easy debris collection in tight corners and edges
- > Large-capacity bin with dust-control skylight reduces emptying frequency and minimises airborne dust
- > Spiral reversing transmission boosts sweeping power for bulk waste and fine dust
- > Lightweight, ergonomic design with durable wheels and low-maintenance components

JL920
920mm
3680m²/h
40L
23kg
1250(L)x920(W)x1050(H)mm
27kg





ORBIT1000

Stretch Wrap Machine

- > Designed for economy, efficiency and safe operation
- > These stretch wrapping machines will give you all of the features you need to wrap pallet loads quickly and efficiently
- Dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) stretch wrapping
- > Easy film threading and quick loading process, minimizing setup time and improving operational efficiency
- > Electronic screen with 'Soft Touch' control for intuitive and user-friendly operation
- > Forklift relocation slots for easy movement of the machine within the warehouse

SKU	Capacity	Wrap Height	Max Pallet Size	Stretch Film Size	Low Profile Turntable	Speed	Power Voltage	Unit Weight
ORBIT1000	2000kg	2200mm	1200 x 1200mm	500mm	80 - 1520mm	10RPM	240V Single Phase	450kg





OR-2000

Powered Pre-Stretch Wrap Machine

- > Designed for economy, efficiency and safe operation
- This stretch wrapping machine will give you all of the features you need to wrap pallet loads quickly and efficiently
- Dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) stretch wrapping
- > Easy film threading and quick loading process, minimizing setup time and improving operational efficiency
- > Electronic screen with 'Soft Touch' control for intuitive and user-friendly operation
- > Forklift relocation slots for easy movement of the machine within the warehouse

SKU	Capacity	Wrap Height	Max Pallet Size	Stretch Film Size	Turntable Diameter	Speed	Power Voltage	Unit Weight
OR-2000	2000kg	2500mm	1200 x 1200mm	500mm	1520mm	10RPM	240V Single Phase	450kg



OR-100MW

Mobile Stretch Wrapping Machine

- > Mobile mechanical friction brake pallet wrapper, and is simple and easy to use
- This machine can dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) stretch wrapping
- The first machine for wrapping palletized loads of any shape and weight with wrap film without the use of electrical parts
- > Easy to manoeuvre and move around inside the warehouse
- Capable of wrapping palletized loads of any shape and weight using wrap film, making it versatile and reliable
- Features a mechanical brake film carriage for precise film tensioning, providing secure and consistent wraps





Orbitwrap



Orbitwrap

OR-700M

Semi-Auto Mobile Stretch Wrapping Machine

- > Designed for economy, efficiency and safe operation
- > These stretch wrapping machines will give you all of the features you need to wrap pallet loads quickly and efficiently
- Dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) stretch wrapping
- > Easy film threading and quick loading process, minimizing setup time and improving operational efficiency
- > Electronic screen with 'Soft Touch' control for intuitive and user-friendly operation
- > Forklift relocation slots for easy movement of the machine within the warehouse

SKU	Programs	ograms Pallet Size Power Supply		Net Weight
OR-700MW	6 + 1	Min > 600mm x 600mm > Unlimited	230V Single Phase	325kg



TMS-300

Semi-Auto Closed Frame Strapping Machine

- > Designed for general purpose and can meet your various applications
- > Compact and lightweight, making it easy to transport and install in small spaces
- Powered by a single motor, ensuring stable operation even during voltage fluctuations
- > Easy adjustment allows the use of any strap up to 15.5mm wide by loosening just four screws $\,$
- Designed to eliminate strap damage, with a feed system that prevents splitting, bending, or scratching
- Suitable for bundling irregularly shaped objects like pipes, thanks to its small slide table width

SKU	Dimensions	Max Tension	Strap Width	Strapping Speed	Power Supply	Net Weight
TMS-300	910 x 582 x 785mm	45kg	6mm / 9mm / 12mm / 15.5mm	2.5 Sec/Strap	AC230V(50Hz) Single Phase	100kg



TRS-600

Automatic Strapping Machine

- > Economical cost effective automatic strapping machine for 12mm PP strap
- With proven quality and competitive price, it is the most cost effective solution for wide strap in general purpose applications
- Featuring a rugged steel construction which is designed for round-the-clock operation, is extremely durable and reliable
- Proven quality and competitive pricing make it the most cost-effective solution for general-purpose applications with wide strap
- Built with rugged steel construction, designed for round-the-clock operation, ensuring durability and reliability
- $\,>\,$ Suitable for a wide range of industries, logistics, distribution, and manufacturing

SKU	Arch Size	Strap Tension	Strap Thickness	Strap Width	Strapping Speed	Power Supply	Net Weight
TRS-600	850 x 600mm	10 - 70kg	0.55 - 0.75mm	12mm	2.22 Sec/Strap	AC220V(50Hz) Single Phase	220kg









Mini Lever Blocks

- > Grade 100 chain
- > Super compact and lightweight
- > AS1418.2 compliant

SKU	W.L.L	Chain Length	Unit Weight
CTMLB25	250kg	1.5m	1.5kg
CTMLB50	250kg	1.5m	2.5kg
CTMLB75	750kg	1.5m	3.4kg
CTMLB150	1500kg	1.5m	6.3kg



Heavy-duty Lever Blocks

- > Grade 100 chain
- > Powder-coated
- > AS1418.2 compliant

Chain Length	Unit Weigh

SKU	W.L.L	Chain Length	Unit Weight
CTLB80D	800kg	1.5m	5.7kg
CTLB160	1600kg	1.5m	8.0kg
CTLB163	1600kg	3.0m	9.6kg
CTLB320	3200kg	1.5m	13.6kg
CTLB323	3200kg	3.0m	17.0kg



Lever Blocks

- > All quality components
- > Power-coated
- > AS1418.2 compliant

SKU	W.L.L	Chain Length	Chain Grade	Unit Weight
CTLB25	250kg	1.5m	80	1.9kg
CTLB50	500kg	1.5m	80	2.45kg
CTLB80	800kg	1.5m	80	6.4kg
CTLB100	1000kg	1.5m	100	6.5kg





Chain Blocks

- > All quality components
- > Power-coated
- > AS1418.2 compliant

SKU	W.L.L	Chain Length	Chain Grade	Unit Weight
CTCB503	500kg	3m	80	7.8kg
CTCB13	1000kg	3m	80	11.1kg
CTCB16	1000kg	6m	80	16kg
CTCB23	2000kg	3m	80	16.8kg
CTCB26	2000kg	6m	80	24kg
CTCB33	3000kg	3m	80	20lg
CTCB36	3000kg	6m	80	28kg
CTCB53	5000kg	3m	80	40kg









Electric Chain Hoist Single Phase with Emergency Stop Switch

- > Load limiter
- > Emergency stop switch
- > Thermal overload prevention
- > Light weight, compact design with high efficiency motor
- > Pressed steel structure, high strength body
- > High tensile alloy steel top & bottom hooks
- > Grade 80 7.1mm Alloy Steel load chain
- > Limit switches fitted at top and bottom ends to prevent chain run-out
- > 220V, 50Hz Single speed Motor 1200 Watts. (Single Phase)
- > Complies with AS/NZS 1418.2 standard
- > The electric chain hoist offers a long and reliable operation
- \rightarrow Compact structure, light weight, easily operation and attractive appearance
- > Widely used in factories, mines, ports, shopping centres and warehouses



New Configuration:

Load Limiter is installed to prohibit the chain from overload



Chain Protection Box:

 Protects the chain so it can be safely used in poor environments



Hook & Safety Latch:

 Prefect strength hook that is hard to break



Control Switch:

 Light and durable switch with emergency stop button



SKU	W.L.L	Chain Grade	Running Test Load	Standard Length	Lifting Speed	Unit Weight
CEH13	1000kg	80	12.5kN	3m	6m/min	55kg
CEH16	1000kg	80	12.5kN	6m	6m/min	58kg
CEH23	2000kg	80	25kN	3m	3m/min	62kg
CEH26	2000kg	80	25kN	6m	3m/min	69kg





EDL - Single & Dual Speed Powered Hoist

- > Push button pendant control
- > Suits warehouse, construction, entertainment, engineering and manufacturing industries

SKU	Load Capacity	Standard Lift	Lift Speed	Net Weight		
	Single Speed - Pendant Control Hoist					
EDL10S	100kg	3.0m	13m/min	12kg		
EDL18S	180kg	3.0m	8m/min	12kg		
EDL48S	480kg	3.0m	6.7m/min	21.5kg		
	Dual	Speed - Pendant Con	trol Hoist			
EDL10ST	100kg	3.0m	13m - 3m/min	12.5kg		
EDL18ST	180kg	3.0m	8m - 3m/min	12.5kg		
EDL48ST	480kg	3.0m	6.7m - 2m/min	21.5kg		





KITOPWB

ER - Single & Dual Speed Powered Hoist

- > The Power Hoist offers a robust load capacity, designed for efficient lifting operations.
- > With a precise speed control, it adapts to various lifting tasks.
- > The hoist features an IP55 dust and water jet proof body, ensuring reliable performance even in challenging environments.
- > Engineered for durability, this hoist is suitable for a wide range of applications in mining, warehouses, construction, entertainment, engineering, and manufacturing industries.
- > The compact design enhances maneuverability, making it easy to use in tight spaces.

SKU	Load Capacity	Standard Lift	Lift Speed	Net Weight
	Single	Speed - Pendant Co	ntrol Hoist	
ER2005L-3	500kg	3.0m	3.8m/min	33kg
ER2005L-6	500kg	6.0m	3.8m/min	33kg
ER2005S-3	500kg	3.0m	7.3m/min	37kg
ER2005S-6	500kg	6.0m	7.3m/min	37kg
ER2010L-3	1000kg	3.0m	3.5m/min	47kg
ER2010L-6	1000kg	6,0m	3.5m/min	47kg
	Dual	Speed - Pendant Con	trol Hoist	
ER2005IL-3	500kg	3.0m	0.8m - 4.5m/min	32kg
ER2005IS-3	500kg	3.0m	1.4m - 8.5m/min	36kg
ER2010IL-3	1000kg	3.0m	0.7m - 4.2m/min	45kg
ER2010IS-3	1000kg	3.0m	1.4m - 8.2m/min	52kg
ER2030IS-3	3000kg	3.0m	0.9m - 5.2m/min	105kg
ER2030IS-6	3000kg	6.0m	0.9m - 5.2m/min	105kg





EQ - Dual Speed Powered Hoist with Inverter

- > The EQ Dual Speed Powered Hoist with Inverter is designed for efficient lifting, making it ideal for various applications in industries like construction, manufacturing, and warehousing
- Featuring an adjustable speed inverter, this hoist allows for smooth and precise lifting and lowering, enhancing versatility for different tasks
- Equipped with a push button pendant control and an emergency stop feature, it ensures safe and convenient operation from a distance
- > A counter hour meter provides operational tracking, ensuring efficient maintenance and
- > The hoist is designed with an IP55 dust and water jet proof body, making it suitable for challenging environments while maintaining reliable performance
- With a 40/20% duty rating and a no load, high-speed feature, it is built for continuous use and efficiency
- \rightarrow The standard lift height options of 3m and 6m provide flexibility for various lifting applications.
- Suitable for mining, warehouse, construction, entertainment, engineering, and manufacturing industries, this hoist offers a robust solution for all lifting needs
- > This unit is a 3-phase configuration, with single-phase units available upon request

SKU	Load Capacity	Standard Lift	Lift Speed	Net Weight
Dual Speed - Pendant Control Hoist				
EQ003IS-3	250kg	3.0m	1.7m - 10m/min	30kg
EQ003IS-6	250kg	6.0m	1.7m - 10m/min	32kg
EQ005IS-3	500kg	3.0m	1.3m - 7.6m/min	32kg
EQ005IS-6	500kg	6.0m	1.3m - 7.6m/min	34kg
EQ0010IS-3	1000kg	3.0m	1.2m - 7.1m/min	42kg
EQ0010IS-6	1000kg	6.0m	1.2m - 7.1m/min	46kg







EW - Spring Balancer

- \rightarrow Suitable for hanging tools, parts or welding equipment at work stations & assembly lines
- > Strong lightweight aluminium body
- > Heavy-duty top & bottom hook
- > Tapered drum for exact torque retraction across the full stroke

SKU	Minimum Capacity	Maximum Capacity	Stroke	Weight
EW3	1.0kg	3.0kg	1300mm	1.4kg
EW5	2.5kg	5.0kg	1300mm	1.5kg





EWF - Spring Balancer

- $\,\rightarrow\,$ Suitable for hanging tools, parts or welding equipment at work stations & assembly lines
- > Strong lightweight aluminium body
- > Heavy-duty top & bottom hook
- > Tapered drum for exact torque retraction across the full stroke.

SKU	Minimum Capacity	Maximum Capacity	Stroke	Weight
EWF9	4.5kg	9.0kg	1300mm	3.5kg
EWF15	9.0kg	15kg	1300mm	3.8kg
EWF22	15kg	22kg	1500mm	7.0kg
EWF30	22kg	30kg	1500mm	7.6kg
EWF40	30kg	40kg	1500mm	9.8kg
EWF50	40kg	50kg	1500mm	10.2kg
EWF60	50kg	60kg	1500mm	11.6kg
EWF70	60kg	70kg	1500mm	11.9kg





ELF - Spring Balancer

- \star Suitable for hanging tools, parts or welding equipment at work stations & assembly lines that require a longer stroke
- > Equipped with 2.5m cable, strong lightweight aluminium body and heavy-duty hooks

SKU	Minimum Capacity	Maximum Capacity	Stroke	Weight
ELF3	1.5kg	3.0kg	2500mm	4.1kg
ELF5	3.0kg	5.0kg	2500mm	4.2kg
ELF9	5.0kg	9.0kg	2500mm	4.7kg
ELF15	9.0kg	15kg	2500mm	10kg
ELF22	15kg	22kg	2500mm	10.2kg
ELF30	22kg	30kg	2500mm	11kg
ELF40	30kg	40kg	2500mm	14kg
ELF50	40kg	50kg	2500mm	14.5kg
ELF60	50kg	60kg	2500mm	17kg





FLAT SLING





Flat Sling WLL 1000kg - Violet

SKU	Length
FS11	1mtr
FS12	2mtr
FS13	3mtr
FS14	4mtr
FS17	7mtr

Robust and made at the highest quality. Ideal for all heavy lifting.



Fully Certified



Robust Tags



Super Bright Dense Fabric



Reinforced Eyes

CRANE Synthetic Slings offer total flexibility in lifting loads combining the light weight and great strength of 100% polyester.

Crane Round and Flat Slings are robust and come with a non-tearable safety tag.

Our fabrics are dense and brilliantly coloured for longevity and easy identification.

• Custom flat slings made to order.



SAFETY FACTOR **8** TO **1**



Flat Sling WLL 5000kg - Red

SKU	Length
FS53	3mtr
FS55	5mtr
FS56	6mtr
FS58	8mtr
FS510	10mtr





Flat Sling WLL 2000kg - Green

SKU	Length
FS21	1mtr
FS22	2mtr
FS23	3mtr
FS24	4mtr
FS25	5mtr
FS26	6mtr
FS28	8mtr



Flat Sling WLL 3000kg - Yellow

SKU	Length
FS31	1mtr
FS32	2mtr
FS33	3mtr
FS34	4mtr
FS35	5mtr
FS36	6mtr
FS37	7mtr
FS38	8mtr



Flat Sling WLL 4000kg - Grey

SKU	Length
FS42	2mtr
FS43	3mtr
FS44	4mtr
FS45	5mtr
FS46	6mtr



Flat Sling WLL 6000kg - Brown

SKU	Length
FS63	3mtr
FS64	4mtr
FS66	6mtr



Flat Sling WLL 8000kg - Blue

SKU	Length
FS84	4mtr
FS86	6mtr
FS88	8mtr




Flat Sling WLL 10000kg - Orange


SKU	Length
FS108	8mtr
FS1010	10mtr

86

TRANE ROUND SLING







Robust and made at the highest quality. Ideal for all heavy lifting.



Fully Certified



Robust Tags



Highest Quality



Tag Protection

CRANE Synthetic Slings offer total flexibility in lifting loads combining the light weight and great strength of 100% polyester.

Crane Round and Flat Slings are robust and come with a non-tearable

Our fabrics are dense and brilliantly coloured for longevity and easy identification.

• Custom round slings made to order.





Round Sling WLL 5000kg - Red

SKU	Length
RS52	2mtr
RS53	3mtr
RS54	4mtr
RS55	5mtr
RS56	6mtr
RS58	8mtr
RS510	10mtr





Round Sling WLL 2000kg - Green

SKU	Length
RS21	1mtr
RS22	2mtr
RS23	3mtr
RS24	4mtr
RS25	5mtr
RS26	6mtr
RS28	8mtr



Round Sling WLL 3000kg - Yellow

SKU	Length
RS31	1mtr
RS32	2mtr
RS33	3mtr
RS34	4mtr
RS35	5mtr
RS36	6mtr
RS38	8mtr



Round Sling WLL 4000kg - Grey

SKU	Length
RS41	1mtr
RS42	2mtr
RS43	3mtr
RS44	4mtr
RS45	5mtr
RS46	6mtr
RS48	8mtr



Round Sling WLL 6000kg - Brown

SKU	Length
RS63	3mtr
RS64	4mtr
RS66	6mtr



Round Sling WLL 8000kg - Blue

SKU	Length
RS83	3mtr
RS84	4mtr
RS88	8mtr



Round Sling WLL 10000kg - Orange

SKU	Length
RS102	2mtr
RS104	4mtr





GRANGE Tow Kit

- > For quick easy hitching of safety chains on caravans and trailers
- > Once installed, safety chains simply attach onto the hook

SKU	Size	Towing Capacity
GLTOWKIT6	6mm	2000kg
GLTOWKIT8	8mm	4000kg







Ratchet Tie Down Straps Retractable Quick Release

- > With a built-in safety mechanism for quick strap retraction
- > Two-phase rewind speed provides safe control, with the last metre slowing down to prevent the hook from snapping back
- > Fully certified to AS 4380 standards

SKU	Size	Length	Lashing Capacity
GRQR25S	25mm	3.5m	320kg
GRQR38S	38mm	4m	500kg
GRQR50S	50mm	4.56m	750kg





Ratchet Tie Down

- > Heavy duty ratchet buckle, hook & keeper
- > 2 Grange lift wear sleeves
- > Fully certified AS 4380

SKU	Size	Length	Lashing Capacity
GR275HK	27mm	5m	750kg
GR385HK	385mm	5m	1500kg
GR506HK	50mm	6m	2500kg
GR509HK	50mm	9m	2500kg
GR512HK	50mm	12m	2500kg





Replacement Strap

- > Heavy duty hook & keeper
- > 2 Grange lift wear sleeves
- > Fully certified AS4380

SKU	Size	Length	Lashing Capacity
GRS509	50mm	9m	2500kg
GRS512	50mm	12m	2500kg
GRS7510	75mm	9m	5000kg





SPAC25-310N / SPAC25-310P Replacement Steer Wheel

> Heavy industrial 500kg rated



SPAC25-234N / SPAC25-234P
Replacement Load Roller

> Lightweight, compact, and 750kg rated



SPAC25-232

Replacement Entry Wheel

> Designed for efficiently moving in tight spaces



SP-TF15-17 / SP-TF15-23 **TF15 Replacement Wheel**

- > SP-TF15-17 universal wheel with brake
- > SP-TF15-23 wheel and bearings



SP-TF50-118 / SP-TF50-124 **TF50 Replacement Wheel**

- > SP-TF50-118 universal wheel with brake
- > SP-TF50-124 wheel and 6303 bearings



SP-TF75-126 / SP-TF75-CASTOR **TF75 Replacement Castor**

- > SP-TF75-126 universal wheel
- > SP-TF75-CASTOR castor wheel assembly



SP-TF200-CASTOR **TF200 Replacement Castor**

> Suits replacement for the TF200 castors



SP-PTE15N-BATTERY/ SP-PTE20N-BATTERY Replacement Li-on Battery

- > SP-PTE15N-BATTERY for PTE15N
- > SP-PTE20N-BATTERY for PTE20N



SP-PTE15N-CHARGER / SP-PTE20N-CHARGER

Li-on Battery Charger

 Li-on battery charger for PTE15N and PTE20N Electric Pallet Jacks



SP-EPT15V-BATTERY Replacement Lithium Battery

> 5.5kg lightweight, compact design with 24V/20Ah capacity to suit EPT15V



SP-QPTE20L-BATTERY

Replacement Lithium Battery

> 4.5kg lightweight, compact design with 48V/15Ah capacity to suit QPTE20L




SP-MER35-CABLE / SP-MER50-CABLE Replacement Cable

 Replacement cable for MER35 and MER50 Aerial Work Platform Trolley Duct Lifters

SPARE PARTS

MATEX

Team Systems commitment to its products is supported with a full range of replacement parts.





- Poly on Cast Iron Wheels
- •Nylon Wheels Bearings
- Handles Pumps Springs
- Axles & Frame Rollers
- Safety Valves





- Wheels •Lowering Cables
- Bearings Handles Pumps
- Rollers



SPARE PARTS AVAILABLE FOR:

- PALLET TRUCKS
- SCISSOR LIFT & PLATFORMS
- MANUAL HAND STACKERS & PLATFORM STACKERS
- ELECTRIC STACKERS & POWER PALLET TRUCKS



- Wheels Handles
- Hydraulic Pumps Fork Tyres
- Rollers Foot Brake





- Drive Wheel Drive Motor
- Handles ZAPI Controller
- Lithium Batteries



⚠ SAFETY EQUIPMENT



Road Safety Equip	ment92-93
Safety Bollards	94
Safety Tape	95
Safety and Protec	tion Strips96
Convex Mirrors	97
Spill Kits	98
Spill Containment	Pallet99
Dangerous Goods	Storage99-101
Matting	102-103
Height Safety	104-105
Personal Protection	on Equipment106-111
Miscellaneous Saf	ety Equipment112



Reflective Orange Cone

- > Various heights
- > Reflective orange
- > UV stabilised
- > 900mm cone features a 7kg base with large footprint
- Retractable bar also available separately



SKU	Description
CONE450RO	450mm High Cone
CONE700RO	700mm High Cone
CONE900RO	900mm High Cone
CONE1000RO	1000mm High Cone
RETRACTABLE BAR	Extends 1.2m - 2.0m



Plain Orange Cone

- > Various heights
- > Plain orange
- > UV stabilised
- 900mm cone features a 7kg base with large footprint
- Retractable bar also available separately



SKU	Description
CONE450	450mm High Cone
CONE700	700mm High Cone
CONE900	900mm High Cone
RETRACTABLE BAR	Extends 1.2m - 2.0m



Collapsible Orange Cone

- > 700mm maximum height
- > Wide and stable base

SKU	Description
CONE700COLL	Strong PVC Material



Retractable Belt

- > 4-way connectivity push button lock
- > Fits most styles of safety cone.

SKU	Description
RBRW9	9m Red/White Retractable Barrier Tape
RBBY9	9m Yellow/Black Retractable Barrier Tape





T Top Bollard

- > 1200mm stem height
- > Reflective orange
- > UV stabilised

SKU	Description
BOLLBASE6	6kg Bollard Base to suit T Top Bollard
BOLLBASE8	8kg Bollard Base to suit T Top Bollard
BOLLTOP	12mm Stem slots into either base



Expanding Port A Guard

- > The barrier comes with castors included
- > Expanding metal crowd control barrier
- > Lock in Feature to allow additional Barriers to be attached

SKU	Description
EBYB3	3000(L) x 1100(H)mm





HAZLIGHT

Traffic Barricade Light

- > Ideal for road Construction sites for indicating road closures or for warning motorists of approaching hazards
- > Batteries are not included

SKU	Description
HAZLIGHT	130mm x 100mm



- > Flashing or constant light modes
- > LED technology
- > Batteries are not included

SKU	Description
RB540	Flash - Steady - Top Light Function



BATS-S

Stop Slow Traffic Sign

> Ideal for traffic management

SKU	Description
BATS/S	450mm Class 1 Reflective with Wooden Handle





FLAGDOWEL

Traffic Flag Dowel

- > High-quality PVC material
- > U.V. Stabilised to minimise fading

SKU	Description
FLAGDOWEL	PVC Traffic Flag Dowel



Barrier Mesh

- > Safety PVC UV resistant barrier mesh
- > 50m per roll

SKU	Description
MESH6	6kg PVC Safety Barrier Mesh
MESH8	8kg PVC Safety Barrier Mesh





Bunting Safety Flags

- > Various colours available.
- > 20 flags per box
- > 30m length

SKU	Description	
	·	
BUNTOR	Orange Bunting Safety Flag - 20 x 30m	
BUNTL	Lime Bunting Safety Flag - 20 x 30m	
BUNTY	Yellow Bunting Safety Flag - 20 x 30m	
BUNTR-W	Red/White Bunting Safety Flag - 20 x 30m	









Plastic Safety Chain

- > 100% recyclable plastic
- > Ideal to use as safety barrier to cordon off workplace & public areas
- > 40 meter rolls are available on request

SKU	Link Thickness	Colour	Roll Length
CPY625	6mm	Yellow	25 metre
CPRW625	6mm	Red / White	25 metre
CPY825	8mm	Yellow	25 metre
CPRW828	8mm	Red / White	25 metre



W145

Safety Bollard

- > Protects machinery & equipment from damage
- > Can be used both indoors & outdoors to protect work areas

SKU	Height	Pipe Diameter	Elongated Hole Size	Base Plate
W145	915mm	110mm	35 x 22mm	200 x 200mm





W170

High Profile Safety Bollard

- > Protects machinery & equipment from damage
- > Can be used both indoors & outdoors to protect work areas

SKU	Height	Length	Pipe Dia.	Elongated Hole Size	Base Plate
W170	1067mm	1220mm	110mm	35 x 22mm	200 x 200mm





W178

Low Profile Safety Bollard

 \rightarrow Ideal for both indoors & outdoors to protect work areas

SKU	Height	Length	Pipe Dia.	Elongated Hole Size	Base Plate
W178	228mm	1220mm	115mm	35 x 22mm	200 x 200mm





RACKGC

Racking Leg Guard

- > Complies with AS4084-2012
- > Designed for corner applications
- > Powder-coated high visibility safety yellow
- > Mounted independently to avoid impact transference

SKU	Description	Construction
RACKGC	180 x 180 x 500mm High	6mm Thick Mild Steel





RACKG

Pallet Racking Leg Guard

- > Pallet racking legs are often supporting many tonnes of product
- Protecting these legs is of vital importance to avoid potential disasters caused as a result of impact by forklifts or trolleys
- > Four bolt fixing for maximum security
- > Powder-coated high visibility safety yellow
- > Protects your investment and reduces the risk of collapse
- > Mounted independently of racking to avoid impact transference

SKU	Description	Installation
RACKG	150mm x 400mm High	4 x 12mm Masonry Anchors





TAPER-W

Safety Tape

- Ideal for marking hazards, boundaries, or restricted areas to ensure safety compliance.
- > Easy to apply and remove, suits to both temporary and permanent use
- > Weather-resistant properties ensure effectiveness in diverse conditions

SKU	Pattern	Tape Width	Tape Length	Per Box
TAPER/W	Red / White	75mm	100m	25 Rolls



TAPEB-Y

Safety Tape

- Ideal for marking hazards, boundaries, or restricted areas to ensure safety compliance.
- > Easy to apply and remove, suits to both temporary and permanent use
- > Weather-resistant properties ensure effectiveness in diverse conditions

SKU	Pattern	Tape Width	Tape Length	Per Box
TAPEB/Y	Black / Yellow	75mm	100m	25 Rolls



TAPEB-W

Safety Tape

- > Ideal for marking hazards, boundaries, or restricted areas to ensure safety compliance.
- > Easy to apply and remove, suits to both temporary and permanent use
- > Weather-resistant properties ensure effectiveness in diverse conditions

SKU	Pattern	Tape Width	Tape Length	Per Box
TAPEB/Y	Blue / White	75mm	100m	25 Rolls



TAPER-W-D

Safety Tape

- > Ideal for marking hazards, boundaries, or restricted areas to ensure safety compliance.
- > Easy to apply and remove, suits to both temporary and permanent use
- > Weather-resistant properties ensure effectiveness in diverse conditions

SKU	Pattern	Tape Width	Tape Length	Per Box
TAPER/W/D	Red/White 'DANGER'	75mm	100m	25 Rolls





TAPEB-Y-C

Safety Tape

- \succ Ideal for marking hazards, boundaries, or restricted areas to ensure safety compliance.
- > Easy to apply and remove, suits to both temporary and permanent use
- > Weather-resistant properties ensure effectiveness in diverse conditions

SKU	Pattern	Tape Width	Tape Length	Per Box
TAPEB/Y/C	Black/Yellow 'CAUTION'	75mm	100m	25 Rolls



TAPER-W-DNE

Safety Tape

- > Ideal for marking hazards, boundaries, or restricted areas to ensure safety compliance.
- > Easy to apply and remove, suits to both temporary and permanent use
- > Weather-resistant properties ensure effectiveness in diverse conditions

SKU	Pattern	Tape W x L	Per Box
TAPER/W/DNE	Red/White 'DO NOT ENTER'	75mm	25 Rolls



SKU	Description
GLTACAR	130mm x 100mm
GLTAPASR	500mm x 140mm
GLTAPAR	1030mm x 140mm



SKU	Description
GLTACAY	130mm x 100mm
GLTAPASY	500mm x 140mm
GLTAPAY	1030mm x 140mm







ACSV

Anti Collision Strip - V

- > Convenient self-adhesive strips
- > Helps protect against low impact damage
- > Made from soft polyurethane

SKU	Shape	Size
ACSV	V-Shape	1000 x 40 x 20mm







ACSC

Anti Collision Strip - C

- > Convenient self-adhesive strips
- > Helps protect against low impact damage
- > Made from soft polyurethane

SKU	Shape	Size
ACSC	C-Shape	1000 x 40 x 60mm





ACSL

Anti Collision Strip - L

- > Convenient self-adhesive strips
- > Helps protect against low impact damage
- > Made from soft polyurethane

SKU	Shape	Size
ACSL	L-Shape	1000 x 60 x 40mm







ACSR

Anti Collision Strip - Rectangular

- > Convenient self-adhesive strips
- > Helps protect against low impact damage
- > Made from soft polyurethane

SKU	Shape	Size
ACSR	Rectangular Shape	1000 x 60 x 20mm







Indoor Convex Mirror

- > Polycarbonate face
- > Fully adjustable to any angle
- > Suits 60mm diameter posts
- > Includes adjustable wall mount brackets

SKU	Description
MR300ID	300mm Indoor Convex Mirror
MR450ID	450mm Indoor Convex Mirror
MR600ID	600mm Indoor Convex Mirror
MR800ID	800mm Indoor Convex Mirror



Outdoor Convex Mirror

- > Durable weather-proof mirror
- > Suits 60mm diameter posts
- > Includes post mount brackets
- > Polycarbonate face with high-visible orange visor
- > MR series bracket available for wall mount option

SKU	Description	
MR4500D	450mm Outdoor Convex Mirror	
MR6000D	600mm Outdoor Convex Mirror	
MRBRACKET	Wall Mount Bracket for MR450/600	





MR800QD

Indoor Convex Quarter Dome Mirror

- > An economical, lightweight alternative for general surveillance of a broad area
- > Polycarbonate face

SKU	Description
MR800QD	800mm Indoor Convex Quarter Dome Mirror





MR700HD

Indoor Convex Half Dome Mirror

- > An economical, lightweight alternative for general surveillance of a broad area.
- > Polycarbonate face

SKU	Description
MR700HD	700mm Indoor Convex Half Dome Mirror





MR700D

Indoor Convex Full Dome Mirror

- > An economical, lightweight alternative for general surveillance of a broad area.
- > Polycarbonate face.

SKU	Description
MR700D	700mm Indoor Convex Half Dome Mirror





MRBRACKET

Mirror Bracket

> Wall mount brackets to suit the MR range of Convex mirrors

SKU	Description
MRBRACKET	Post Bracket



TSSIS40GP

40L General Purpose Spill Kit

- 20 x General Purpose Absorbent Pad 480 x 430mm
- 1 x General Purpose Absorbent Boom 1.2m x 75mm
- 1 x General Purpose Absorbent Sweep 15L Bag - 2 x Contaminated Waste Bags & Ties
- 1 x Laminated Instruction Sheet
- 1 Pair x Oil Resistant Gloves
- 1 x Labelled Zip-Top Spill Kit Bag

Ausspill Quality Compliant

SPILL STATION



TSSIS120GP

120L General Purpose Spill Kit

- 100 x General Purpose Absorbent Pad 480 x 430mm 3 x General Purpose Absorbent Boom 1.2m x 75mm
- 1 x General Purpose Absorbent Sweep 50L Bag
- 5 x Contaminated Waste Bags & Ties 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover - 1 x Laminated Instruction Sheet
- 1 Pair x Oil Resistant Gloves
- 1 x Lime Green Bin with Grey Lid 140L

Ausspill Quality Compliant

SPILL STATION



TSSIS240GP

240L General Purpose Spill Kit

- 200 x General Purpose Absorbent Pad 480 x 430mm
- 3 x General Purpose Absorbent Boom 1.2m x 75mm 2 x General Purpose Absorbent Boom 3m x 75mm
- 2 x General Purpose Absorbent Sweep 50L Bag
- 10 x Contaminated Waste Bags & Ties 1 x Tamper Evident Spill Kit Audit Tag

- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet
- 2 Pair x Oil Resistant Gloves
- 1 x Lime Green Bin with Grey Lid 240L

Ausspill Quality Compliant

OIL & FUEL SPILL KITS





TSSIS400F

40L Oil & Fuel Spill Kit

- 50 x Oil & Fuel Absorbent Pad 480 x 430mm
- 2 x Oil & Fuel Absorbent Boom 1.2m x 75mm
- 1 x Oil & Fuel Absorbent Sweep 15L Bag 2 x Contaminated Waste Bags & Ties
- 1 x Spill Kit Audit Tag
- 1 x Laminated Instruction Sheet
- 1 Pair x Oil Resistant Gloves
- 1 x Weather Resistant Zip-Top Kit Bag

Ausspill Quality Compliant

SPILL STATION



TSSIS1200F

120L Oil & Fuel Spill Kit

- 100 x Oil & Fuel Absorbent Pad 480 x 430mm
- 2 x Oil & Fuel Absorbent Boom 1.2m x 75mm 1 x Oil & Fuel Absorbent Boom 3m x 75mm
- 1 x Oil & Fuel Absorbent Sweep 50L Bag
- 5 x Contaminated Waste Bags & Ties 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet
- 1 Pair x Oil Resistant Gloves
- 1 x Lime Green Bin with White Lid 140L Ausspill Quality Compliant

SPILL STATION



TSSIS2400F

240L Oil & Fuel Spill Kit

- 150 x Oil & Fuel Absorbent Pad 480 x 430mm
- 3 x Oil & Fuel Absorbent Boom 1.2m x 75mm 3 x Oil & Fuel Absorbent Boom 3m x 75mm
- 2 x Oil & Fuel Absorbent Sweep 50L Bag
- 10 x Contaminated Waste Bags & Ties 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover
- 1 x Laminated Instruction Sheet
- 2 Pair x Oil Resistant Gloves

- 1 x Lime Green Bin with White Lid - 240L Ausspill Quality Compliant

CHEMICAL SPILL KITS





TSSIS40CH

40L Hazchem Spill Kit

- 50 x Hazchem Absorbent Pad 480 x 430mm
- 2 x Hazchem Absorbent Boom 1.2m x 75mm
- 1 x Hazchem Absorbent Sweep 14L Bag 2 x Contaminated Waste Bags & Ties
- 1 x Spill Kit Audit Tag 1 x Laminated Instruction Sheet
- 1 Pair x Nitrile Gloves
- 1 x Weather Resistant Spill Kit Bag Ausspill Quality Compliant

SPILL STATION



TSSIS120CH

120L Hazchem Spill Kit

- 100 x Hazchem Absorbent Pad 480 x 430mm
- 3 x Hazchem Absorbent Boom 1.2m x 75mm - 1 x Hazchem Absorbent Boom - 3m x 75mm
- 2 x Hazchem Absorbent Pillow 450 x 450mm
- 2 x Hazchem Absorbent Sweep 14L Bag
- 5 x Contaminated Waste Bags & Ties
- 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover 1 x Laminated Instruction Sheet
- 1 Pair x Nitrile Gloves
- 1 x Lime Green Bin with Yellow Lid 140L

Ausspill Quality Compliant



TSSIS240CH

240L Hazchem Spill Kit

- 300 x Hazchem Absorbent Pad 480 x 430mm
- 3 x Hazchem Absorbent Boom 1.2m x 75mm 2 x Hazchem Absorbent Boom 3m x 75mm
- 2 x Hazchem Absorbent Sweep 14L Bag
- 10 x Contaminated Waste Bags & Ties - 1 x Tamper Evident Spill Kit Audit Tag
- 1 x Clear PVC Spill Kit Cover 1 x Laminated Instruction Sheet
- 2 Pair x Nitrile Gloves
- 1 x Lime Green Bin with Yellow Lid 240L Ausspill Quality Compliant









TSSBP2

Spill Pallet Deck

Two Drum Bunded - 230L

Roto-molded made from 100% virgin resin polyethylene for high strength and chemical resistance. Removable non-slip grates.

Dispensing well/overflow sump also available.

Pallet covers are also available to protect the load and sump.

Complies with EPA requirements.

SKU	Dimensions	Capacity
TSSBP2	1220 x 820 x 330mm	230L





TSSBP4L

Spill Pallet Deck

Four Drum Bunded - 230L

Roto-molded from 100% virgin resin polyethylene for high strength and chemical resistance. Removable non-slip grates.

Suitable for 4 x 205l (44gal) drums.

Dispensing well/overflow sump also available.

Pallet covers are also available to protect the load and sump.

Complies with EPA requirements.

SKU	Dimensions	Capacity
TSSBP4L	1280 x 1280 x 275mm	230L





TSSBB1

Spill Pallet Deck Single IBC Bunded - 1100L

- The IBC bund body is made from 100% virgin resin polyethylene for high strength and chemical resistance
- > Removable non-slip grates
- \rightarrow Suitable for holding 1 x 1000L IBC tank
- > Dispensing well/overflow sump also available
- > Pallet covers are also available to protect the load and sump
- > Complies with EPA requirements

SKU	Dimensions	Load(UDL)	Capacity
TSSBB1	1760 x 1350 x 710mm	2000kg	1100L





NO IGNITION SOURCES WITHIN 3M

SECURITE

TSSBB2

Spill Pallet Deck Dual IBC Bunded - 1140L

- The IBC bund body is made from 100% virgin resin polyethylene for high strength and chemical resistance. Removable non-slip grates $\,$
- Suitable for holding 2 x 1000l IBC tank, also suitable for 8 x 250l (44gal) drums
- > Dispensing well/overflow sump also available
- > Pallet covers are also available to protect the load and sump
- > Complies with EPA requirements

SKU	D	imensions	Load	d(UDL)	Capa	acity
TSSBB	2 2560 >	1350 x 510mm	າ 25	00kg	114	40L





FGC30

Safety Cabinet -30L Class 3 Flammable Liquids

- > Self closing door
- > Ventilation ports with flash arrestors on each side
- > Double wall thermal barrier with 40mm spacing
- > Each unit includes adjustable feet and shelving
- > Complies with AS1940-2017

SKU	Dimensions	Capacity
FGC30	770 x 515 x 460mm	30L







Safety Cabinet - 60L Class 3 Flammable Liquids

- > Self closing door
- > Ventilation ports with flash arrestors on each side
- > Double wall thermal barrier with 40mm spacing
- > Each unit includes adjustable feet and shelving
- > Complies with AS1940-2017

SKU	Dimensions	Capacity
FGC60	515 x 460 x 1065mm	60L



100





FGC100

Safety Cabinet - 100L Class 3 Flammable Liquids

- > Two sequential self closing doors
- > Ventilation ports with flash arrestors on each side
- > Double wall thermal barrier with 40mm spacing
- > Each unit includes adjustable feet and shelving
- > Complies with AS1940-2017

SKU	Dimensions	Capacity
FGC100	1100 x 510 x 860mm	100L



FGC160

Safety Cabinet - 160L Class 3 Flammable Liquids

- > Two sequential self closing doors
- > Ventilation ports with flash arrestors on each side
- > Double wall thermal barrier with 40mm spacing
- > Each unit includes adjustable feet and shelving
- > Complies with AS1940-2017

SKU	Dimensions	Capacity
FGC160	1295 x 465 x 1100mm	160L





FGC250

Safety Cabinet - 250L Class 3 Flammable Liquids

- > Two sequential self closing doors
- > Ventilation ports with flash arrestors on each side
- > Double wall thermal barrier with 40mm spacing
- > Each unit includes adjustable feet and shelving
- > Complies with AS1940-2017

	-
FGC250 1100 x 500 x 1850mm 250	





GC04

Gas Bottle Cage - 4 x LPG

- \rightarrow Stores 4 x 18kg LPG forklift cylinders horizontally.
- > Pad-lockable door (lock not supplied).
- > Complies with AS4332-2004.

SKU	Dimensions	Capacity
GC04	787 x 857 x 889mm	4 x 18kg LPG Cylinders





Gas Bottle Cage

- > Mid level shelf
- > Complies with AS4332-2004
- > Pad-lockable door (lock not supplied)
- > Stores 18kg LPG forklift cylinders

SKU	Dimensions	Capacity
GC08	787 x 857 x 1651mm	8 x 18kg LPG Cylinders
GC09	787 x 762 x 1651mm	9 x 18kg LPG Cylinders





PSGC8F9V-FP / PSGC18V-FP Gas Bottle Cage

- > Mid level shelf
- > Complies with AS4332-2004
- Pad-lockable door (lock not supplied)
- > Stores 8 x high pressure gas cylinders

SKU	Dimensions	Capacity
PSGC8F9V-FP	1524 x 857 x 1651mm	8 x LPG and 9 x G-Cylinders
PSGC18V-FP	1524 x 857 x 1651mm	18 x G-Cylinders







BCCLS100L

Safety Cabinet - 100L Class 8 Corrosive Substance

- > Perfect powder-coated finish
- > Soft-close chemical cabinet doors
- › Fully welded liquid tight sump
- > Adjustable feet for uneven surfaces
- > Metal, 2-door, 1-shelf, 15x 2.5L bottles
- > Complies with AS3780-1994

SKU	Dimensions	Capacity
BCCLS100L	920 x 500 x 800mm	100 Litre





TEEMSYSTEMS

BCCLS160L

Safety Cabinet - 160L Class 8 Corrosive Substance

- > Store your aerosols in a safe and compliant manner with our range of
- > Australian made aerosol storage cages
- Store up to 40 aerosols in a safe and compliant manner with this 40 can aerosol storage cage
- > Complies with AS4332.

SKU	Dimensions	Capacity
BCCLS160L	1100 x 460 x 1295mm	160 Litre





BCCLS250L

Safety Cabinet - 250L Class 8 Corrosive Substance

- > Perfect powder-coated finish
- > Soft-close chemical cabinet doors
- > Fully welded liquid tight sump
- > Adjustable feet for uneven surfaces
- > Metal, 2-doors, 3-shelves, 9 x 25L cans
- > Complies with AS3780-1994

SKU	Dimensions	Capacity
BCCLS250L	1100 x 500 x 1825mm	250 Litre





TSSAS1

Aerosol Storage Cage

- Store your aerosols in a safe and compliant manner with our range of Australian made aerosol storage cages
- > Store up to 40 aerosols in a safe and compliant manner with this 40 can aerosol storage cage
- > Complies with AS4332

SKU	Dimensions	Capacity
TSSAS1	500 x 700 x 300mm	40 Aerosol Cans





TSSAS5

Aerosol Storage Cage

- Store your aerosols in a safe and compliant manner with our range of Australian made aerosol storage cages.
- $\,>\,$ Store up to 400 aerosols in a safe and compliant manner with this 400 can aerosol storage cage.
- > Complies with AS4332.

SKU	Dimensions	Capacity
TSSAS5	700 x 750 x 1160mm	200 Aerosol Cans





PSGC4A

Aerosol Storage Cage

- Store your aerosols in a safe and compliant manner with our range of Australian made aerosol storage cages.
- $\,>\,$ Store up to 200 aerosols in a safe and compliant manner with this 200 can aerosol storage cage.
- > Complies with AS4332.

SKU	Dimensions	Capacity
PSGC4A	760 x 780 x 990mm	200 Aerosol Cans



102





Industrial Mat 825 - Extreme Heavy Duty Mat

- > Drainage holes for water & debris. Bevelled edges for safety
- > Available in Nitrile red for extra oil resistance
- > Ideal for kitchens or workshops
- > Approx. 13mm thickness

SKU	Size
IND600	900 x 600mm
IND900	900 x 1500mm
IND900X3000	900 x 3000mm







Engineering Mats - Extreme Heavy Duty Mat

- > Drainage holes for water & debris, rugged Construction
- > Ideal in front of machinery and welding bays, kitchens or workshops
- > Available with or without bevelled edges for safety, approx. 20mm thickness

SKU	Size
ENG1000	1000 x 1500mm
ENG1000RUNNER	1000mm Runner





Anti-Fatigue Roll Mat 690 - Roll Form Mat UTE Matting

- > Versatile and can be easily cut to suit odd area
- > Provides very good comfort under foot
- > Raised pattern underneath to provide good drainage
- > Ideal for bars, food preparation areas, boats, utes, vans, etc

SKU	Size
ANTI180	180 x 1000mm
ANTI180RUN	180mm Runner
ANTI190	190 x 1000mm
ANTI190RUN	190mm Runner



Entry Master - High Traffic Mat

- > Attractive, Hard Wearing Mat for high traffic areas
- All weather design suitable for indoor and outdoor use, raised rubber border helps trap moisture and dirt
- > Grippers on underside, various colours available

SKU	Size
ENTRY600	600 x 900mm
ENTRY900	900 x 1500mm
ENTRY1200	1200 x 1800mm



Chairmat 300

- > Clear vinyl mat with anchors on back, protects carpet from chairs and castors with 2-Year warranty
- > Available without anchors for hard floors (300H)
- > Available in polycarbonate with 6-Year warranty

SKU	Size
CHAIR900	900 x 1200mm
CHAIR1100	1100 x 1350mm
CHAIR1200	1200 x 1500mm
CHAIR2400	1200 x 2400mm



Decor Plush 512 - Medium Traffic Mat

- > Absorbs water and dirt from shoes, hides dirt & water.
- > Attractive smooth surface, easy to clean & dries quickly.
- > Solution dyed to prevent fading.

SKU	Size	
DECOR600DG	600 x 900mm Dark Grey	
DECOR900DG	900 x 1500mm Dark Grey	
DECORRUN900	900mm Runner	





Multiguard 220

- A durable rubber dirt barrier entrance mat, hundreds of vertical rubber fingers push into shoe treads to remove mud, moisture, snow, sand, dirt and leaves.
- > Easily cleaned by hose, high pressure cleaner or simply by shaking.


SKU	Size
MULTI600	600 x 800mm
MULTI800	800 x 1000mm
MULTI900	900 x 1800mm



COMFORT ZONE - Anti Fatigue Mat

- > Versatile and economical anti-fatigue system
- > Centres and ends available for continuous runs
- > Suitable for light trolleys
- > Slip-resistant chequer plate pattern
- > Ideal for counters, workstations & production lines.

SKU	Position	Size
COMF-SINGLE	Single	710 x 780mm
COMF-CENTRE	Centre	710 x 780mm
COMF-END	End	710 x 780mm



DIAMOND PLATE SPONGE 416 - INDUSTRIAL MAT

- > Slip resistant, hard wearing and chemical resistant
- > Resilient sponge base to enhance comfort
- > Yellow safety borders, will not de laminate
- > Ideal for all dry areas including warehouses & workstations

SKU	Size
DIAM600	600 x 900mm
DIAM900	900 x 1500mm
DIAMRUN900	1200mm Runner
DIAMRUN1200	1200mm Runner



ERGO STANCE 310 - Anti-Fatigue Mat

- Ergonomically designed domed surface to improve circulation and give maximum comfort to relieve the strain of constant standing
- > Ideal for checkouts, workstations and counters
- > 100% natural rubber
- > Optional yellow safety edge available

SKU	Size
ERG0600	600 x 900mm
ERG0900	900 x 1200mm
ERGORUN900	1200mm Runner
ERGORUN1200	1200mm Runner





Drop -Over Cable Protector - Single Channel

- > Moulded polyethylene
- > No tool installation, interlocking modules

SKU	Material	Body Size	Channel Size	Net Weight
CHANCC1	TPE	1010 x 135 x 20mm	40 x 12mm	1.3kg







Rubber Cable Protector - Multi-Channel

- Designed to protect multiple cables with a multi-channel configuration, preventing damage and tripping hazards
- > No tool installation, interlocking modules.

SKU	Material	Body Size	Channel Size	Net Weight
CHANCC3	Rubber	960 x 600 x 70mm	3@40 x 12mm	19.5kg
CHANCC5	Rubber	900 x 500 x 70mm	5@35 x 25mm	15kg





BH01151 136kg Safety Harness Fall Protection





FS14111 Roof Workers Kit - Entry Level -Safety Harness Fall Protection Kit



BAILEY.

FS14112 Elevated Work Platform Professional Safety Harness Fall Protection Kit





FS14113 Roof Workers Kit - Professional -Safety Harness Fall Protection Kit

BAILEY.



FS14114
Pro Premium Safety Harness Fall
Protection Kit

PIP PARAMOUNT



H101QR
Essential Safety Harness Fall
Protection with Quick Release Buckle

PARAMOUNT



H201 Tactician Riggers Safety Harness Fall Protection

PIP PARAMOUNT



H301
Elite Riggers Safety Harness Fall
Protection





H402 Supreme EDI Tower Worker Safety Harness Fall Protection







KITCONS Essential Construction Safety Harness Fall Protection Kit





KITRBSC Essential Basic Roofers Safety Harness Fall Protection Kit



RL01KDSN

Single Leg Kernmantle 2M Shock

Absorb Rope Lanyard with Hardware

PIP PARAMOUNT



WL01SNSN
Single Leg Shock Absorbing
Webbing Lanyard with Hardware



HSLDBR **Ladder Braq-It**





IRSR07
Self Retracting 7M Wire Rope LOQ-BLOQ





IRSR15
Self Retracting 15M Wire Rope LOQ-BLOQ





IRSR20
Self Retracting 20M Wire Rope LOQ-BLOQ



IRW225KSKS

Self Retracting 2.5M Webbing
Lanyard with Hardware







Safety Hard Hat



HHV9R-W
V9 Vented Ratchet Fall Protection
Safety Hard Hat



PCA1P2
A1P2 Pro Cartridges for HMTPM



HMA1P2 Assembled Half Mask with A1P2 Cartridges



HMABEK1
Assembled Half Mask With ABEK1
Cartridges



1600 Safety Glasses Clear Lens



1602 Safety Glasses Smoke Lens



Safety Glasses Blue/Black Frame Blue Mirror Lens



360JM Safety Glasses Green/Black Frame Jade Mirror Lens









PIP PARAMOUNT





360RC

Safety Glasses Red/Black Frame Titanium AF/AS Clear Lens

6500

Safety Glasses Frontside Clear Lens With Clear Frame

6512

Safety Glasses Frontside Polarised Smoke Lens With Clear Frame







PIP PARAMO



6512BLK

Safety Glasses Frontside Polarised Smoke Lens With Black Frame

SE582FTL

Wall Mounted Eye Wash with Eye Wash Nozzle with Bowl No Treadle -Flip Top Lid

SE584FTL

Pedestal Mounted Eyewash Nozzle with Bowl No Treadle - Flip Top Lid





Combination Shower with Eye & Face Wash, Bowl & Foot Treadle





Combination 304SS Shower with Eye Wash, Bowl and Foot Treadle



Combination Shower with Eye & Face Wash, Bowl & Foot Treadle








PARAMOUNT







PIP PARAMOUNT









EPYC Disposable Corded Earplugs

EPOC Disposable Corded Earplugs

Disposable Uncorded Earplugs









PHBEP Elite Riggers Safety Harness Fall **Protection**



Tactician Riggers Safety Harness Fall Protection

EMPYTS Supreme EDI Tower Worker Safety Harness Fall Protection

 \triangle







EMVIP Earmuffs Class 5 -26db





120-3700 18 Gauge Polykor Nitrile Liner Gloves



16-333 Cut C 13 Gauge HPPE/Glass Fibre Gloves

PIP PARAMOUNT



16-377 18 Gauge Nitrile/PPU Gloves

PARAMOUNT



34-323 **Skin Contouring Technology Gloves** - Black

PIP PARAMOUNT



34-425 **Skin Contouring Technology Gloves** - Blue



41-1415AU Winter Glove - Cut Resistant



AGND Green Nitrile Sand Dip Palm Glove





CGL41N **Natural Cowgrain Gloves**







CGL41NSB Natural Cowgrain Palm / Split Back Gloves





MDNPF-BLK
Disposable Nitrlie Powder Free
Gloves - Black

PIP PARAMOUNT

MDNPF-BLU

Disposable Nitrlie Powder Free
Gloves - Blue





MDNPFHD-BLK
Disposable Nitrile Powder Free,
Heavy Duty Gloves - Black

PIP PARAMOUNT



MDNPFHD-ORA

Disposable Nitrile Powder Free,
Heavy Duty Gloves - Orange

PIP PARAMOUNT



CW75
Isopropyl Wipes 75 Wipe Canister





SS125-50 SPF 50 + Sunscreen125ML Squeeze Bottle





SSSFMIX
Sugar Free Solo Shot - 50 x 3gm
Sachets - Mixed Flavours





DB750SS-S **750ml Stainless Steel Drink Bottle**







EAEDE3022P **AED Flat Sign**







FAEWT Workplace Response First Aid Kit in **AED 3D Sign** Plastic Tackle Box

PARAMOUNT



PARAMOUNT

PWS8





Outdoor/ Snake/Spider Incident Ready Module



FAEVS Essential Vehicle First Aid Kit in Soft Pack

PIP PARAMOUNT



FAMKS 5 X Module Kit in Soft Pack

PIP PARAMOUNT

PIP PARAMOUNT



Day Use Only - Orange

Day/Night Use - Yellow

DOWP-W **Provek Coveralls - White**



DOSMS-BLU / DOSMS-0 / DOSMS-W SMS Coveralls - Blue / Orange / White



112



RT8011 / RT8014

Microban® Youth Seat High Chair

- > T-Shaped safety belt allows one handed button release
- > Designed with safety and cleanliness in mind for your youngest patron
- > Stackable for easy storage
- $\,\rightarrow\,$ Found in compliance with ASTM F404 and TUV standards
- > Microban® Anti-Bacteria Technologies provide full protection, resist odour & stain due to bacteria
- > Modern appearances plus anti-bacteria technologies allow easier cleaning than wooden

SKU	Dimensions	Capacity	Ship
RT8011	636 x 583 x 768mm	High Chair/No Wheels	Flat Shipping
RT8014	636 x 583 x 768mm	High Chair/No Wheels	Ready to Assemble





RT8013

Microban® High Chair Tray

- > To suit Microban® High Chair
- > Designed with safety & cleanliness in mind
- > Available in different colours on request

SKU	Dimensions
RT8013	424 x 300 x 55mm





RT8015

Castor Wheel Kit

> To suit Microban® High Chair.

SKU	Description
RT8015	Castor Wheel Kit

A LADDER & ACCESS EQUIPMENT



Team Step	114
Monstar Step	115
Monstar Ladders.	116-120
Platform Ladders	121-124
Double Sided Lado	lers 125
Extension Ladders	5 126
Order Picking Lad	ders 127
Warehouse & Mob	ile Platforms128
Mezzanine Access	& Lifts 129
Work Platforms	130-132

114

TEAM ST = P



Visit teamstep.com.au for the latest information & details on all our TEAM STEP products

STEP UP®

"Strongest & Safest Unit in the Market"

- > 260kg capacity with strong LLDPE build
- > 370 x 370mm non-slip deck with wear protection
- > Lightweight 5.0kg with rubber feet for grip
- > Compact, four-way access for versatile use
- Schools Office Warehouse Retail

Safety Step Stool

SKU	Colour	Deck Size	Height	Capacity	Weight
TSSU-YEL	Yellow	270 270	270	2/01	E 01
TSSU-ORA	Orange	370 x 370mm	370mm	260kg	5.0kg

Spare Parts For TSSU Safety Step Stool

SKU	Size
TSREFURBS	4 x feet, 4 x Platform tapes, 4 x Step tapes
TSSUF	4 x Replacement feet

TEAM ST = P

MOBILE TEAMSTEP®

"Always a Step Above"

- > Fully mobile with spring-loaded castors that retract during use
- > Anti-slip surface with durable non-slip tape for added safety
- > Lightweight, one-piece rotomoulded plastic construction
- > Stackable design with no rust or sharp edges
- Schools Office Warehouse Retail

Spare Parts For TSTS Safety Step Stool

SKU	Including
SP-TSTS-C	4 x Spring castors
SP-TSTS-SK	1 x Rubber skirt

Safety Step Stool

SKU	Colour	Deck Size	Height	Capacity	Weight
TSTS-YEL	Yellow	Dia 215	205	1001	/ 21
TSTS-BLU	Blue	Dia. 315mm	395mm	180kg	4.2kg

TEAM STEP

JUMBO TEAMSTEP®

"Best of Both Worlds"

- > Combines the mobility of TEAMSTEP® with the larger deck of STEP-UP®
- > Fully mobile with spring-loaded castors that retract when in use
- > Anti-slip surface with durable non-slip tape for added safety
- > Lightweight, stackable one-piece construction for easy handling and storage
- Office Warehouse Shop School Ideal for Tradespeople

Safety Step Stool

SKU	Colour	Deck Size	Height	Capacity	Weight
TSJUMB0	Yellow	375mm	355mm	180kg	4.2kg



Spare Parts For TSTS Safety Step Stool

SKU	Including
SP-TSTS-C	4 x Spring castors
SP-TSJUMB0-SK	1 x Rubber skirt



MONSTAR STEP

www.monstarladders.com.au

Outperforms other similar safety steps in longevity and strength.

The Monstar Step is the only plastic safety step that has superior design features over existing injection moulded safety steps available in Australia.

The Monstar Step is a quality, cost effective solution designed for intermittent use. Designed to be durable, safe and robust.

Monstar Step has a larger, safer area of non slip tape including an indentation on the lower step so the tape will not wear away - ensuring longevity of non slip surface. The Monstar Steps come with the following features, benefits and specifications.

- 370mm x 370mm large non-slip platform
- > Supports up to 260kg with durable polypropylene frame
- > Four-way access and rubber feet for stability
- > Lightweight 3.5kg design for easy handling and transport
- > Ideal for warehouses, workshops, and general-purpose use
- > Fully fitted with non-slip tape for added safety
- > Resistant to rust, dents, and corrosion for long-lasting use
- > Stackable design for efficient storage organisation

- 260kg Rated Capacity
- Large Deck 370 x 370mm
- Lightweight with 3.5kg









Four Way Non-Slip Access



Fully Fitted With Non-Slip Tape

MONSTAR STEP

SKU	Colour	Deck Size	Height	Capacity	Weight
MONSTEP	Yellow	270 270	275	2/01	2 Ele
MONSTEP-ORA	Orange	370 x 370mm	375mm	260kg	3.5kg

Spare Parts For MONSTAR STEP Stool

SKU	Including	SKU	Including
SP-MONSTEP-REFURB	4 x feet, 4 x Platform tapes, 4 x Step tapes	SP-MONSTEP-FEET	4 x Replacement feet

LITTLE MONSTAR

www.monstarladders.com.au

Compact step ladder designed for safe, easy, and efficient use across various applications.

A range of Compact Step Ladders designed and manufactured to meet the highest demanding applications in Australia. These ladders are built with industry rated material for moderate to high level use.

- > Safety bracket with recess for storing tools & bucket hooks
- > Lightweight, manoeuvrable and easy to use
- > Rear roller castors for ease of movement
- > Heavy duty tread for added safety on all steps
- > Light, strong, aluminium construction

- 150kg Heavy-dutyAluminium Frame
- Lightweight Design





150kg Compact Step Ladder

SKU	Туре	Footprint	Top Step Height	Safety Bracket Height	Folded Dimensions	Weight
MONLM2	2 Step	620 x 530mm	480mm	480mm	900 x 550 x 150mm	6kg
MONLM3	3 Step	900 x 550mm	680mm	480mm	1200 x 580 x 150mm	8kg
MONLM4	4 Step	1180 x 550mm	910mm	760mm	1500 x 580 x 150mm	9kg







MONSTAR PRO

All-New Upgraded Premium Model

Premium foldable platform ladder built for strength, safety, and efficiency.

The MONSTAR PRO aluminum platform ladders are built for a variety of environments, combining industrial-grade aluminum construction with a spacious platform and foldable design. Ideal for worksites, warehouses, and commercial use where safety and convenience are essential.

- > Welded aluminium frame with reinforced steps for durability
- > Large 490 x 430mm platform for superior balance and comfort
- > Compact foldable design for easy transport and storage
- > Anti-slip rubber feet and high handrails for safer operation
- > Meets AS 1892.1:2018 Australian safety standards
- > Optional safety gate and wheel kit available



• Lightweight Design





Welded Steps



Soft Handle



Stronger Constructure

Large Platform



Safety Gate



Wheel Kit

150kg MONSTAR PRO Aluminium Platform Ladders

SKU	Туре	Platform Size W x D	Platform Height	Bottom Width	Fold Thickness	Weight
MONPLAT3	3 Step	430 x 490mm	870mm	621mm	239mm	10.1kg
MONPLAT4	4 Step	430 x 490mm	1160mm	661mm	239mm	11.3kg
MONPLAT5	5 Step	430 x 490mm	1450mm	700mm	239mm	12.5kg
MONPLAT6	6 Step	430 x 490mm	1740mm	738mm	239mm	14kg
MONPLAT7	7 Step	430 x 490mm	2030mm	778mm	239mm	15.3kg

Optional Accessories For MONSTAR LADDER Platform Ladders

SKU	Item Name	SKU	Item Name
PLATGATE	Safety gate to suit MONPLAT platform ladders	PLATWHEELS	Spring wheel kit to suit MONPLAT platform ladders

MONSTAR LADDER

www.monstarladders.com.au

Strong, Lightweight Platform Ladder designed for Heavy Duty Industrial use.

A range of Platform Ladders designed and manufactured to meet the highest demanding applications in Australia. These ladders are built with industry rated material for moderate to high level use.

- > Fully-welded construction with spring loaded castors
- > Standard checkerplate 700mm x 400mm work platform
- > Wide base with anti-slip rubber feet
- Optional handrails and safety gate available







Handrail



Stronger Construction







Safety Bar



Feet and Wheels

• 150kg Heavy-duty

- Aluminium Frame
- Lightweight Design



150kg MONSTAR LADDER Platform Ladders

SKU	Туре	Footprint	Platform Height	Total Height	Dimensions	Weight
MONSTAR2	2 Step	1040 x 720mm	570mm	1440mm	1450 x 720 x 200mm	9kg
MONSTAR3	3 Step	1230 x 720mm	850mm	1720mm	1720 x 720 x 200mm	11kg
MONSTAR4	4 Step	1420 x 720mm	1130mm	2000mm	2000 x 720 x 200mm	13kg
MONSTAR5	5 Step	1610 x 720mm	1410mm	2280mm	2260 x 720 x 200mm	15kg
MONSTAR6	6 Step	1810 x 720mm	1690mm	2560mm	2530 x 720 x 200mm	17kg

Optional Accessories For MONSTAR LADDER Platform Ladders

SKU	Item Name	SKU	Item Name
MONSTARGATE	Monstar gate for the Monstar platform ladders	MONSTARHR	Monstar handrail for Monstar platform ladder

Spare Parts For MONSTAR LADDER Platform Ladders

SKU	Including	SKU	Including
SP-MONSTAR-C	1 x Monstar platform ladder replacement wheel	SP-MONSTAR-FEET	1 x Monstar platform ladder replacement feet



MONSTAR LADDER

www.monstarladders.com.au

Designed for easy, efficient use in warehousing and workplace environments.

Monstar Order Picking Ladders provide safe and secure access to all your elevated stock. All Monstar Order Picking Ladders feature a huge 585mm x 730mm work platform, retractable safety castors and a 150kg Rated Capacity, reinforced with a strong welded construction.

The Monstar Order Picker is guaranteed to make stock picking safer and more efficient for your business.

- Spring-loaded castors for mobility and stability
- Safety gate provides security at elevated heights
- > Ideal for commercial sites and warehouse use
- > Lightweight, fully welded aluminium frame with ribbed tread
- > Strong, durable, and easy to manoeuvre



Anti-slip Platform




Safety Gate



Feet and Castors





150kg Order Picker Ladder

SKU	Туре	Α	В	Footprint C x E	D	F	G	Н	1
M0N0P2	2 Step	620mm	1466mm	675 x 1025mm	659mm	565mm	585mm	730mm	17mm
MONOP3	3 Step	927mm	1742mm	715 x 1167mm	695mm	840mm	585mm	730mm	37mm
MONOP4	4 Step	1222mm	2017mm	758 x 1305mm	735mm	1115mm	585mm	730mm	60mm
MONOP5	5 Step	1524mm	2290mm	800 x 1460mm	775mm	1390mm	585mm	730mm	87mm
MONOP6	6 Step	1812mm	2570mm	844 x 1595mm	815mm	1665mm	585mm	730mm	112mm

- 150kg Heavy-duty
- Aluminium Frame
- Lightweight Design



120

MONSTAR PRO



Heavy-duty rolling order picker ladders designed for efficient access in busy workplaces.

The MONSTAR PRO aluminum order picker ladder offers a secure solution for elevated tasks, combining a spacious anti-slip platform, lightweight aluminum frame, and retractable wheels for mobility. Perfect for warehouses, retail, and industrial use, ensures both safety and efficiency in most settings.

- > 700mm x 600mm anti-slip platform with toe guard for secure footing
- > Lightweight aluminium frame for strength and easy manoeuvrability
- > Retractable 125mm TPR wheels for smooth movement and stability
- > Barn gate and handrails for enhanced safety while working at heights
- > Compliant with AS/NZS 1892.1:2018 Australian safety standards

- 200kg Heavy-duty Aluminium Frame
- Lightweight Design











Welded Steps

Safety Handrail

High Ladder Support



Large Platform









Retractable Wheels

200kg MONSTAR PRO Aluminium Rolling Order Picker Ladders

SKU	Туре	Platform Size W x D	Platform Height	Ladder Depth	Bottom Width	Stabiliser	Weight
MONPRO3	3 Step	600 x 700mm	720mm	1315mm	797mm	NA	25.5kg
MONPRO4	4 Step	600 x 700mm	960mm	1321mm	821mm	NA	35.8kg
MONPR05	5 Step	600 x 700mm	1200mm	1489mm	862mm	NA	39.2kg
MONPRO6	6 Step	600 x 700mm	1440mm	1655mm	905mm	NA	42.8kg
MONPR07	7 Step	600 x 700mm	1680mm	1826mm	947mm	NA	47.8kg
MONPRO8	8 Step	600 x 700mm	1920mm	1993mm	989mm	NA	51.3kg
MONPRO9	9 Step	600 x 700mm	2160mm	2157mm	1032mm	NA	55.5kg
MONPRO10	10 Step	600 x 700mm	2400mm	2326mm	1075mm	NA	60.0kg
MONPRO11	11 Step	600 x 700mm	2640mm	2318mm	1115mm	YES	77.5kg
MONPRO12	12 Step	600 x 700mm	2880mm	2469mm	1157mm	YES	82.9kg
MONPRO13	13 Step	600 x 700mm	3120mm	2620mm	1199mm	YES	89.7kg
MONPRO14	14 Step	600 x 700mm	3360mm	2771mm	1241mm	YES	94.5kg









Industrial Aluminium Slimline Platform Ladder - 120kg / 150kg

- > TRDP8/5 supports up to 150kg with industrial-duty performance
- > Durable aluminium construction with reinforced step joints
- > Anti-slip feet and industrial duty rating for safe, stable performance
- > Compliant with AS/NZS 1892 standards and backed by a 1-year warranty

SKU	Туре	Overall Height	Platform Height	Weight	
TRDP5-2	2 Step	1520mm	600mm	5.6kg	
TRDP6-3	3 Step	1830mm	900mm	6.9kg	
TRDP7-4	4 Step	2130mm	1200mm	8.3kg	
TRDP8-5	5 Step	2400mm	1500mm	11kg	
SP-TRDP-FEET	Wheel kit to suit INDALEX TRDP platform ladders				





Industrial Aluminium Retail & Office Platform Stepladder - 120kg

- > Large 300mm x 350mm platform for a stable, comfortable work area
- > Industrial duty rated for strength, durability, and safety on job sites
- > Trapezoidal tread profile enhances rigidity and wear resistance
- > Folds to just 115mm deep for compact storage
- > 120kg load rating, compliant with AS/NZS 1892 standards
- > Backed by a 1-year warranty

SKU	Туре	Reach Height	Platform Height	Weight
FS13868	2 Step	2600mm	570mm	4.5kg
FS13869	3 Step	2900mm	850mm	5.6kg
FS13870	4 Step	3100mm	1130mm	6.9kg





Aluminium Platform Ladder - 150kg

- > Large 660mm x 400mm anti-slip platform with rubber feet for stable use
- ightarrow 900mm high guard rail and full AS/NZS 1892 compliance for secure operation

SKU	Туре	Platform Height	Weight	Optional Wheel Kit
PROP5-2	2 Step	600mm	11.0kg	PROWK
PROP6-3	3 Step	900mm	12.0kg	PROWK
PROP7-4	4 Step	1200mm	13.0kg	PROWK
PROP8-5	5 Step	1500mm	14.0kg	PROWK
PROP9-6	6 Step	1800mm	16.0kg	PROWK
PROP10-7	7 Step	2100mm	20.0kg	PROWK
PR0P11-8	8 Step	2400mm	22.0kg	PROWK
PR0P12-9	9 Step	2700mm	24.0kg	PROWK
PR0P13-10	10 Step	3000mm	26.0kg	PROWK
PROP15-12	12 Step	3600mm	30.0kg	PROWK



BAILEY.

P170 Job Station Aluminium Platform Stepladder - 170kg

- > Large 610 x 457mm platform with heavy-duty aluminium construction
- > Trapezoidal tread design for superior strength and stability
- > Integrated bracing and castors, compliant with AS/NZS 1892 standards

SKU	Туре	Platform Height	Maximum Reach	Weight		
FS13538	3 Step	900mm	2870mm	16.9kg		
FS13539	4 Step	1200mm	3160mm	18.4kg		
FS13540	5 Step	1500mm	3450mm	19.9kg		
FS13541	6 Step	1800mm	3740mm	21.9kg		
FS13542	7 Step	2030mm	4030mm	27.4kg		
FS13543	8 Step	2320mm	4320mm	28.4kg		
FS13544	10 Step	2910mm	4910mm	33.2kg		
FS13545	12 Step	3490mm	5490mm	37.6kg		
FS13954	Ор	Optional Accessory Safety Gate Kit				





Pro. Punchlock Aluminium Platform Stepladder - 170kg

- > Punchlock tread design increases the torsional rigidity of the overall frame
- > Industrial duty and compliant with AS/NZS 1892.1 for use on various worksites

SKU	Туре	Platform Height	Maximum Reach	Weight
FS13931	2 Step	570mm	2570mm	8.8kg
FS13932	3 Step	850mm	2860mm	10.0kg
FS13933	4 Step	1130mm	3140mm	11.1kg
FS13934	5 Step	1420mm	3430mm	12.3kg
FS13935	6 Step	1700mm	3710mm	14.0kg
FS13936	7 Step	1990mm	4000mm	19.5kg
FS13937	8 Step	2270mm	4280mm	21.0kg
FS13991	Optional	Castor Wheel Kit (W	hite) Fits 2-5 Step	2.5kg
FS13992	Optional Castor Wheel Kit (Yellow) Fits 6-7 Step			2.5kg
FS13993	Optiona	3.3kg		
FS13952		Optional Safety Ga	ate Kit	2.7kg







P150 Riveted Aluminium Platform Stepladder - 150kg

- > Lightweight and highly portable for easy transport and handling
- > Functional magnetised handrail secures tools and fasteners within reach
- \rightarrow Large 508 x 416mm standing area enhances comfort and working stability
- > Checker plate deck surface provides reliable anti-slip footing
- > Oversized anti-slip feet offer superior grip and long-lasting durability
- > Complies with Australian & New Zealand standards AS/NZS 1892

SKU	Туре	Platform Height	Maximum Reach	Weight
FS13580	3 Step	900mm	2900mm	11.0kg
FS13581	4 Step	1200mm	3200mm	12.5kg
FS13582	5 Step	1500mm	3500mm	13.9kg
FS13583	6 Step	6 Step 1800mm 3800mm		15.8kg
FS13584	Optional Castor Kit			3.5kg
FS13952		Optional Safety G	ate Kit	2.6kg





FS13952 Optional Safety Gate





BAILEY.

P170 Job Station Fibreglass Platform Stepladder - 170kg

- > Large 610 x 457mm platform ensures comfort and secure footing
- > Electro-safe fibreglass frame ideal for electrical hazard environments
- > Anti-slip PVC boots and compliant with AS/NZS 1892

SKU	Туре	Platform Height	Maximum Reach	Weight
FS13530	3 Step	900mm	2870mm	16.9kg
FS13531	4 Step	1200mm	3160mm	18.4kg
FS13532	5 Step	1500mm	3450mm	19.9kg
FS13533	6 Step	1800mm	3740mm	21.9kg
FS13534	7 Step	2030mm	4030mm	27.4kg
FS13535	8 Step	2320mm	4320mm	28.4kg
FS13536	10 Step	2910mm	4910mm	33.2kg
FS13537	12 Step	3490mm	5490mm	37.6kg
FS13954		Optional Safety Ga	ate Kit	2.4kg





P150 Riveted Fibreglass Platform Stepladder - 150kg

- > Lightweight and portable with a magnetised handrail for securing tools
- \rightarrow Spacious 508 x 416mm standing area with checker plate anti-slip surface
- > Large anti-slip feet enhance durability and ground stability
- > Compliant with AS/NZS 1892 Australian & New Zealand standards

SKU	Туре	Platform Height	Maximum Reach	Weight
FS13576	3 Step	900mm	2900mm	12.1kg
FS13577	4 Step	1200mm	3200mm	13.8kg
FS13578	5 Step	1500mm	3500mm	15.4kg
FS13579	6 Step	6 Step 1800mm 3800mm		17.5kg
FS13584	Optional Castor Kit			3.5kg
FS13952		Optional Safety G	ate Kit	2.6kg





Pro. Punchlock Fibreglass Platform Stepladder - 170kg

- > Large anti-slip 400 x 500mm platform
- > Compliant with AS/NZS 1892 Australian & New Zealand standards

SKU	Туре	Platform Height	Maximum Reach	Weight
FS13945	2 Step	580mm	2600mm	9.65kg
FS13946	3 Step	860mm	2900mm	11.05kg
FS13947	4 Step	1140mm	3100mm	12.45kg
FS13948	5 Step	1430mm	3400mm	13.95kg
FS13949	6 Step	1720mm	3700mm	15.85kg
FS13950	7 Step	2000mm	4000mm	20.05kg
FS13951	8 Step	2290mm 4300r		22.45kg
FS13991	Optional	Castor Wheel Kit (W	hite) Fits 2-3 Step	2.5kg
FS13992	Optional Castor Wheel Kit (Yellow) Fits 4-6 Step			2.5kg
FS13993	Optional	3.3kg		
FS13952		Optional Safety G	ate Kit	2.7kg





Pro Series Industrial Fibreglass Platform Ladder - 150kg

- > 660 x 400mm platform with 900mm guard rail for safety
- > Complies with AS/NZS 1892 standards

SKU	Туре	Platform Height	Weight	Optional Wheel Kit
PROPF5-2	2 Step	600mm	13.0kg	PROWK
PROPF6-3	3 Step	900mm	14.0kg	PROWK
PROPF7-4	4 Step	1200mm	16.0kg	PROWK
PROPF8-5	5 Step	1500mm	17.0kg	PROWK
PROPF9-6	6 Step	1800mm	20.0kg	PROWK
PROPF10-7	7 Step	2100mm	24.0kg	PROWK
PROPF11-8	8 Step	2400mm	26.0kg	PROWK
PROPF12-9	9 Step	2700mm	28.0kg	PROWK
PROPF13-10	10 Step	3000mm	30.0kg	PROWK
PROPF15-12	12 Step	3600mm	36.0kg	PROWK



Also available - wheel kits, locking gates, hand rails, tool tray and heavy duty top shelf.



Aluminium Adjustable Height Platform Stepladder - 170kg 3 - 4 - 5 - 6 Step

- > Adjustable height design suits 3, 4, 5, and 6-step platform ladders
- > One-hand, self-locking mechanism allows fast, secure adjustment
- > Rear leg adjusts in 49mm increments to suit stairs or sloped surfaces
- > Large 420mm x 500mm platform provides stable, comfortable standing area
- > Pre-drilled and ready for optional safety gate attachment (FS13952)
- > Lightweight design at just 18.8kg for easy handling and transport
- > Built to AS/NZS 1892 Australian & New Zealand Standards

SKU	Step	Nominal Size	Platform Height	Reach Height	Weight
	3 Step	1860mm	850mm	2850mm	
FS13999	4 Step	2160mm	1140mm	3140mm	18.8kg
F313777	5 Step	2460mm	1420mm	3420mm	10.0Kg
	6 Step	2760mm	1710mm	3710mm	





PROMT Aluminium Multi-Purpose Ladder

- > 6 ladders in 1 with multiple configurable positions
- > Locking hinge system enables quick, secure adjustments
- > Industrial-grade aluminium construction for tough worksites
- > 3-piece rung joints add extra strength and durability
- > Anodised components for enhanced corrosion resistance











Riveted Solid Aluminium Double Sided Step Ladder - 120kg / 135kg / 150kg / 180kg

- > Anti-slip rungs and feet with safety-focused construction
- > Durable anodised aluminium resists corrosion and dirt
- > Strong two-piece top and diagonal spreader bars for stability
- > Complies with AS/NZS 1892 standards

SKU	Туре	Capacity	Ladder Size	Weight
TRDS2D	2 Step	150kg	600mm	3.0kg
TRDS3D	3 Step	150kg	900mm	4.1kg
TRDS4D	4 Step	150kg	1200mm	4.9kg
TRDS5D	5 Step	135kg	1500mm	6.5kg
TRDS6D	6 Step	135kg	1800mm	7.4kg
TRDS7D	7 Step	120kg	2100mm	9.2kg
TRDS8D	8 Step	120kg	2400mm	10.0kg





Riveted Solid Aluminium Double Sided Step Ladder - 150kg / 180kg

SKU	Туре	Capacity	Ladder Size	Weight
PROS3D	3 Step	180kg	900mm	4.1kg
PROS4D	4 Step	180kg	1200mm	4.9kg
PROS5D	5 Step	180kg	1500mm	6.5kg
PROS6D	6 Step	180kg	1800mm	7.4kg
PROS7D	7 Step	180kg	2100mm	9.2kg
PROS8D	8 Step	180kg	2400mm	10.0kg
PROS9D	9 Step	180kg	2700mm	14.0kg
PROS10D	10 Step	180kg	3000mm	16.0kg
PROS12D	12 Step	150kg	3700mm	20.0kg
PROS14D	14 Step	150kg	4300mm	25.0kg
PROS16D	16 Step	150kg	4900mm	30.0kg





Pro Fibreglass Double Sided Step Ladder - 150kg / 180kg

- $\,{}^{\backprime}$ Anodised aluminium components with heavy-duty feet for 8ft–16ft use
- > Backed by a 5-year warranty and compliant with AS/NZS 1892 standards

SKU	Туре	Capacity	Ladder Size	Weight
PROSF3D	3 Step	180kg	900mm	5.8kg
PROSF4D	4 Step	180kg	1200mm	7.4kg
PROSF5D	5 Step	180kg	1500mm	9.2kg
PROSF6D	6 Step	180kg	1800mm	11.0kg
PROSF7D	7 Step	180kg	2100mm	13.0kg
PROSF8D	8 Step	180kg	2400mm	15.0kg
PROSF10D	10 Step	180kg	3000mm	21.0g
PROSF12D	12 Step	150kg	3700mm	26.0kg
PROSF14D	14 Step	150kg	4300mm	30.0kg
PROSF16D	16 Step	150kg	4800mm	36.0kg





Industrial Trade Aluminium Extension Ladder - 135kg

- > 3-year warranty for peace of mind
- > Industrial duty rated for demanding work sites
- > Lightweight yet strong double-sided aluminium design
- > Anti-slip feet for improved safety and stability
- > Compliant with AS/NZS 1892 standards

SKU	Туре	Ladder Size	Weight
TRDX16	Extended - 16 Step	2900/4700mm	12.5kg
TRDX18	Extended - 18 Step	3200/5300mm	13.5kg
TRDX22	Extended - 22 Step	3800/6600mm	15.5kg







Pro Series Aluminium Extension Ladder - 130kg / 180kg

- > Industrial-grade aluminium construction for strength and reliability
- > 3-piece rung joint system enhances durability
- > Anodised components offer improved corrosion resistance
- > Built for industrial work sites
- > Meets AS/NZS 1892 standards

SKU	Туре	Capacity	Ladder Size	Weight
PROX14	Extended - 14 Step	180kg	2600/4100mm	15.0kg
PROX18	Extended - 18 Step	180kg	3200/5300mm	16.0kg
PROX22	Extended - 22 Step	180kg	3800/6600mm	19.0kg
PROX26	Extended - 26 Step	150kg	4400/7800mm	24.0kg
PROX30	Extended - 30 Step	150kg	5000/9000mm	26.0kg
PROX33	Extended - 33 Step	130kg	5600/9900mm	28.0kg
PROX36	Extended - 36 Step	130kg	6300/10800mm	33.0Kg







Trade Industrial Fibreglass Extension Ladder - 120kg / 135kg

- > Includes a 3-year warranty for peace of mind
- > Standard V-bracket for added stability
- > Compliant with AS/NZS 1892 Australian & New Zealand standards

Also available

- Optional Retractable Castors/Wheels Kits.
- Optional 'Fold Away' Safety Gate for 2-6 Step SKU.

SKU	Туре	Capacity	Ladder Size	Weight
TRDXF14	Extended - 14 Step	135kg	2800/4300mm	17.0kg
TRDXF18	Extended - 18 Step	135kg	3400/5500mm	21.0kg
TRDXF22	Extended - 22 Step	135kg	4000/6700mm	24.0kg
TRDXF26	Extended - 26 Step	120kg	4900/8200mm	30.0Kg













Aluminium Order Picking Ladder - 180kg

- > Heavy-duty aluminium construction for industrial use
- > Folds flat for easy storage and transport
- > Dual platform gates allow full walk-through access
- > Complies with AS/NZS 1892 standards for safety and performance

SKU	Туре	Platform Height	Weight
ODP3	3 Step	720mm	25kg
ODP4	4 Step	950mm	29kg
ODP5	5 Step	1210mm	33kg
ODP6	6 Step	1450mm	36kg
ODP7	7 Step	1690mm	44kg
ODP8	8 Step	1930mm	45kg
ODP9	9 Step	2170mm	49kg
ODP10	10 Step	2410mm	55kg
0DP11	11 Step	2650mm	60kg





"WALK THOUGH" MODEL

Aluminium Access Platform Ladder - 200kg

- > Manual braking system for added safety
- > 125mm wheels offer easy mobility and smooth glide
- > 100mm deep treads enhance climbing safety and comfort
- > Large work platform with shelf, accessible from three sides
- > Complies with AS/NZS 1892 Australian & New Zealand standards

SKU	Туре	Platform Height	Weight
FS13591	3 Step	828mm	38.1kg
FS13592	4 Step	1104mm	40.6kg
FS13593	5 Step	1381mm	43.0kg
FS13594	6 Step	1656mm	46.0kg
FS13595	7 Step	1933mm	48.5kg
FS13596	8 Step	2209mm	51.0kg
FS13597	10 Step	2761mm	62.0kg
FS13598	12 Step	3313mm	69.0kg
FS13599	14 Step	3866mm	76.4kg





Aluminium Modular Access / Platform Ladder - 200kg

- > Industrial-duty aluminium construction, fully welded for strength and durability
- Designed for high-frequency, heavy-duty use on commercial sites
- > Lightweight and highly manoeuvrable with foot-operated brake castors
- > Removable handrails provide safe access to elevated work areas
- > Flat-packed for easy transport with tools and detail instructions included
- > Complies with Australian & New Zealand standards AS/NZS 1892

SKU	Туре	Platform Size	Weight
FS135-FS137-FS13789-1M	4 Step	1000mm	16.5kg
FS135-FS137-FS13790-2M	4 Step	2000mm	31.0kg



128





Navigator Order Picking Ladder - 150kg

- > Automatic braking and self-closing gate enhance safety during use
- > Rota-Gate and smooth maneuverability enable fast, efficient stock picking

SKU	Height	5kg Working Range	20kg Working Range
SM-N04	1145mm	1400 - 2800mm	1400 - 2300mm
SM-N05	1435mm	1700 - 3100mm	1700 - 2600mm
SM-N06	1720mm	2000 - 3400mm	Not Suitable
SM-N07	2005mm	2300 - 3700mm	Not Suitable
SM-N08	2295mm	2500 - 3900mm	Not Suitable
SM-N09	2580mm	2800 - 4200mm	Not Suitable
SM-N10	2865mm	3100 - 4500mm	Not Suitable
SM-N11	3155mm	3400 - 4800mm	Not Suitable
SM-N12	3440mm	3700 - 5100mm	Not Suitable
SM-N13	3735mm	4000 - 5400mm	Not Suitable
SM-N14	4015mm	4300 - 5700mm	Not Suitable





Available in Two Models:

- Standard Series with standard three-way handrail
- Pro Series equipped Safety Gate and Rota Gate

StockMaster Lift Truk



Lift-Truk Manual Order Picking Ladder - 150kg

- > Manually lifts up to 60kg with no power required
- > Improves safety and reduces strain during lifting tasks

SKU	Height	5kg Working Range	20kg Working Range
SM-LT04M	1145mm	1400 - 2800mm	1400 - 2300mm
SM-LT05M	1435mm	1700 - 3100mm	1700 - 2600mm
SM-LT06M	1720mm	2000 - 3400mm	2000 - 2900mm
SM-LT07M	2005mm	2300 - 3700mm	2300 - 3200mm
SM-LT08M	2295mm	2500 - 3900mm	2500 - 3400mm
SM-LT09M	2580mm	2800 - 4200mm	2800 - 3700mm
SM-LT010M	2865mm	3100 - 4500mm	3100 - 4000mm
SM-LT011M	3155mm	3400 - 4800mm	3400 - 4200mm
SM-LT012M	3440mm	3700 - 5100mm	3700 - 4600mm
SM-LT013M	3735mm	4000 - 5400mm	4000 - 4900mm
SM-LT014M	4015mm	4300 - 5700mm	4300 - 5200mm





Available in Two Models:

- Standard Series with standard three-way handrail
- Pro Series equipped Safety Gate and Rota Gate

StockMaster Tracker®



Tracker Manual Mobile Platform Ladder - 150kg

> Mobile platform with large wheels, auto-locks when stationary

SKU	Height	Working Range
SM-T03	860mm	1100 - 2700mm
SM-T04	1145mm	1400 - 3000mm
SM-T05	1435mm	1700 - 3300mm
SM-T06	1720mm	2000 - 3600mm
SM-T07	2005mm	2300 - 3900mm
SM-T08	2295mm	2500 - 4200mm
SM-T09	2580mm	2800 - 4400mm
SM-T10	2865mm	3100 - 4700mm
SM-T11	3155mm	3400 - 5000mm
SM-T12	3440mm	3700 - 5300mm
SM-T13	3735mm	4000 - 5600mm
SM-T14	4015mm	4300 - 5900mm





Available in Two Models:

- Standard Series with standard three-way handrail
- Pro Series equipped Safety Gate and Rota Gate



StockMaster Step Thru



Step-Thru All Terrain Mobile Access Platform - 150kg

- > Mobile steps for indoor and outdoor access
- > Ideal for loading docks, containers, and mezzanines
- > Easy to move over sealed or uneven surfaces
- > 150kg load rated for safe, reliable use

SKU	Platform Height	Service Height Range
SM-ST03	860mm	900 - 1185mm
SM-ST04	1145mm	1185 - 1475mm
SM-ST05	1435mm	1475 - 1760mm
SM-ST06	1720mm	1760 - 2045mm
SM-ST07	2005mm	2045 - 2335mm
SM-ST08	2295mm	2335 - 2620mm
SM-ST09	2580mm	2620 - 2905mm
SM-ST10	2865mm	2905 - 3150mm










Mezzalad Mezzanine Access Ladder - 150kg

- > Access ladder for mezzanines, lofts, and elevated areas
- > Folds flat against the wall when not in use
- > Simple lift-and-pull to deploy
- > Includes upper-level safety gate for secure access

SKU	Minimum Service Height	Maximum Service Height
SM-VH01	2330mm	2529mm
SM-VH02	2529mm	2744mm
SM-VH03	2744mm	2977mm
SM-VH04	2977mm	3225mm









Mezzalift Manually Operated Goods Lift - 60kg

- > Manually operated lift for transferring goods to mezzanine or elevated areas
- > Suitable for single items or stacked loads up to 60kg
- > Adjustable length to match mezzanine height

SKU Service Height Rating SM-MH08 2250 - 2555mm SM-MH09 2535 - 2840mm SM-MH10 2820 - 3125mm SM-MH11 3110 - 3415mm SM-MH12 3395 - 3700mm SM-MH13 3685 - 3990mm SM-MH14 3970 - 4275mm		
SM-MH09 2535 - 2840mm SM-MH10 2820 - 3125mm SM-MH11 3110 - 3415mm SM-MH12 3395 - 3700mm SM-MH13 3685 - 3990mm	SKU	Service Height Rating
SM-MH10 2820 - 3125mm SM-MH11 3110 - 3415mm SM-MH12 3395 - 3700mm SM-MH13 3685 - 3990mm	SM-MH08	2250 - 2555mm
SM-MH11 3110 - 3415mm SM-MH12 3395 - 3700mm SM-MH13 3685 - 3990mm	SM-MH09	2535 - 2840mm
SM-MH12 3395 - 3700mm SM-MH13 3685 - 3990mm	SM-MH10	2820 - 3125mm
SM-MH13 3685 - 3990mm	SM-MH11	3110 - 3415mm
	SM-MH12	3395 - 3700mm
SM-MH14 3970 - 4275mm	SM-MH13	3685 - 3990mm
	SM-MH14	3970 - 4275mm





130









Collapsible Work Platform - 250kg

- > Designed to safely carry two people with a combined load capacity of 250kg
- > Folds flat for easy storage and assembly, ideal for freight and transport
- > 1200 x 1200mm platform, 1000mm high sides, and a 2200mm rear safety screen
- > Fitted with inward-opening self-closing door, handrail, toe boards on all sides
- > Safety features include two harness anchor points and fork-attachment pins







EAST WEST ENGINEERING

FWP25

Forklift Work Platform - 250kg

- > Reinforced single-panel sides for strength and quick assembly
- > Self-closing gate with bow latch for safe, secure access
- > Two floor-mounted anchor points for harness safety compliance
- > Removable tool tray keeps gear within reach and prevents drops
- > Fork locking pins ensure secure attachment to forklift
- > Zinc-plated finish protects against rust and wear in tough conditions
- > Heavy-duty steel construction built for industrial use
- > Compact design for easy storage and handling
- > Complies with AS 2359.1 Australian Safety Standards

The use of FWP25 on a forklift truck should not be considered if the capacity of that forklift is less than 1800kg for a counterbalanced type or 1080kg for a straddle type forklift.

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Load Centre
FWP25	1155 x 1225 x 2000mm	160 x 60mm	640mm	600mm





WP-GC

Forklift Work Platform - 250kg

- > Heavy-duty welded construction for industrial environments, built to withstand tough use
- > Self-closing gate with bow latch and two harness anchor points ensure worker safety
- > Fork locking pins secure the cage during forklift transport, preventing accidental detachment
- > Galvanised finish resists corrosion, suitable for both indoor and outdoor applications
- > Compact and low-maintenance design, easy to store and durable for long-term use
- > Complies with AS 2359.1, meeting Australian safety standards for forklift work platforms

The use of WP-GC on a forklift truck should not be considered if the capacity of that forklift is less than 1925kg for a counterbalanced type or 1155kg for a reach type forklift.

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Load Centre
WP-GC	1155 x 1225 x 2065mm	160 x 65mm	640mm	600mm









CNGC10

Rigging Lockable Storage Cage - 750kg

- Designed for secure storage and transport of rigging gear including chains, slings, shackles, and clamps
- > Fully enclosed mesh cage with a sheet metal roof for protection during on-site handling
- > Lockable hinged gate prevents unauthorised access and theft
- > Fitted with 4-point crane lift lugs and forklift pockets for easy relocation
- > Zinc-plated finish for enhanced corrosion resistance
- > Supplied flat-packed for easy on-site assembly (fully assembled available on request)

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Hooks
CNGC10	1030 x 1030 x 1930mm	165 x 65mm	665mm	20





WPOP

Order Picker Cage - 1000kg

- > Wire mesh back and sides for visibility and protection
- > Includes fitted parcel tray for convenient packing access
- > Optional wheels and tow hitch for workplace manoeuvrability
- > Available in three models to suit different order picker heights
- > Customisable to fit specific forklift models and applications
- > Durable enamel paint finish

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Load Centre
WPOP	1200 x 1200 x 1000mm	140 x 60mm	560mm	600mm





CGP116

Crane Pallet Cage - 1000kg

- > Fully opening front gate for fast and easy access
- > Stackable design: 3 high empty, 2 high when loaded
- > Pallet racking compatible for efficient warehouse storage
- > Equipped with 4-point crane lift lugs and forklift pockets
- > Durable sheet metal floor fitted as standard
- > Zinc-plated finish for corrosion resistance

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres
CGP116	1250 x 1250 x 1100mm	245 x 80mm	452mm



132



CSPN-1T / CSPN-2T

Goods Cage - 1000kg / 2000kg

- > Designed for storing and transporting loose or palletised goods
- > Suits standard 1200mm square pallet
- > Available in 1-tonne and 2-tonne capacity models
- > Fully opening front gate for easy loading and unloading
- > Stackable 3 high when empty, 2 high when loaded
- > Fitted with 4-point lift crane lugs and fork stirrups
- > Zinc-plated finish for corrosion resistance
- > Supplied fully assembled and ready to use

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	W.L.L
CSPN-1T	1350 x 1350 x 1155mm	155 x 60mm	680mm	1000kg
CSPN-2T	1350 x 1350 x 1200mm	155 x 75mm	680mm	2000kg





BKN130

Floor Mounted Mega Bin Tipper - 1000kg

- > Allows 130° rotation of Nally bins via hydraulic lever
- > 304 stainless steel chute guides material flow efficiently
- > Removable side and upper safety barriers for flexible access
- > Compatible with forklift or hand pallet jack loading
- > 240V, 2.2kW hydraulic power pack included
- > Bin retainers hold mega bins securely during tipping
- > Tipping height approx. 1100mm above floor level
- > Full tipping cycle completes in 42 seconds
- > Suitable for food industry applications
- > Durable zinc-plated frame with stainless steel chute

SKU	Overall Size	Width Inside Cradle	Tipping Height	Rotation
BKN130	1745 x 1555 x 1400mm	1185mm	1100mm	130°





BTS10 / BTS10-NP / BTS10-W IBC Bin Tilter - 2000kg

- > 10° tilt enables decanting directly from IBC
- > Spring-loaded mechanism adjusts tilt as liquid level drops (3 springs supplied)
- > Easy access to valve for quick hose connection
- $\verb| Model BTS10 includes removable for k pockets for forklift transport and positioning \\$
- > Model BTS10-W includes wheels for manual mobility
- $\ \, \hbox{ \it Durable zinc-plated finish for corrosion resistance} \\$

SKU	Overall Size	Fork Pocket Size	Fork Pocket Centres	Wheels
BTS10	1200 x 1130mm	185 x 85mm	730mm	-
BTS10-NP	1200 x 1130mm	-	-	-
BTS10-W	1200 x 1130mm	-	-	Yes









PLASTIC STORAGE



Hospitality Contain	ners	134-136
Hospitality & Clea	ning Equipment	137
Rotomoulded Tubs	& Dollies	138-141
Stack & Nest Cont	ainers	142-143
Stacking Containe	rs	144-145
Nesting Container	s	146
Ventilated Crates		147
Round Buckets & I	Foldable Crates	148
Storage Container	s	149-151
Bulk Bins & Pallet	s	142-155
Workbenches		156-157
Longspan Shelving	g & Action Racks	158
Personal Lockers		159



RT1011

THOR® Round Container

Capacity	Dimensions
38 Litre	400 x 440mm



RT1010

THOR® Round Container

Capacity	Dimensions
60 Litre	470 x 545mm



RT1012

THOR® Round Container

Capacity	Dimensions
75 Litre	490 x 570mm



THOR® Round Container

Capacity	Dimensions
121 Litre	560 x 700mm



THOR® Round Container

Capacity	Dimensions
166 Litre	610 x 800mm



RT1015

THOR® Round Container

Capacity	Dimensions
208 Litre	670 x 840mm



RT1610 - 1615
THOR® Round Lids

Suit
RT1010/RT1011/RT1012/RT1013/RT1014/RT1015



RT1623

THOR® Funnel Lid

Suit	Dimensions
RT1013	568 x 129mm



KIIBIY

THOR® Universal Drum Dolly

Can easily transport steel drums.

Suit	Dimensions
Steel Drum	619 x 181mm

BLACK





RT1811

THOR® Round Dolly

Suit	Dimensions
RT1010/RT1012/RT1013/RT1014/RT1015	464 x 168mm



BLACK



RT1813

THOR® Quiet Round Dolly

Suit	Dimensions
RT1012/RT1013/RT1015/RT1015	464 x 168mm



BLACK



RT1814

Svelte® Dolly

Suit	Dimensions
RT1211/RT1213	516 x 290 x 260mm

BLACK





Capacity	Dimensions
46 Litre	499 x 249 x 630mm



Capacity	Dimensions
60 Litre	570 x 272 x 632mm

GREEN

Trust

RT1642



Capacity	Dimensions
87 Litre	570 x 272 x 756mm



Capacity	Dimensions
87 Litre	570 x 272 x 756mm



Trust

RT1641

Svelte® Bottle and Can Recycling Top Dimensions RT1215/RT1211/RT1213/RT1214 523 x 288 x 67mm



Svelte® Paper Recycling Top Dimensions RT1215/RT1211/RT1213/RT1214 523 x 288 x 67mm



RT1643 Svelte® Handle Top

Suit	Dimensions
RT1215/RT1211/RT1213/RT1214	523 x 288 x 70mm



Suit Dimensions RT1215/RT1211/RT1213/RT1214 523 x 288 x 115mm

Svelte® Swing Lid



RT1645 Svelte® Connect Valve Style Lid Dimensions Suit

Trust	BLACK	
14		

RT1815 Svelte® Dou-Compartment Dolly

Suit	Dimensions
RT1211/RT1213/RT1214	582 x 517 x 240mm



RT1816 Svelte® Tri-Compartment Dolly

Suit	Dimensions
RT1211/RT1213/RT1214	873 x 517 x 240mm



RT1215/RT1211/RT1213/RT1214 548 x 325 x 40mm

RT1817 **Svelte® Four-Compartment Dolly**

Suit	Dimensions
RT1211/RT1213/RT1214	1164 x 517 x 240mm

Trust RT1302 Svelte® Step-on Container Capacity

50 Litre





Dimensions	
Difficitsions	
x 507 x 721mm	

•	
Capacity	Dimensions
60 Litre	470 x 545mm

Dimensions 90 Litre 379 x 601 x 812mm

Trust

Trust

Trust

WHITE

BLUE

BLACK

BLACK











THOR® Square Lid

Suit	Dimensions
RT1231	559 x 559 x 51mm

RT1812 **THOR® Square Dolly**

Suit	Dimensions
RT1231	438 x 159mm





RT3011 THOR® Tote Food Storage Box with Lid

Capacity	Dimensions
53 Litre	708 x 434 x 272mm



RT3012 THOR® Tote Food Storage Box with Lid Capacity **Dimensions**

708 x 434 x 384mm

75 Litre





RT4483 **THOR® Tote Trolley**

Suit	Dimensions
RT3011/RT3012	630 x 435 x 185mm





RT4492 **Goods Shelves**

Capacity	Dimensions
900 kg	1220 x 610 x 305mm



RT8014 Microban® High Chair

Suit	Dimensions
RT8013/RT8015	636 x 583 x 768mm



RT8013 / RT8015

Microban® High Chair Accessories

SKU	Dimensions
RT8013	424 x 300 x 55mm
RT8014	Castor Wheel Kit



Wet Floor Safety Sign

Description	Dimensions
"CAUTION Wet Floor"	660 x 279 x 305mm



GRANDMAID® Cleaning Cart

Description	Dimensions
Cleaning Cart	1168 x 552 x 975mm

BLACK



RT6763 Three-side Shoe Brush

Brush	Dimensions
PP Brush Wires	500 x 300 x 195mm





RT4501 Low Profile Drum Bunds

Capacity	Dimensions
90 Litre	1245 x 635 x 140mm



BLACK



RT4502

Low Profile Drum Bunds

Capacity	Dimensions
185 Litre	1245 x 1245 x 140mm



THOR® Step-on Rollout Container

Capacity	Dimensions
120 Litre	520 x 663 x 940mm



Capacity	External Dimensions
80 Litre	708 x 434 x 272mm



Wheelie Bin

Capacity	External Dimensions
120 Litre	470 x 500 x 900mm



Capacity	External Dimensions
240 Litre	650 x 575 x 1000mm

138



Capacity	Dimensions
130 Litre	680 x 440 x 500mm



Rectangular Rotomoulded Tank

Capacity	Dimensions
170 Litre	680 x 440 x 650mm



Rectangular Rotomoulded Tank

Capacity	Dimensions
180 Litre	820 x 520 x 540mm



REM300 Rectangular Rotomoulded Tank

Capacity	Dimensions
300 Litre	1630 x 435 x 430mm



Rectangular Rotomoulded Tank

Capacity	Dimensions
320 Litre	915 x 610 x 610mm



REM422 Rectangular Rotomoulded Tank

Capacity	Dimensions
450 Litre	1220 x 610 x 610mm



REM500 Rectangular Rotomoulded Tank

_	
Capacity	Dimensions (TOP)
500 Litre	1100 x 720 x 740mm



Rectangular Rotomoulded Tank

Capacity	Dimensions
' '	
600 Litre	1200 x 700 x 750mm



RL165 Rectangular Tank

Capacity	Dimensions
165 Litre	610 x 610 x 465mm



Rectangular Tank

Capacity	Dimensions
250 Litre	1170 x 600 x 530mm



RL455

Rectangular Tank

Capacity	Dimensions
455 Litre	1300 x 710 x 660mm



Rectangular Tank

Capacity	Dimensions
690 Litre	1230 x 620 x 930mm





REM180T
Food Grade Rotomoulded Tray

Capacity	Dimensions	
25 Litre	813 x 517 x 103mm	



BLACK WHITE

Rotomoulded Round Bin

Capacity	Dimensions
200 Litre	650 x 865mm



Pallet Bin with Lid

Capacity	Dimensions	
1000 Litre	1165 x 1165 x 1100mm	



TSRT350

Food Grade Rotomoulded Tub

Capacity	Internal Dimensions	External Dimensions
350 Litre	1165 x 645 x 650mm	1250 x 760 x 660mm



TSRT Tub

Capacity	External Dimensions
400 Litre	1130 x 600 x 60mm



RETD L01GFL35

Galvanised Mobile Dolly

- > Hot dip galvanised steel angle frame
- > 50mm all swivel nylon castors

Suit to	Dimensions
IH050/IH060/IH078	585 x 355 x 106mm



RETD L20GFL33

Galvanised Mobile Dolly

- > Hot dip galvanised steel angle frame
- > 100mm all swivel nylon castors

Suit to	Dimensions
REM180	827 x 540 x 202mm



RETD L21GFL33

Galvanised Mobile Dolly

- > Hot dip galvanised steel angle frame
- > 75mm all swivel nylon castors

Suit to	Dimensions	
REM130 / REM170	680 x 450 x 202mm	



RETD L22GFL33

Galvanised Mobile Dolly

- > Hot dip galvanised steel angle frame
- > 100mm all swivel nylon castors

Suit to	Dimensions
REM322	910 x 607 x 212mm



RETD L23GFM64

Galvanised Mobile Dolly

- > Hot dip galvanised steel angle frame
- > 150mm 2 swivel nylon, 2 fixed rubber castors

 Suit to Dimensions

 REM422 1249 x 627 x 266mm



RETD L33GL33

Galvanised Mobile Dolly

- > Hot dip galvanised steel angle frame
- > 100mm all swivel nylon castors

Suit to	Dimensions
REM600	1220 x 715 x 212mm





- > Australian made
- > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RM120DY	100mm	140kg	870 x 645mm	2 x IH051



SUITS IH060, IH051,



> Rigid powder-coated steel

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TS10CD	100mm	80kg	600 x 360mm	IH060, IH051, IH078





TSFD

Furniture Dolly

> Ideal for moving furniture

SKU	Wheel Dia.	Load Capacity	Dimensions
TSFD	100mm	300kg	550 x 800mm





- > Ideal for moving furniture
- > Optional wheels upgrade available

SKU	Wheels	Load Capacity	Dimension
TSPTS	200mm Solid	400kg	860 x 500mm
TSPTP	250mm Pneumatic	450kg	860 x 500mm
TSPTPP	250mm Puncture proof	400kg	860 x 500mm



- > TSRT rotomoulded tubs suits to TSRT-DOLLIE
- > Suitable for laundry, stock Handling and waste

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TSRT-DOLLIE	100mm	250kg	1130 x 600 x 600mm	TSRT





TSSLB

Spring Loaded Base

- > Spring-loaded base reduces strain and injury risk
- > Fully automatic scissor mechanism with no power required > Maintains top load at optimal
- lifting height > Optional corflute or solid plastic top available (1095 x 600mm)

NOTE: Pictured with optional corflute top sold separately

SKU	Dimensions
TSSLB	700 x 400mm





TSD44

Drum Dolly

- > Suit to 205 litre/44 gallon drum
- > Smooth rolling and strong, durable construction

SKU	Wheel Dia.	Load Capacity	Dimensions
TSD44	80mm	205L (300kg)	614mm Diameter









TEEMSYSTEMS

RT1819

Plastic Drum Dolly for Barrels

- > Suit to RT1015 drum
- > Heavy-duty structural foam construction resists rust, dents and chips

SKU	Wheel Dia.	Load Capacity	Dimensions
TSD44	80mm	208L (200kg)	619mm Diameter



SUITS IH060, IH051, IH078 & RT3011/3012 Stack & Nest Tubs





RT4483

Containers Dolly

- > Durable structural foam body won't rust, dent or peel
- > 100mm non-marking swivel castors for smooth movement

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RT4483	100mm	150kg	630 x 435mm	IH060, IH051, IH078,RT3011, RT3012



- **Plastic Dolly**
- > Food grade plastic
- > Temperature rating to 20°C to 60°C
- > Standard are yellow, red, blue, and white
- > Proudly Australian made

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TS10PD	100mm	150kg	620 x 400mm	IH060, IH051, IH078,IH315, IH310









Plastic Dolly

TSPD323

- > Australian made
- > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
TSPD323	100mm	140kg	620 x 710mm	IH323







RM74DY

- **Plastic Dolly** > Australian made
- > Standard colour blue
- > Food grade plastic
- > Other colours available POA

SKU	Wheel Dia.	Capacity	Dimensions	Suits To
RM74DY	100mm	140kg	450 x 710mm	IH066





IH060 Stack & Nest Crate
IH052 Lid White Only

inusz Liu white only

Capacity	Ext. Dimensions	Int. Dimensions
32 Litre	645 x 413 x 210mm	597 x 362 x 203mm



IH051 Stack & Nest Crate

IH052 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
52 Litre	645 x 413 x 276mm	597 x 362 x 266mm



IH078 Stack & Nest Crate

IH052 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
68 Litre	645 x 413 x 397mm	597 x 362 x 381mm



IH060R2 Stack & Nest Recycled Crate

IH052R2 Lid Black Only

Moulded from recycled resin. Not recommended for food.

Capacity	Ext. Dimensions	Int. Dimensions
32 Litre	645 x 413 x 210mm	597 x 362 x 203mm



IH051R2 Stack & Nest Recycled Crate

IH052R2 Lid Black Only

Moulded from recycled resin. Not recommended for food.

Capacity	Ext. Dimensions	Int. Dimensions	
52 Litre	645 x 413 x 276mm	597 x 362 x 266mm	



IH078R2 Stack & Nest Recycled Crate
IH052R2 Lid

Moulded from rહ્યોબ્રાહિ**ા**કાંn. Not recommended for food.

Capacity	Ext. Dimensions	Int. Dimensions
68 Litre	645 x 413 x 397mm	597 x 362 x 381mm



IH090 Stack & Nest Solid Food Crate

Capacity	Ext. Dimensions	Int. Dimensions
32 Litre	575 x 400 x 215mm	510 x 400 x 215mm



IH066 Stack & Nest Solid Food Crate

Capacity	Ext. Dimensions	Int. Dimensions
54 Litre	711 x 438 x 310mm	672 x 400 x 276mm



IH068 Stack & Nest Solid Food Crate

Capacity	Ext. Dimensions	Int. Dimensions
118 Litre	950 x 460 x 435mm	770 x 365 x 365mm



IH2260 Stack & Nest Solid Crate

Capacity	Ext. Dimensions	Int. Dimensions
26 Litre	578 x 384 x 166mm	502 x 338 x 150mm



IH2520 Stack & Nest Solid Crate

Capacity	Ext. Dimensions	Int. Dimensions
52 Litre	578 x 384 x 318mm	502 x 338 x 300mm



IH2780 Stack & Nest Solid Crate

Capacity	Ext. Dimensions	Int. Dimensions
78 Litre	578 x 384 x 470mm	502 x 338 x 455mm





IH004 Square Vented Produce Crate

Capacity	Ext. Dimensions	Int. Dimensions
84 Litre	585 x 522 x 350mm	560 x 495 x 320mm



IH016 Meat & Poultry Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions
23 Litre	580 x 380 x 175mm	520 x 340 x 160mm



NOTE: Not a Stock Item.

Minimum quantity applies to this product.

IH033 Stack & Nest Mushroom Crate

Capacity	Ext. Dimensions	Int. Dimensions
21 Litre	580 x 385 x 130mm	539 x 344 x 123mm



IH035 Stack & Nest Vented Fish Crate

Capacity	Ext. Dimensions	Int. Dimensions
35 Litre	711 x 438 x 218mm	673 x 400 x 190mm



IH065 Stack & Nest Vented Fish Crate

Capacity	Ext. Dimensions	Int. Dimensions
52 Litre	711 x 438 x 310mm	673 x 400 x 276mm



IH095 Stack & Nest Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions
32 Litre	642 x 480 x 156mm	584 x 432 x 127mm



IH317 Meat and Poultry Crate

Vented Sides Wall / Solid Base.

IH318 Meat and Poultry Crate

Vented Sides Wall / Vented Base.

Capacity	Ext. Dimensions	Int. Dimensions
32 Litre	580 x 390 x 190mm	505 x 305 x 165mm



IH323 Stack & Nest Bread Crate

Capacity	Ext. Dimensions	Int. Dimensions
48 Litre	694 x 600 x 150mm	662 x 578 x 126mm



IH506 Stack & Nest Produce Crate

Capacity	Ext. Dimensions	Int. Dimensions
22 Litre	525 x 336 x 240mm	442 x 280 x 228mm



IH512 Stack & Nest Produce Crate

Capacity	Ext. Dimensions	Int. Dimensions
36 Litre	525 x 336 x 345mm	430 x 272 x 333mm



IH2267 Stack & Nest Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions
52 Litre	578 x 384 x 166mm	502 x 338 x 150mm



IH2527 Stack & Nest Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions
52 Litre	578 x 384 x 318mm	502 x 338 x 300mm



IH007 Confectionery Tray

Capacity	Ext. Dimensions	Int. Dimensions
29 Litre	712 x 448 x 95mm	680 x 416 x 76mm



IH047 Stacking Crate

Capacity	Ext. Dimensions	Int. Dimensions
21 Litre	660 x 334 x 121mm	610 x 305 x 114mm



IH047R2 Recycled Stacking Crate

Capacity	Ext. Dimensions	Int. Dimensions
21 Litre	660 x 334 x 121mm	610 x 305 x
ZILITE	000 X 334 X 121111111	114mm



IH072 Stacking Crate

Capacity	Ext. Dimensions	Int. Dimensions
36 Litre	565 x 387 x 203mm	553 x 355 x 190mm



IH024 Auto Crate

Capacity	Ext. Dimensions	Int. Dimensions
25 Litre	580 x 385 x 166mm	518 x 335 x 140mm



IH046 Stacking Crate

Capacity	Ext. Dimensions	Int. Dimensions
46 Litre	629 x 400 x 216mm	597 x 368 x 210mm



IH099 Slab Side Crate

Capacity	Ext. Dimensions	Int. Dimensions
29 Litre	356 x 356 x 292mm	331 x 331 x 279mm



IH305 Small Tote Box IH308 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
13 Litre	432 x 324 x 127mm	387 x 286 x 120mm



IH306 Medium Tote Box

IH308 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
21 Litre	432 x 324 x 203mm	387 x 286 x 197mm



IH307 Large Tote Box

Capacity	Ext. Dimensions	Int. Dimensions
33 Litre	432 x 324 x 305mm	387 x 286 x 298mm



IH220 Large Tote Box IH221 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
42 Litre	520 x 350 x 280mm	475 x 325 x 275mm

HOT STAMPING -Container Identification

Your department or company name stamped on containers helps ensure they are returned to you. Container stamping is available in a range of colours. Stamping is permanent and can't be

Container stamping is available in a range of colours. Stamping is permanent and can't be washed off.







IH006 Vented Confectionery Tray

Capacity	Ext. Dimensions	Int. Dimensions
29 Litre	712 x 448 x 95mm	680 x 416 x 76mm



IH017 Heavy Duty Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions
20 Litre	400 x 280 x 245mm	360 x 245 x 240mm



IH025 Mash Base Crate

Capacity	Ext. Dimensions	Int. Dimensions
25 Litre	580 x 385 x 166mm	518 x 335 x 140mm



IH026 Stacking Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions
50 Litre	580 x 385 x 320mm	518 x 335 x 295mm



IH027 Vented Side Access Crate

Capacity	Ext. Dimensions	Int. Dimensions
50 Litre	580 x 385 x 320mm	518 x 335 x 295mm



IH073 Stacking Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions
36 Litre	565 x 387 x 203mm	553 x 355 x 190mm



IH125 Vented Crate

Capacity	Ext. Dimensions	Int. Dimensions	
13 Litre	385 x 290 x 165mm	330 x 235 x 148mm	



IH037 Lug Box

Capacity	Ext. Dimensions	Int. Dimensions
44 Litre	538 x 362 x 334mm	460 x 324 x 253mm



IH098 Stacking Crate

Capacity	Ext. Dimensions	Int. Dimensions
50 Litre	572 x 382 x 318mm	540 x 350 x 295mm



IH160 Milk Crate

Capacity	Ext. Dimensions	Int. Dimensions
32 Litre	362 x 362 x 325mm	305 x 305 x 310mm



IH300 Vented Lug Crate

Capacity	Ext. Dimensions	Int. Dimensions
66 Litre	610 x 419 x 312mm	571 x 381 x 305mm



IH984 Vented Base

Capacity	Ext. Dimensions	Int. Dimensions
44 Litre	735 x 535 x 150mm	690 x 485 x 135mm



IH008 Commercial Tray

Capacity	Ext. Dimensions	Int. Dimensions
N/A	455 x 343 x 32mm	420 x 305 x 25mm



IH009 Small Tray

Capacity	Ext. Dimensions	Int. Dimensions
N/A	456 x 318 x 57mm	422 x 292 x 55mm



IH310 Handee Bin IH312 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
10 Litre	385 x 300 x 130mm	355 x 270 x 125mm



IH048 Nesting Crate
IH158 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
16 Litre	457 x 318 x 165mm	419 x 279 x 152mm



IH042 **Nesting Crate**IH158 **Lid** White Only

Capacity	Ext. Dimensions	Int. Dimensions
27 Litre	457 x 318 x 260mm	419 x 279 x 255mm



IH077 Liver Tray

Capacity	Ext. Dimensions	Int. Dimensions
11 Litre	514 x 213 x 130mm	483 x 178 x 127mm



IH044 Liver Tray

Capacity	Ext. Dimensions	Int. Dimensions
20 Litre	584 x 267 x 178mm	533 x 229 x 165mm



IH059 Nesting Crate
IH015 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
22 Litre	527 x 381 x 140mm	489 x 343 x 127mm



IH089 Nesting Crate
IH014 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
13 Litre	430 x 323 x 127mm	394 x 285 x 108mm



IH310 Handee Bin IH312 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
10 Litre	385 x 300 x 130mm	355 x 270 x 125mm



IH315 Handee Bin IH312 Lid White Only

Capacity	Ext. Dimensions	Int. Dimensions
15 Litre	385 x 300 x 190mm	355 x 270 x 185mm



IH539R2 Recycled Nesting Tub

Capacity	Ext. Dimensions	Int. Dimensions
200 Litre	990 x 660 x 470mm	770 x 440 x 460mm





IH3026 Solid Swing Bar Crate

Capacity	Ext. Dimensions	Int. Dimensions
23 Litre	578 x 386 x 166mm	495 x 327 x 140mm



GREY

IH3046 Vented Swing Bar Crate

Capacity	Ext. Dimensions	Int. Dimensions	
46 Litre	578 x 388 x 280mm	518 x 322 x 253mm	



IH3021 Vented Swing Bar Crate

Capacity	Ext. Dimensions	Int. Dimensions	
26 Litre	579 x 386 x 166mm	495 x 327 x 140mm	



NOTE: Not a Stock Item.

Minimum quantity applies to this product.

IH3138 Vented Swing Bar Crate

Capacity	Ext. Dimensions	Int. Dimensions	
38 Litre	578 x 387 x 240mm	500 x 300 x 212mm	



IH001 Vented Prawn Crate
IH002 Lid Grey Only

Capacity Ext. Dimensions Int. Dimensions

565 x 302 x 89mm

600 x 352 x 96mm



IH012 Vented Seedling Tray

Capacity	Ext. Dimensions	Int. Dimensions
N/A	357 x 357 x 112mm	328 x 328 x 105mm



IH091 **Oven Tub**

Capacity	Ext. Dimensions	Int. Dimensions
54 Litre	700 x 600 x 340mm	635 x 535 x 320mm



IH3011 Security Crate with Lid

Capacity	Ext. Dimensions	Int. Dimensions
50 Litre	580 x 380 x 325mm	520 x 350 x 295mm



IH3013 Security Crate with Lid

Capacity	Ext. Dimensions	Int. Dimensions
32 Litre	575 x 380 x 200mm	515 x 350 x 185mm



AP68BLACK-RED

Plastic Crate Security With Red Lid

Capacity	Ext. Dimensions
68 Litre	671 x 450 x 315mm



AP68BLACK-BLACK

Plastic Crate Security With Black Lid

Capacity	Ext. Dimensions
68 Litre	671 x 450 x 315mm



IP025 Bucket
IP026 Lid White Only

Capacity	Dimensions - Diameter x Height
113 Litre	637 x 455mm



N151 Bucket N148 Lid White Only

Capacity	Dimensions - Diameter x Height
13 Litre	300 x 295mm

NATURAL



N258 Bucket N073 Lid White Only

Capacity	Dimensions - Diameter x Height
18 Litre	360 x 295mm



N075 Bucket
N073 Lid White Only

Capacity	Dimensions - Diameter x Height
22 Litre	360 x 360mm





Capacity	Dimensions - Diameter x Height
67 Litre	540 x 508mm



IP018 Bucket
IP016 Lid White Only

Capacity	Dimensions - Diameter x Height
84 Litre	540 x 610mm



IH1094 Folding Crate

Capacity	Ext. Dimensions	Int. Dimensions
17 Litre	578 x 385 x 94mm	553 x 357 x 87mm



IH1129 Folding Crate

Capacity	Ext. Dimensions	Int. Dimensions
12 Litre	385 x 289 x 129mm	360 x 261 x 122mm



IH1172 Folding Crate

Capacity	Ext. Dimensions	Int. Dimensions
33 Litre	578 x 385 x 172mm	553 x 357 x 165mm



IH1210 Folding Crate

Capacity	Ext. Dimensions	Int. Dimensions
41 Litre	578 x 385 x 210mm	553 x 357 x 203mm

FOLDING CRATES

When folded, the containers are only $34 mm \ high..$







VISI-PAK® Bins

- Solid plastic body with clear, removable compartments
- > Ideal for home & store merchandising

SKU	Dimensions
1H040	103 x 83 x 120mm
1H041	154 x 126 x 182mm
1H042	208 x 167 x 238mm



IH335

Small Spare Parts Storage

 Standard tray includes two adjustable dividers for easy separation.

Divider to Suit	Dimensions
IH301 Divider	324 x 105 x 100mm



IH338

Small Spare Parts Storage

> Standard tray includes two adjustable dividers for easy separation.

Divider to Suit	Dimensions
IH302 Divider	324 x 203 x 100mm



IH344

Small Spare Parts Storage

> Standard tray includes two adjustable dividers for easy separation.

Divider to Suit	Dimensions
IH301 Divider	424 x 105 x 100mm



IH348

Small Spare Parts Storage

 Standard tray includes two adjustable dividers for easy separation.

Divider to Suit	Dimensions
IH302 Divider	424 x 203 x 100mm



Small Spare Parts Storage Dividers

 Standard tray includes two adjustable dividers for easy separation.

SKU	Suit to
IH301	IH335 / IH344
IH302	IH338 / IH348





APTB27

Spare Parts Storage - Extra Long

> Made from polypropylene with 20% Talc included for improved strength.

Dividers	Dimensions
5	626 x 100 x 100mm



APTB28

Spare Parts Storage - Extra Large

> Made from polypropylene with 20% Talc included for improved strength.

Dividers	Dimensions
5	626 x 200 x 100mm



Micro Bins Storage of small components on bench tops and assembly lines.

Versatile small parts storage system. Suitable for a wide range of applications including warehouse, storerooms, hospitals, schools & manufacturing.







IH1000

Plastic Microbin Storage Container

Capacity	Max. Load	Dimensions
0.5 Litre	2kg	100 x 120 x 60mm

IH1001 **Plastic Microbin Storage Container**

Capacity	Max. Load	Dimensions
1 Litre	5kg	100 x 178 x 85mm

IH1002

Plastic Microbin Storage Container

Capacity	Max. Load	Dimensions
2.5 Litre	9kg	135 x 225 x 125mm













IH1003

Plastic Microbin Storage Container

Capacity	Max. Load	Dimensions
6 Litre	14kg	205 x 280 x 165mm

IH1004

Plastic Microbin Storage Container

Capacity	Max. Load	Dimensions
12 Litre	18kg	410 x 280 x 165mm

IH1006

Plastic Microbin Storage Container


Capacity	Max. Load	Dimensions
24 Litre	27kg	440 x 410 x 210mm



Plastic Louvre Panels

- > Optional louvre panels
- > Also available in metal.

SKU	Construction	Dimensions
1H082	Plastic	153 x 460mm
1H083	Plastic	460 x 460mm



Metal Louvre Panels

Optional louvre panels

SKU	Construction	Dimensions
LV455	Metal	455 x 455mm
LV610	Metal	455 x 610mm
LV914	Metal	455 x 914mm





Designed for efficient parts handling, facilitating easy transport of storage bins.

- Features louvre panels that securely hold various storage bins for organized access
- Comes with castors for easy mobility, allowing smooth movement around the workspace
- Double-sided unit provides convenient access to parts from both sides, enhancing efficiency
- Lightweight construction makes it easy to push and reposition as needed
- Ideal for use in manufacturing, workshops, assembly lines, and garages
- Spacious design accommodates multiple bins, improving parts accessibility
- Easy to assemble with minimal tools required for setup.
- Enhances productivity by keeping tools and parts organized and within reach
- Provides a clean and professional appearance to improve workspace aesthetics
- > Popular combination uses 116 bins spread across five sizes: 16 Grey, 32 Yellow, 32 Green, 12 Blue and 24 Red.

- Robust Frame
- Reliable Performance
- Long-lasting Durability













Mobile Parts Trolley GLBMOB

SKU	Dimensions	Castors	Handles
GLBMOB	1585mm x 970mm x 600mm	2 x Fixed and 2 x Lockable Castors	2

152

MONSTAR BIN

The Monstar Collapsible Bin is a perfect solution when floor and storage space is limited, making it ideal for efficient storage and transportation.

- 750 Litre Capacity
- Food Grade
- Foldable and Stackable

- > This bin provides an outstanding option for agricultural and horticultural picking industries, designed to meet the demands of these sectors
- > Australian Standard Pallet Size
- > Featuring a 3:1 fold-down ratio, it significantly increases transport efficiency, allowing for easy storage when not in use
- Constructed from durable materials, it ensures robust performance while remaining lightweight for easy handling and transport
- Its solid construction guarantees stability and durability, making it suitable for heavy-duty applications
- The bin is compatible with standard pallets, facilitating seamless integration into existing logistics systems
- > Smooth, non-porous surfaces promote hygiene and make it easy to clean and maintain
- The design supports efficient material handling, enhancing productivity in operations









MONSTAR Collapsible Mega Bin - Solid / Vented

SKU	HMT1160KWS	HMT1160KSV
Volume	750 Litre	750 Litre
Material	Solid	Vented
Carrying / Racking Capacity	500kg	500kg
Dynamic Capacity	1000kg	1000kg
Static Capacity	4000kg	4000kg
Ext. / Open Dimensions	1160 x 1160 x 800mm	1160 x 1160 x 800mm
Int. Dimensions	1160 x 1160 x 500mm	1160 x 1160 x 500mm
Folded / Close Dimensions	1160 x 1160 x 300mm	1160 x 1160 x 300mm
Net Weight	52kg	52kg





MONSTAR BIN

The Monstar Pallet Sleeve Bin is designed for efficient storage and transportation of goods, making it a perfect solution when floor and storage space is limited.


- 350kg Capacity Rated
- Foldable Sleeve
- Reusable Container

- > This bin is an outstanding solution for the logistics and transport industries, serving as an ideal low-cost alternative to injection-molded bulk containers.
- Can be used for closed-loop material handling or as recyclable and reusable bulk packaging.
- > When combined with a lid and pallet, these containers are lightweight, strong, space-saving, and reusable, enhancing their practicality.
- Durable construction allows for flexible customisation, suitable for many industries that require cost-saving recyclable packaging.
- > The bin is compatible with the Australia Standard Pallet Size, facilitating seamless integration into existing logistics systems.
- Its open-top design provides quick access to contents, improving efficiency in operations.
- Lightweight construction enables easy handling and transport, reducing labour costs.











Please Note: MONBIN containers are NOT suited to RACKING USE. CUSTOMISED HEIGHTS AVAILABLE ON SPECIAL REQUEST

MONSTAR Pallet Sleeve Bin

SKU	Individual Load Capacity (kg)	Stacking Load Capacity (kg)	Max. Stacking Quantity	Dimensions	Safety Strap
MONBIN440	350kg	250kg	3	1150 x 1150 x 440mm	NA
MONBIN440ST	350kg	250kg	3	1150 x 1150 x 440mm	YES
MONBIN780	350kg	250kg	3	1150 x 1150 x 780mm	NA
MONBIN780ST	350kg	250kg	3	1150 x 1150 x 780mm	YES
MONBIN1200	350kg	250kg	3	1150 x 1150 x 1200mm	NA
MONBIN1200ST	350kg	250kg	3	1150 x 1150 x 1200mm	YES



MS123VH Foldable Half Bin - Vented

- Designed specifically for the Australian market, and has the same footprint dimensions as an Australian pallet.
- > Suit for fruit and vegetable movement and most retail environments.
- > Folded Dimensions: 1162 x 1162 x 280mm.

Capa	city	Ext. Dimensions	Int. Dimensions
470 L	itre 1	162 x 1162 x 560mm	1090 x 1080 x 400mm





MS7800T Mega Bin with Tipping Bar-Solid

- Designed specifically for the Australian market, the Mega Bin is capable of holding up to half a tonne and has the same footprint dimensions as an Australian pallet
- > Positive interlocking foot design allows safe stacking up to ten high

Capacity	Ext. Dimensions	Int. Dimensions
780 Litre	1165 x 1165 x 780mm	1082 x 1082 x 650mm





MS7810B Mega Bin - Vented

- Designed specifically for the Australian market, the Mega Bin is capable of holding up to half a tonne and has the same footprint dimensions as an Australian pallet
- > Positive interlocking foot design allows safe stacking up to ten high
- > Made with 50% Recycled Content

Capacity	Ext. Dimensions	Int. Dimensions
780 Litre	1165 x 1165 x 780mm	1082 x 1082 x 650mm





MS7810 Mega Bin - Vented

- Designed specifically for the Australian market, the Mega Bin is capable of holding up to half a tonne and has the same footprint dimensions as an Australian pallet
- > Positive interlocking foot design allows safe stacking up to ten high

Capacity	Ext. Dimensions	Int. Dimensions
780 Litre	1165 x 1165 x 780mm	1082 x 1082 x 650mm





MS7800B Mega Bin - Solid

- Designed specifically for the Australian market, the Mega Bin is capable of holding up to half a tonne and has the same footprint dimensions as an Australian pallet
- $\,\,$ Positive interlocking foot design allows safe stacking up to ten high
- > Made with 50% Recycled Content

Capacity	Ext. Dimensions	Int. Dimensions
780 Litre	1165 x 1165 x 780mm	1082 x 1082 x 650mm

AVAILABLE SEPARATELY





MS7800 Mega Bin - Solid

- Designed specifically for the Australian market, the Mega Bin is capable of holding up to half a tonne and has the same footprint dimensions as an Australian pallet
- > Positive interlocking foot design allows safe stacking up to ten high

Capacity	Ext. Dimensions	Int. Dimensions
780 Litre	1165 x 1165 x 780mm	1082 x 1082 x 650mm









MS5810 Mega Bin - Vented

- > Designed specifically for the Australian market, and has the same footprint dimensions as an Australian pallet.
- > Positive interlocking foot design allows safe stacking up to ten high

Capacity	Ext. Dimensions	Int. Dimensions
528 Litre	1165 x 1165 x 580mm	1082 x 1082 x 450mm



MS4410 Mega Bin - Vented

- > Designed specifically for the Australian market, and has the same footprint dimensions as an Australian pallet.
- > Positive interlocking foot design allows safe stacking up to ten high

Capacity	Ext. Dimensions	Int. Dimensions
353 Litre	1165 x 1165 x 440mm	1082 x 1082 x 310mm




IH537

VIPALLET

> A cost effective alternative pallet for food processing, pharmaceuticals, groceries, printing, textiles, chemicals, beverages, tanning and general industrial applications.

Static Capacity	Beam Rack Capacity	Dimensions	Weight
4000kg	1000kg	1168 x 1168mm	16.8kg



NS900

Plastic Pallet

> A cost effective alternative pallet for food processing, pharmaceuticals, groceries, printing, textiles, chemicals, beverages, tanning and general industrial applications.

Static Capacity	Beam Rack Capacity	Dimensions	Weight
8000kg	2000kg	1170 x 1170mm	34kg



EC01160L

VIPALLET

> Heavy Duty, 100% Recycled Material.

Static Capacity	Beam Rack Capacity	Dimensions	Weight
10000kg	2000kg	1165 x 1165mm	17.6kg



EC01165MS

Heavy Duty Pallet

- > Heavy Duty, Smooth Flat Deck Surface with Anti Slip.
- > Available in 100% Recycled or Virgin Material.

Static Capacity	Beam Rack Capacity	Dimensions	Weight
10000kg	2000kg	1165 x 1165mm	24.3kg



The MDF Work Bench is a reliable solution for workshops, warehouses, and garages, providing a strong and stable platform for everyday tasks.

- The MegaBench Steel Workbench is built to withstand years of demanding use in factories, workshops, and warehouses
- Constructed with a reinforced steel frame for maximum stability and load capacity, ideal for assembly, repairs, packing, or heavy-duty industrial applications
- Heavy-duty steel frame provides outstanding strength and long-term durability
- Available in multiple lengths, two widths, and three height options to suit any workspace
- Features a smooth 18mm MDF top, ideal for assembly, repairs, packaging, and general tasks
- Standard stock models can be customised with drawers, shelves, or castors for mobility
- Galvanised steel offers resistance to rust, scratches, and everyday wear
- Simple bolt-together design ensures quick assembly, relocation, and maintenance
- Provides a dependable and practical work surface that enhances efficiency in any environment
- > Non-standard sizes and custom finishes available on request

- Galvanised Steel Frame
- 18mm MDF Top
- Multiple Sizes Available













MDF Work Bench


SKU	Length	Bin Type	Top Desk
RE MB12006802	1200mm	1200x 750 x 680	18mm MDF Board
RE MB12008202	1200mm	1200x 750 x 820	18mm MDF Board
RE MB12009602	1200mm	1200x 750 x 960	18mm MDF Board
RE MB18006802	1800mm	1800x 750 x 680	18mm MDF Board
RE MB18008202	1800mm	1800x 750 x 820	18mm MDF Board
RE MB18009602	1800mm	1800x 750 x 960	18mm MDF Board
RE MB24006802	2400mm	2400x 750 x 680	18mm MDF Board
RE MB24008202	2400mm	2400x 750 x 820	18mm MDF Board
RE MB24009602	2400mm	2400x 750 x 960	18mm MDF Board



The Custom Work Bench combines a heavy-duty galvanised steel frame with a versatile MDF top, giving you a solid foundation that can be tailored to your exact needs. Build your ideal workstation by adding accessories such as drawers, panels, shelves, and castors.

Special Order

Our modular design lets you start with a standard bench and expand it with custom options. Choose different sizes, finishes, or mobility features, and contact us to discuss tailored solutions for your specific workspace requirements.



Transform your workbench with our wide range of accessories from drawers and organisers to shelves, panels, and castors creating a workstation that works the way you do.

















For Megabench 1200mm Long

SKU	Descriptions
RE MB 1211	Low Back
RE MB 1212	High Back
RE MB 1210	Underside Shelf
RE MB 1213	Over bench Shelf

For Megabench 1800mm Long

Low Back
High Back
Underside Shelf
Over bench Shelf



Special Order

Shelving - 5 Shelf

Post Style with

ABS Real Tuff Shelves

- > Available shelf lengths from 60cm to 180cm in increments of 15cm
- > Welded 32mm x 2.5mm roll formed section frames
- > Width can be 30, 45, 52.5 or 60cm deep
- Finishes available are zinc lacquered, polished stainless steel, hot dip galvanised or powder coated



Special Order

Shelving - 5 Shelf

Post Style with Wire Grid

- > Available shelf lengths from 60cm to 180cm in increments of 15cm
- > Strong wire shelves low maximum airflow
- > Width can be 30, 37.5, 45, 52.5 or 60cm deep
- > Welded 32 x 2.5mm roll formed section frames with wire grid of 4mm
- Finishes available are zinc lacquered, polished stainless steel & powder coated



30D bins



Half Size Rack with #4 bins

Action Rack Half Size 1015 x 1800mm


- > ACTION-RACK is a unique racking system
- > Sturdy galvanised steel frame that holds a range of lift-out plastic bins
- > A versatile approach to storage and display, suiting many applications
- > Optional castors can be fitted for greater manoeuvrability.

SKU	Levels	Bin Type	Total Bins
RE S AS1530	5	#30 Bins	15
RE S AS1530D	5	#30D Bins	15
RE S AS1804	6	#4 Bins	18



Full Size Rack with #4 bins







Full Size Rack with #30 & #30D bins, Mobile option

Action Rack Full Size 2022 x 1800mm

- > ACTION-RACK is a unique racking system
- > Sturdy galvanised steel frame that holds a range of lift-out plastic bins
- > A versatile approach to storage and display, suiting many applications
- > Optional castors can be fitted for greater manoeuvrability.

SKU	Levels	Bin Type	Total Bins
RE S AL1207	4	#7 Bins	12
RE S AL1210	4	#10 Bins	12
RE S AL3030	5	#30 Bins	30
RE S AL3030D	5	#30D Bins	30
RE S AL3604	6	#4 Bins	36







PW1830

Personal Wardrobe

- > Personal hang rail and mirror
- > Quality powder-coated finish
- > Flush mounted doors with 180 degree opening capacity
- > Quality steel with reinforced doors
- > 3-point locking mechanism
- > 10-year warranty

SKU	Dimensions	Doors	Locker
PW1830	914 x 463 x 1830mm	Full Length Double Doors	3-point mechanism with key



Industrial Metal Personal Locker Storage

- > Available in 2 widths 305mm & 380mm
- > Quality powder-coated finish
- > Flush mounted doors with 180 degree opening capacity
- > Card holder provision for easy identification
- > Pad latch and key lock options available.
- > 10-year warranty.

SKU	Door(s)	Dimensions
LK1T305	1	305 x 460 x 1830mm
LK1T380	1	380 x 460 x 1830mm
LK2T305	2	305 x 460 x 1830mm
LK3T305	3	305 x 460 x 1830mm
LK3T380	3	380 x 460 x 1830mm
LK4T305	4	305 x 460 x 1830mm
LK4T380	4	380 x 460 x 1830mm
LK6T305	6	305 x 460 x 1830mm
LK6T380	6	380 x 460 x 1830mm
LK8T305	8	305 x 460 x 1830mm





Personal Lockers Additional Clip / Shelves

SKU	Dimensions
SCLIP	Shelf Clip
EXS900-300	900 x 300mm
EXS900-400	900 x 400mm
EXS1200-300	1200 x 300mm
ESX1200-400	1200 x 400mm

CUSTOM SHELVING & STORAGE SYSTEM DESIGN & MANUFACTURE





Team Systems custom design & manufacture to suit your warehouse.

Team Systems is committed to providing our customers with material handling and warehouse equipment solutions that emphasise safety and efficiency. We offer our professional knowledge on warehousing processes tailored to your needs.

Our national distribution of high quality products across all locations in Melbourne, Sydney, Brisbane, Adelaide and Perth provides not only logistical advantages for our customers but confidence in after market support at a local level with experienced staff.

Our history in developing products for the Australian and New Zealand markets for over 30 years has helped our customers improve their processes with custom solutions.

Call us to arrange a site visit from one of our experienced sales engineers who will design a personalised solution for your needs.

- WORK BENCHES
- WORK TABLES
- FLEXITOOL BOARD SYSTEM
- COOL ROOM SHELVING
- LONGSPAN SHELVING EQUIPMENT
- SPECIALIZED TROLLEYS
- METAL WORK
- CONVEYOR SYSTEMS
- PLATFORMS AND WALK OVERS



















































StockMaster



© Team Systems (VIC) Pty Ltd ABN 85 072 395 576

No part of this catalogue may be reproduced, stored in a retrieval system or transmitted in any form by means, including electronic, mechanical, photocopying, recording or otherwise, without the prior permission of Team Systems (Vic) Pty. Ltd. All items in this catalogue have been included in good faith on the basis that the goods, as described, will be available for sale. A failure by supplier to deliver in accordance with sample, description or at all or other unintentional causes may result in some items being unavailable. Display accessories shown in photographs throughout this publication are not included in the price. Whilst every care has been taken to ensure accuracy in this catalogue, we reserve the right to change products resulting from printing or typographical error. Printed for Team Systems (Vic) Pty. Ltd. Designed by Jessie Wu.



VICTORIA

DANDENONG - HEAD OFFICE

Team Systems Material Handling 121 Logis Boulevard Dandenong South VIC 3175 **T**: 03 8791 5777

melbourne@teamsystems.net.au



NEW SOUTH WALES

WETHERILL PARK SALES OFFICE & WARHOUSE

79-85 Cowpasture Road, Wetherill Park, NSW 2164 **T:** 02 9609 7782 sydney@teamsystems.net.au



QUEENSLAND

YATALA

SALES OFFICE & WARHOUSE

Unit11, 28 Burnside Rd, Yatala, QLD 4207 **T:** 07 3807 9144

brisbane@teamsystems.net.au



SOUTH AUSTRALIA

ADELAIDE SALES OFFICE & WARHOUSE

65 Manton Street, Hindmarsh, SA 5007 **T:** 03 8340 4111 adelaide@teamsystems.net.au



WESTERN AUSTRALIA

CANNING VALE **SALES OFFICE & WARHOUSE**

211 Bannister Rd, Canning Vale, WA 6155 **T:** 08 9455 4855 perth@teamsystems.net.au

